# Pregnancy (current)—complication



#### © Australian Institute of Health and Welfare 2024

This product, excluding the AlHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AlHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at https://creativecommons.org/licenses/by/4.0/.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

# Pregnancy (current)—complication

### Identifying and definitional attributes

Metadata item type: Data Element Concept

METEOR identifier: 269439

Registration status: Health!, Standard 01/03/2005

**Definition:** Complications arising up to the period immediately preceding delivery that are

directly attributable to the pregnancy and may have significantly affected care

during the current pregnancy and/or pregnancy outcome.

Context: Perinatal statistics

## Object Class attributes

### Identifying and definitional attributes

Object class: <u>Pregnancy</u>

**Definition:** The period during which a woman carries a developing fetus, normally in the uterus.

Pregnancy lasts for approximately 266 days, from conception until the baby is born, or 280 days from the first day of the last menstrual period. During pregnancy menstruation is absent, there may be a great increase in appetite, and the breasts increase in size; the woman may also experience morning sickness. These and other changes brought about by a hormone (progesterone) produced at first by the ovary and later by the placenta. Definite evidence of pregnancy is provided by various pregnancy tests, by the detection of the heartbeat of the fetus, and by

ultrasound.

Specialisation of: <u>Life event</u>

#### Source and reference attributes

**Submitting organisation:** Australia Institute of Health and Welfare

Origin: University of Oxford 2002. Concise Colour Medical Dictionary 3rd ed. UK: Oxford

University Press

# Property attributes

## Identifying and definitional attributes

Property: <u>Complication</u>

**Definition:** A disease or disorder concurrent with another disease, disorder or condition.

Property group: <u>Illness and/or Injury event</u>

#### Source and reference attributes

Submitting organisation: Australian Institute of Health and Welfare

Origin: Dorland's Illustrated Medical Dictionary 30th ed. Philadelphia: Saunders

# Data element concept attributes

#### Relational attributes

Data Elements implementing this Data Element Concept:

- <u>Pregnancy (current)—complication, code (ICD-10-AM 3rd edn) ANN{.N[N]}</u> <u>Health!</u>, Superseded 28/06/2004
- <u>Pregnancy (current)—complication, code (ICD-10-AM 4th edn) ANN{.N[N]}</u> <u>Health!</u>, Superseded 07/12/2005
- <u>Pregnancy (current)—complication, code (ICD-10-AM 5th edn) ANN{.N[N]}</u> <u>Health!</u>, Superseded 05/02/2008
- Pregnancy (current)—complication, code (ICD-10-AM 6th edn) ANN{.N[N]} Health!, Superseded 22/12/2009
- <u>Pregnancy (current)—complication, code (ICD-10-AM 7th edn) ANN{.N[N]}</u> <u>Health!</u>, Standard 22/12/2009