# Female—number of previous pregnancies (stillbirth), total N[N]

Exported from METEOR (AIHW's Metadata Online Registry)
© Australian Institute of Health and Welfare 2024
This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AlHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at https://creativecommons.org/licenses/by/4.0/.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

# Female—number of previous pregnancies (stillbirth), total N[N]

## Identifying and definitional attributes

Metadata item type: Data Element

Short name: Previous pregnancies—stillbirth

**METEOR** identifier: 269933

Registration status: Health!, Standard 01/03/2005

**Definition:** The total number of previous pregnancies of a female resulting in stillbirth (- at least

20 weeks' gestational age or 400 g birthweight).

**Data Element Concept:** Female—number of previous pregnancies

Value Domain: Total pregnancies N[N]

#### Value domain attributes

### Representational attributes

Representation class: Total Data type: Number Format: N[N]

Maximum character length: 2

**Value** Meaning

Supplementary values: 99 Not stated

Unit of measure: Pregnancy

#### Data element attributes

#### Collection and usage attributes

Guide for use: A pregnancy resulting in multiple births should be counted as once pregnancy.

> In multiple pregnancies with more than one type of outcome, the pregnancies should be recorded in the following order:

· all live births

stillbirth

spontaneous abortion

· induced abortion

ectopic pregnancy

Where the outcome was one stillbirth and one live birth, count as stillbirth.

If a previous pregnancy was a hydatidiform mole, code as spontaneous or induced

abortion (or rarely, ectopic pregnancy), depending on the outcome.

Comments: The number of previous pregnancies is an important component of the woman's

reproductive history. Parity may be a risk factor for adverse maternal and perinatal

A previous history of stillbirth identifies the mother as high risk for subsequent

pregnancies.

# Source and reference attributes

**Submitting organisation:** National Perinatal Data Development Committee

**Relational attributes** 

Related metadata Is re-engineered from Previous pregnancies, version 1, DE, NHDD, NHIMG,

references: Superseded 01/03/2005.pdf (15.1 KB)

No registration status