# Female—number of previous pregnancies (spontaneous abortion), total NN

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY4.0 (CC BY4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at https://creativecommons.org/licenses/by/4.0/.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

# Female—number of previous pregnancies (spontaneous abortion), total NN

## Identifying and definitional attributes

Metadata item type:	Data Element
Short name:	Previous pregnancies—spontaneous abortion
METEOR identifier:	269934
Registration status:	Health!, Standard 01/03/2005
Definition:	The total number of previous pregnancies of a female resulting in spontaneous abortion (less than 20 weeks' gestational age, or less than 400 g <u>birthweight</u> if gestational age is unknown).
Data Element Concept:	Female—number of previous pregnancies
Value Domain:	Total pregnancies N[N]

### Value domain attributes

#### **Representational attributes**

Representation class:	Total	
Data type:	Number	
Format:	N[N]	
Maximum character length:	2	
	Value	Meaning
Supplementary values:	99	Not stated

# Data element attributes

#### Collection and usage attributes

Guide for use:	A pregnancy resulting in multiple births should be counted as once pregnancy.
	In multiple pregnancies with more than one type of outcome, the pregnancies should be recorded in the following order:
	<ul> <li>all live births</li> <li>stillbirth</li> <li>spontaneous abortion</li> <li>induced abortion</li> <li>ectopic pregnancy</li> </ul>
	Where the outcome was one stillbirth and one live birth, count as stillbirth.
	If a previous pregnancy was a hydatidiform mole, code as spontaneous or induced abortion (or rarely, ectopic pregnancy), depending on the outcome.
Comments:	The number of previous pregnancies is an important component of the woman's reproductive history. Parity may be a risk factor for adverse maternal and perinatal outcomes.
	A previous history of spontaneous abortion identifies the mother as high risk for subsequent pregnancies.

#### Source and reference attributes

Submitting organisation: National Perinatal Data Development Committee

#### **Relational attributes**

Related metadata references:

Is re-engineered from Previous pregnancies, version 1, DE, NHDD, NHIMG, Superseded 01/03/2005.pdf (15.1 KB) No registration status