

Episode of treatment for alcohol and other drugs— drug of concern (other), code (ASCDC 2000 extended) NNNN

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

Episode of treatment for alcohol and other drugs— drug of concern (other), code (ASCDC 2000 extended) NNNN

Identifying and definitional attributes

Metadata item type:	Data Element
Short name:	Other drug of concern
METEOR identifier:	270110
Registration status:	Health! , Superseded 07/12/2011
Definition:	A drug apart from the principal drug of concern which the client states as being a concern, as represented by a code.
Data Element Concept:	Episode of treatment for alcohol and other drugs—drug of concern
Value Domain:	Drug of concern (ASCDC 2000 extended) code NNNN

Value domain attributes

Representational attributes

Classification scheme:	Australian Standard Classification of Drugs of Concern 2000
Representation class:	Code
Data type:	String
Format:	NNNN
Maximum character length:	4

	Value	Meaning
Supplementary values:	0005	Opioid analgesics not further defined
	0006	Psychostimulants not further defined

Collection and usage attributes

Guide for use: The Australian Standard Classification of Drugs of Concern (ASCDC) provides a number of supplementary codes that have specific uses and these are detailed within the ASCDC e.g. 0000 = inadequately described.

Other supplementary codes that are not already specified in the ASCDC may be used in National Minimum Data Sets (NMDS) when required. In the Alcohol and other drug treatment service NMDS, two additional supplementary codes have been created which enable a finer level of detail to be captured:

CODE 0005 Opioid analgesics not further defined

This code is to be used when it is known that the client's principal drug of concern is an opioid but the specific opioid used is not known. The existing code 1000 combines opioid analgesics and non-opioid analgesics together into Analgesics nfd and the finer level of detail, although known, is lost.

CODE 0006 Psychostimulants not further defined

This code is to be used when it is known that the client's principal drug of concern is a psychostimulant but not which type. The existing code 3000 combines stimulants and hallucinogens together into Stimulants and hallucinogens nfd and the finer level of detail, although known, is lost.

Psychostimulants refer to the types of drugs that would normally be coded to 3100-3199, 3300-3399 and 3400-3499 categories plus 3903 and 3905.

Data element attributes

Collection and usage attributes

Guide for use: Record each additional drug of concern (according to the client) relevant to the treatment episode. The other drug of concern does not need to be linked to a specific treatment type.

More than one drug may be selected. There should be no duplication with the principal drug of concern.

Collection methods: Any other drug of concern for the client should be recorded upon commencement of a treatment episode.

For clients whose treatment episode is related to the alcohol and other drug use of another person, this metadata item should not be collected.


Comments: This item complements principal drug of concern. The existence of other drugs of concern may have a role in determining the types of treatment required and may also influence treatment outcomes.

Source and reference attributes

Submitting organisation: Intergovernmental Committee on Drugs National Minimum Data Set Working Group

Relational attributes

Related metadata references: Has been superseded by [Episode of treatment for alcohol and other drugs—drug of concern \(other\), \(ASCDC 2011 extended\) code NNNN Health!](#), Standard 07/12/2011

Is re-engineered from  [Other drug of concern, version 3, DE, NHDD, NHIMG, Superseded 01/03/2005.pdf](#) (16.4 KB)

No registration status

Implementation in Data Set Specifications: [Alcohol and other drug treatment services NMDS](#)

[Health!](#), Superseded 21/03/2006

Implementation start date: 01/07/2005

Implementation end date: 30/06/2006

[Alcohol and other drug treatment services NMDS](#)

[Health!](#), Superseded 23/10/2006

Implementation start date: 01/07/2006

Implementation end date: 30/06/2007

[Alcohol and other drug treatment services NMDS 2007-08](#)

[Health!](#), Superseded 05/02/2008

Implementation start date: 01/07/2007

Implementation end date: 30/06/2008

[Alcohol and other drug treatment services NMDS 2008-10](#)

[Health!](#), Superseded 22/12/2009

Implementation start date: 01/07/2008

Implementation end date: 30/06/2010

[Alcohol and other drug treatment services NMDS 2010-11](#)

[Health!](#), Superseded 24/12/2010

Implementation start date: 01/07/2010

Implementation end date: 30/06/2011

[Alcohol and other drug treatment services NMDS 2011-12](#)

[Health!](#), Superseded 07/12/2011

Implementation start date: 01/07/2011

Implementation end date: 30/06/2012