# Previous pregnancies

Important note: This is an archived metadata standard from the AIHW Knowledgebase. For current metadata standards and related information please access METeOR, the AIHW's Metadata Online Registry at <a href="http://meteor.aihw.gov.au">http://meteor.aihw.gov.au</a>

## Identifying and Definitional Attributes

Data Dictionary: NHDD

Knowledgebase ID: 000134 Version number: 1

Metadata type: DATA ELEMENT

Registration NHIMG Admin status: SUPERSEDED

Authority: Effective date: 01-MAR-05

Definition: The total number of previous pregnancies, specified as pregnancies

resulting in:
- live birth, or

- stillbirth - at least 20 weeks' gestational age or 400 g birthweight, or

- spontaneous abortion (less than 20 weeks' gestational age, or less

than 400 g birthweight if gestational age is unknown), or - induced abortion (termination of pregnancy before 20 weeks'

gestation), or

- ectopic pregnancy.

Context: Perinatal statistics:

The number of previous pregnancies is an important component of the woman's reproductive history. Parity may be a risk factor for adverse maternal and perinatal outcomes. A previous history of stillbirth or spontaneous abortion identifies the mother as high risk for subsequent pregnancies. A previous history of induced abortion may increase the risk of some outcomes in subsequent pregnancies.

# Relational and Representational Attributes

Datatype: Numeric

Representational QUANTITATIVE VALUE

form:

Representation NN

layout:

Minimum Size: 2
Maximum Size: 2

Data Domain: NOVAL 2-digit numeric field representing the number of

pregnancies for each of the categories above, or 99

for not stated

Guide For Use: A pregnancy resulting in multiple births should be counted as

one pregnancy.

In multiple pregnancies with more than one type of outcome, the pregnancies should be recorded in the following order:

- all live births
- stillbirth
- spontaneous abortion
- induced abortion
- ectopic pregnancy

Where the outcome was one stillbirth and one live birth, count as stillbirth.

If a previous pregnancy was a hydatidiform mole, code as spontaneous or induced abortion (or rarely, ectopic pregnancy), depending on the outcome.

Related metadata: is qualified by Date of completion of last previous pregnancy

version 1

is used in conjunction with Outcome of last previous pregnancy

version 1

#### Administrative Attributes

Source Document:

Source Organisation: National Perinatal Data Development Committee

### Data Element Links

Information Model Entities linked to this Data Element
NHIM Physical wellbeing

Data Agreements which include this Data Element