

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AlHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at https://creativecommons.org/licenses/by/4.0/.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

Lifestyle characteristics

Identifying and definitional attributes

Item type: Property Group

METEOR identifier: 274652

Description: Characteristics of the lifestyle of a person or group of people. For example,

injecting drug use status, physical activity sufficiency status, tobacco smoking

status.

Properties in this Property group

Activity type

- Alcohol consumption after 20 weeks of pregnancy indicator
- Alcohol consumption amount
- Alcohol consumption frequency
- Alcohol consumption frequency after 20 weeks of pregnancy
- Alcohol consumption frequency in the first 20 weeks of pregnancy
- Alcohol consumption in prison indicator
- Alcohol consumption in the first 20 weeks of pregnancy indicator
- Alcohol treatment program participation indicator
- Assistance available to quit smoking
- Assistance used to quit smoking
- Change in tobacco consumption indicator
- Change in tobacco consumption since imprisonment indicator
- Consumption of 6 or more standard drinks on one occasion
- Current smoking status indicator
- Ever smoked a full cigarette indicator
- Extent of participation in a life area
- Injecting drug use indicator
- Injecting drug use status
- Life expectancy
- Like to quit smoking indicator
- Method of drug use
- Needle sharing frequency
- Number of cigarettes smoked
- Number of cigarettes smoked after 20 weeks of pregnancy
- Number of cigarettes smoked first 20 weeks of pregnancy
- Number of standard drinks consumed when drinking alcohol after 20 weeks of pregnancy
- Number of standard drinks consumed when drinking alcohol in the first 20 weeks of pregnancy
- Number of tobacco cigarettes smoked per day after 20 weeks of pregnancy
- Physical activity change
- Physical activity change
- Physical activity sufficiency status
- Plan to continue smoking after release indicator
- Plan to continue smoking status
- Regular tobacco smoking indicator
- Smoking cessation program participation indicator
- · Substance used illicitly indicator
- Time since quitting tobacco smoking
- Tobacco product smoked
- Tobacco smoking after 20 weeks of pregnancy indicator
- Tobacco smoking daily use status
- Tobacco smoking duration
- Tobacco smoking frequency
- Tobacco smoking in the first 20 weeks of pregnancy indicator
- Tobacco smoking indicator (after twenty weeks of pregnancy)
- Tobacco smoking indicator (first twenty weeks of pregnancy)
- Tobacco smoking quit age
- Tobacco smoking start age
- Tobacco smoking status
- Tobacco smoking status prior to imprisonment indicator
- Type of assistance to guit smoking
- Type of substance used illicitly