

Electrocardiogram—ST-segment-elevation in lead V4R indicator, yes/no code N

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

Electrocardiogram—ST-segment-elevation in lead V4R indicator, yes/no code N

Identifying and definitional attributes

Metadata item type:	Data Element
Short name:	Electrocardiogram - ST-segment-elevation in lead V4R
Synonymous names:	ECG - ST-segment-elevation lead V4R
METEOR identifier:	343889
Registration status:	Health! , Standard 01/10/2008
Definition:	An indicator of whether ST-segment-elevation of greater than or equal to 1mm (0.1mV) in lead V4R of the electrocardiogram (ECG) is present, as represented by a code.

Data element concept attributes

Identifying and definitional attributes

Data element concept:	Electrocardiogram—electrocardiogram ST-segment-elevation in lead V4R indicator
METEOR identifier:	343885
Registration status:	Health! , Standard 01/10/2008
Definition:	An indicator of whether ST-segment-elevation greater than or equal to 1mm (0.1mV) in lead V4R of the electrocardiogram (ECG) is present.
Object class:	Electrocardiogram
Property:	Electrocardiogram ST-segment-elevation in lead V4R indicator

Value domain attributes

Identifying and definitional attributes

Value domain:	Yes/no/not stated/inadequately described code N
METEOR identifier:	301747
Registration status:	Health! , Standard 21/09/2005 Housing assistance , Standard 10/02/2006 Community Services (retired) , Standard 14/02/2006 Early Childhood , Standard 21/05/2010 Homelessness , Standard 23/08/2010 Independent Hospital Pricing Authority , Standard 01/11/2012 Disability , Standard 07/10/2014 Indigenous , Standard 13/03/2015 Children and Families , Standard 22/11/2016
Definition:	A code set representing 'yes', 'no' and 'not stated/inadequately described'.

Representational attributes

Representation class:	Code
Data type:	Number
Format:	N
Maximum character length:	1

	Value	Meaning
Permissible values:	1	Yes
	2	No
Supplementary values:	9	Not stated/inadequately described

Collection and usage attributes

Guide for use: CODE 9 Not stated/inadequately described
This code is not for use in primary data collections.

Data element attributes

Collection and usage attributes

Guide for use: CODE 1 Yes
ST-segment-elevation ≥ 1 mm (0.1 mV) in lead V4R

CODE 2 No
ST-segment-elevation in lead V4R of ≤ 1 mm (0.1 mV) or no ST-segment-elevation in lead V4R

CODE 9 Not stated/inadequately described
Includes unknown

Collection methods: The presence (or absence) of ST-segment elevation in lead V4R should be recorded when right-sided precordial leads are performed in the ECG.

Comments: ST-segment elevation in lead V4R represents right ventricular infarction.

Relational attributes

Related metadata references: See also [Electrocardiogram—lead V4R presence indicator, yes/no code N Health!](#), Standard 01/10/2008

Implementation in Data Set Specifications: [Electrocardiogram cluster Health!](#), Standard 01/10/2008
Conditional obligation: Record when lead V4R was performed on the electrocardiogram.