

# Functional stress test—assessment of cardiac perfusion, code N[N]

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to [info@aihw.gov.au](mailto:info@aihw.gov.au).

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at [meteor@aihw.gov.au](mailto:meteor@aihw.gov.au).

# Functional stress test—assessment of cardiac perfusion, code N[N]

## Identifying and definitional attributes

<b>Metadata item type:</b>	Data Element
<b>Short name:</b>	Functional stress test assessment of cardiac perfusion
<b>Synonymous names:</b>	Functional stress test method
<b>METEOR identifier:</b>	344432
<b>Registration status:</b>	<a href="#">Health!</a> , Standard 01/10/2008
<b>Definition:</b>	The method of functional assessment of cardiac perfusion undertaken in a person's stress test, as represented by a code.
<b>Data Element Concept:</b>	<a href="#">Functional stress test—assessment of cardiac perfusion</a>
<b>Value Domain:</b>	<a href="#">Functional stress test method, code N[N]</a>

## Value domain attributes

### Representational attributes

<b>Representation class:</b>	Code
<b>Data type:</b>	Number
<b>Format:</b>	N
<b>Maximum character length:</b>	1

	<b>Value</b>	<b>Meaning</b>
<b>Permissible values:</b>	1	Exercise tolerance
	2	Pharmacological
<b>Supplementary values:</b>	9	Not stated/inadequately described

### Collection and usage attributes

<b>Guide for use:</b>	CODE 1 Exercise tolerance
	Use this code when a treadmill, bicycle or arm-exercise was used to increase the cardiac work.
	CODE 2 Pharmacological
	Use this code when any form of pharmacologic augmentation was used to increase cardiac work. For example, dobutamine, atropine or persantin.
	CODE 9 Not stated/inadequately described
	Not for use in primary data collections.

## Data element attributes

### Relational attributes

Implementation in Data Set [Functional stress test cluster](#)

Specifications:

[Health](#), Standard 01/10/2008

**Conditional obligation:** To be provided when a functional stress test is performed.