

Ventricular ejection fraction—test result, percentage N[N].N

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

Ventricular ejection fraction—test result, percentage N[N].N

Identifying and definitional attributes

Metadata item type:	Data Element
Short name:	Ventricular ejection fraction test result (percentage)
Synonymous names:	EF result (percentage)
METEOR identifier:	347002
Registration status:	Health! , Standard 01/10/2008
Definition:	A person's ventricular ejection fraction result expressed as a percentage.
Data Element Concept:	Ventricular ejection fraction—test result
Value Domain:	Percentage N[N].N

Value domain attributes

Representational attributes

Representation class:	Percentage	
Data type:	Number	
Format:	N[N].N	
Maximum character length:	3	
	Value	Meaning
Supplementary values:	99.9	Not stated/inadequately described

Data element attributes

Collection and usage attributes

Guide for use:	The person's ejection fraction result recorded should be between 0 and 80%.
Comments:	The patient is not alive or is in Pulseless Electrical Activity (PEA) if the result is 0%.

Relational attributes

Related metadata references:	See also Ventricular ejection fraction—test result, code N Health! , Standard 01/10/2008
Implementation in Data Set Specifications:	Ventricular ejection fraction cluster Health! , Standard 01/10/2008 Conditional obligation: To be provided when the ventricular ejection fraction is measured.