Person—creatine kinase isoenzyme level (measured), total units per litre N[NNN]
Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AlHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AlHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at https://creativecommons.org/licenses/by/4.0/.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

Person—creatine kinase isoenzyme level (measured), total units per litre N[NNN]

Identifying and definitional attributes

Metadata item type: Data Element

Short name: Creatine kinase level (U/L)

Synonymous names: CK measured (U/L)

METEOR identifier: 349536

Registration status: Health!, Standard 01/10/2008

Definition: A person's measured creatine kinase (CK) isoenzyme level in units per litre.

Data Element Concept: Person—creatine kinase isoenzyme level

Value Domain: <u>Total units per litre N[NNN]</u>

Value domain attributes

Representational attributes

Representation class: Total

Data type: Number

Format: N[NNN]

Maximum character length: 4

Value Meaning

Supplementary values: 9998 Not measured

9999 Not stated/inadequately described

Unit of measure: Units per litre (U/L)

Data element attributes

Collection and usage attributes

Guide for use: CODE 8888 if test for CK was not done for this hospital presentation.

Where possible, several CK measures should be recorded and their associated date and time. At a minimum, an initial, peak and late value should be recorded.

When only one CK level is recorded, this should be the peak level.

Comments: Elevation of CK isoenzyme is an indication of damage to muscle.

There are three different CK isoenzyme sub-forms:

- CK-MM (skeletal muscle)- CK-MB (cardiac muscle)

- CK-BB (brain tissue)

Relational attributes

Related metadata references:

See also Laboratory standard—upper limit of normal range for creatine kinase

isoenzyme, total units per litre N[NNN] Health!, Standard 01/10/2008

Specifications:

Implementation in Data Set Acute coronary syndrome (clinical) DSS Health!, Superseded 01/09/2012

> DSS specific information: The measured CK isoenzyme levels and the timing of these measurements are important to the diagnosis of myocardial infarction.

Acute coronary syndrome (clinical) DSS Health!, Superseded 02/05/2013

DSS specific information: The measured CK isoenzyme levels and the timing of these measurements are important to the diagnosis of myocardial infarction.

Acute coronary syndrome (clinical) NBPDS 2013-

Health!, Standard 02/05/2013 Implementation start date: 01/07/2013

DSS specific information:

The measured CK isoenzyme levels and the timing of these measurements are important to the diagnosis of myocardial infarction.