

# Person—timing of angiotensin II receptor blocker prescription, code N

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to [info@aihw.gov.au](mailto:info@aihw.gov.au).

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at [meteor@aihw.gov.au](mailto:meteor@aihw.gov.au).

# Person—timing of angiotensin II receptor blocker prescription, code N

## Identifying and definitional attributes

<b>Metadata item type:</b>	Data Element
<b>Short name:</b>	Timing of angiotensin II receptor blocker prescription
<b>METEOR identifier:</b>	350421
<b>Registration status:</b>	<a href="#">HealthI</a> , Standard 01/10/2008
<b>Definition:</b>	The timing of care when an angiotensin II receptor blocker is prescribed to a person, as represented by a code.
<b>Data Element Concept:</b>	<a href="#">Person—timing of angiotensin II receptor blocker prescription</a>
<b>Value Domain:</b>	<a href="#">Timing of prescription N</a>

## Value domain attributes

## Representational attributes

<b>Representation class:</b>	Code
<b>Data type:</b>	Number
<b>Format:</b>	N
<b>Maximum character length:</b>	1

	<b>Value</b>	<b>Meaning</b>
<b>Permissible values:</b>	1	Prior to presentation at hospital
	2	First 24 hours of presentation
	3	After 24 hours and before discharge
	4	At discharge
<b>Supplementary values:</b>	9	Not stated/inadequately described

## Data element attributes

## Collection and usage attributes

**Guide for use:**

CODE 1 Prior to presentation at hospital

Use this code when the person has been previously prescribed an angiotensin II receptor blocker prior to presentation at the hospital and the person is still following the prescription.

CODE 2 First 24 hours of presentation

Use this code when an angiotensin II receptor blocker is prescribed within the first 24 hours following presentation to the hospital.

CODE 3 After 24 hours and before discharge

Use this code when an angiotensin II receptor blocker is prescribed following the first 24 hours after presentation to the hospital and before discharge from the hospital.

CODE 4 At discharge

Use this code when an angiotensin II receptor blocker is prescribed at discharge from the hospital.

**Collection methods:**

Record each time an angiotensin II receptor blocker is prescribed for the person.

**Relational attributes****Implementation in Data Set**

[Acute coronary syndrome pharmacotherapy data cluster](#)

**Specifications:**

[Health!](#), Standard 01/10/2008

**Conditional obligation:** If prescribed, provide a phase for each time angiotensin II receptor blocker therapy is prescribed.