

National Indigenous Reform Agreement: P13-Tobacco smoking during pregnancy, 2010

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

National Indigenous Reform Agreement: P13- Tobacco smoking during pregnancy, 2010

Identifying and definitional attributes

Metadata item type:	Indicator
Indicator type:	Indicator
Short name:	Tobacco smoking during pregnancy, 2010
METEOR identifier:	396570
Registration status:	Community Services (retired) , Superseded 04/04/2011
Description:	Proportion of mothers who smoked during pregnancy, by Indigenous status.
Rationale:	Smoking during pregnancy can effect the growth and development of the foetus and infant and can carry though to childhood.
Indicator set:	National Indigenous Reform Agreement (2010) Community Services (retired) , Superseded 04/04/2011
Outcome area:	Indigenous children are born and remain healthy Indigenous , Standard 21/07/2010
Data quality statement:	National Indigenous Reform Agreement: P13-Tobacco smoking during pregnancy . 2010 QS Community Services (retired) , Superseded 04/04/2011

Collection and usage attributes

Computation description:	Presentation: Number, percentage (crude and age-standardised) rate ratio and rate difference.								
Computation:	100 x (Numerator ÷ Denominator)								
Numerator:	Number of mothers who smoked during pregnancy								
Numerator data elements:	<table border="1"><tr><td>Data Element / Data Set</td></tr><tr><td>Number of mothers who smoked during pregnancy</td></tr><tr><td>Data Source</td></tr><tr><td>AIHW National Perinatal Data Collection (NPDC)</td></tr><tr><td>NMDS / DSS</td></tr><tr><td>Perinatal NMDS 2007-2008</td></tr><tr><td>Guide for use</td></tr><tr><td>Administrative by-product data</td></tr></table>	Data Element / Data Set	Number of mothers who smoked during pregnancy	Data Source	AIHW National Perinatal Data Collection (NPDC)	NMDS / DSS	Perinatal NMDS 2007-2008	Guide for use	Administrative by-product data
Data Element / Data Set									
Number of mothers who smoked during pregnancy									
Data Source									
AIHW National Perinatal Data Collection (NPDC)									
NMDS / DSS									
Perinatal NMDS 2007-2008									
Guide for use									
Administrative by-product data									
Denominator:	Total number of mothers								

Denominator data elements:

Data Element / Data Set

[Person—person identifier, XXXXXX\[X\(14\)\]](#)

Data Source

[AIHW National Perinatal Data Collection \(NPDC\)](#)

NMDS / DSS

[Perinatal NMDS 2007-2008](#)

Guide for use

Data source type: Administrative by-product data

Disaggregation data elements:

Data Element / Data Set

[Person—Indigenous status, code N](#)

Data Source

[AIHW National Perinatal Data Collection \(NPDC\)](#)

NMDS / DSS

[Perinatal NMDS 2007-2008](#)

Guide for use

Data source type: Administrative by-product data

Data Element / Data Set

[Person—area of usual residence, geographical location code \(ASGC 2007\) NNNNN](#)

Data Source

[AIHW National Perinatal Data Collection \(NPDC\)](#)

NMDS / DSS

[Perinatal NMDS 2007-2008](#)

Guide for use

Data source type: Administrative by-product data

Comments:

Disaggregation: National and state/territory by Indigenous status.

Most recent data available for 2010 CRC baseline report: 2007

Currently data are available for NSW, Queensland, WA, SA, Tasmania, NT and ACT and are inconsistencies in the gathering of information about smoking during pregnancy across jurisdictions.

Representational attributes

Representation class: Percentage

Data type: Real

Unit of measure: Person

Format: NN.N

Indicator conceptual framework

Framework and dimensions:

[Health Behaviours](#)

Data source attributes

Data sources:

Data Source

[AIHW National Perinatal Data Collection \(NPDC\)](#)

Frequency

Calendar years ending 31 December each year

Data custodian

Australian Institute of Health and Welfare

Accountability attributes

Organisation responsible for providing data: Australian Institute of Health and Welfare

Further data development / collection required: Specification: Long-term
Agreed smoking items have been included in the Perinatal National Minimum Data Set in 2010.

Other issues caveats: Once 2010 data is available for reporting (expected in the 2013 reporting cycle), nationally consistent data on smoking during pregnancy will be available.

The level of under-identification in perinatal data has not been formally assessed.

Relational attributes

Related metadata references: Has been superseded by [National Indigenous Reform Agreement: PI 13-Tobacco smoking during pregnancy, 2011](#)
[Health!](#), Superseded 31/10/2011
[Indigenous](#), Superseded 01/07/2012