

Rheumatic heart disease surgery—post-surgery survival indicator, yes/no/not stated/inadequately described code N

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

Rheumatic heart disease surgery—post-surgery survival indicator, yes/no/not stated/inadequately described code N

Identifying and definitional attributes

Metadata item type:	Data Element
Short name:	RHD surgery outcome
METEOR identifier:	406783
Registration status:	Health! , Recorded 03/02/2012
Definition:	Whether a person survived 30 days after surgery for repair or replacement of heart valve(s) during treatment of rheumatic heart disease, as represented by a code.

Data element concept attributes

Identifying and definitional attributes

Data element concept:	Rheumatic heart disease surgery—post-surgery survival indicator
Synonymous names:	Survival after RHD surgery
METEOR identifier:	406781
Registration status:	Health! , Recorded 03/02/2012
Definition:	Whether a person survives 30 days after surgery for repair or replacement of heart valve(s) during treatment of rheumatic heart disease.
Object class:	Rheumatic heart disease surgery
Property:	Post-surgery survival indicator

Source and reference attributes

Submitting organisation:	RHDAustralia
Reference documents:	RHDAustralia (ARF/RHD writing group), National Heart Foundation of Australia and the Cardiac Society of Australia and New Zealand. Australian Guideline for prevention, diagnosis, and management of acute rheumatic fever and rheumatic heart disease (2nd edition). 2012

Value domain attributes

Identifying and definitional attributes

Value domain:	Yes/no/not stated/inadequately described code N
METEOR identifier:	301747
Registration status:	Health! , Standard 21/09/2005 Housing assistance , Standard 10/02/2006 Community Services (retired) , Standard 14/02/2006 Early Childhood , Standard 21/05/2010 Homelessness , Standard 23/08/2010 Independent Hospital Pricing Authority , Standard 01/11/2012 Disability , Standard 07/10/2014 Indigenous , Standard 13/03/2015 Children and Families , Standard 22/11/2016
Definition:	A code set representing 'yes', 'no' and 'not stated/inadequately described'.

Representational attributes

Representation class: Code

Data type: Number

Format: N

Maximum character length: 1

	Value	Meaning
Permissible values:	1	Yes
	2	No
Supplementary values:	9	Not stated/inadequately described

Collection and usage attributes

Guide for use: CODE 9 Not stated/inadequately described

This code is not for use in primary data collections.

Data element attributes

Source and reference attributes

Submitting organisation: RHD Australia

Reference documents: RHD Australia (ARF/RHD writing group), National Heart Foundation of Australia and the Cardiac Society of Australia and New Zealand. Australian Guideline for prevention, diagnosis, and management of acute rheumatic fever and rheumatic heart disease (2nd edition). 2012

Relational attributes

Implementation in Data Set [Rheumatic heart disease surgery cluster](#)

Specifications: [Health!](#), Recorded 03/02/2012

Implementation start date: 01/07/2011

Conditional obligation: Recorded when surgery for rheumatic heart disease has been conducted.