

# Chemotherapy for cancer cluster

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to [info@aihw.gov.au](mailto:info@aihw.gov.au).

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at [meteor@aihw.gov.au](mailto:meteor@aihw.gov.au).

# Chemotherapy for cancer cluster

## Identifying and definitional attributes

<b>Metadata item type:</b>	Data Set Specification
<b>METEOR identifier:</b>	418323
<b>Registration status:</b>	<a href="#">Health!</a> , Superseded 08/05/2014
<b>DSS type:</b>	Data Element Cluster
<b>Scope:</b>	Chemotherapy is cancer treatment that achieves its antitumour effect through the use of antineoplastic drugs that inhibit the reproduction of cancer cells by interfering with DNA synthesis and mitosis.

The chemotherapy cluster consists of those data elements recommended for collection as best practice when the patient is administered chemotherapy as part of the initial course of treatment for cancer. The chemotherapy cluster collects information on the chemotherapy agent or protocol, the number of cycles administered and the start and finish dates of treatment.

Information on the agent and number of cycles of chemotherapy treatment is required to evaluate patterns of care, the effectiveness of different treatment modalities and treatment by patient outcome. Collecting the start and finish dates will enable an estimate of the duration of chemotherapy and the time interval from diagnosis to treatment.

The use of standard definitions and formats supports the consistent collection and management of data and enables the integration of data from different sources. It provides a common language facilitating the interpretation and analysis of results, data linkage for statistical purposes, longitudinal studies and patient patterns of care and outcome studies. These results may then inform professional guidelines and training, quality assurance and the planning and evaluation of cancer control activities, potentially improving outcomes for patients.

## Collection and usage attributes

<b>Guide for use:</b>	<p>Capturing chemotherapy agents and cycles can be problematic. Chemotherapy agents are administered in treatment cycles, either singly or in a combination regimen or protocol of two or more chemotherapy drugs. Treatment may be administered prior to surgery or radiotherapy to reduce the tumour burden (neoadjuvant), concurrent with radiotherapy, following surgery or radiotherapy (adjuvant) or on its own. Regimens may be complex involving many drugs given at different times during the initial course of treatment. In addition, if a patient has an adverse reaction, one of the agents in a combination regimen may be changed.</p> <p>Furthermore, chemotherapy regimens are often expressed as acronyms identifying the agents used in combination. However, the letters used are not consistent across regimens, and in some cases (for example, "BEACOPP") the same letter is used to represent two different treatments. Finally, treatment protocols may be specific to the treatment centre.</p> <p>Standard protocols are available online at eviQ Cancer Treatments Online (<a href="http://www.eviQ.org.au">www.eviQ.org.au</a>). This website is powered by the Cancer Institute NSW and endorsed by Cancer Australia, and provides current, evidence based, best practice cancer treatment protocols and information. It is recommended that only regimen or protocol names listed in eviQ be used to record chemotherapy agents; in all other cases, record the full generic name of each individual chemotherapy agent for each course of treatment.</p>
-----------------------	---

**Collection methods:** Chemotherapy agents and cycles are recorded for each course of chemotherapy administered during the initial course of treatment regardless of treatment intent or timing.

The data element *Healthcare provider—organisation identifier, N(16)* may be recorded for each treatment/cycle. It is recommended that, wherever possible, the database be configured to allow entry of different healthcare provider identifiers for each therapeutic mode/course of treatment/cycle.

The initial course of treatment includes all treatments administered to the patient from diagnosis and before disease progression or recurrence.

The start date and completion date of chemotherapy are recorded once only for chemotherapy administered during the initial course of treatment.

This information should be collected from the patient's medical record.

## Source and reference attributes

**Submitting organisation:** Cancer Australia

**Origin:** Australian Institute of Health and Welfare (AIHW) 2010. National health data dictionary. Version 15. National health data dictionary series. Cat. no. HWI 107. Canberra: AIHW

American College of Surgeons 2002. Facility Oncology Registry Data Standards (FORDS), 2009 revision. Commission on Cancer

Standard Cancer Treatment and Management Pathways Program, Cancer Services and Education Division, eviQ Cancer Treatments Online. Cancer Institute NSW

## Relational attributes

**Related metadata references:** Has been superseded by [Chemotherapy for cancer cluster Health!](#), Standard 08/05/2014

See also [Cancer treatment—cancer treatment type, code N\[N\] Health!](#), Superseded 08/05/2014

**Implementation in Data Set Specifications:** [Cancer \(clinical\) DSS Health!](#), Superseded 08/05/2014

**Conditional obligation:** Conditional on patient receiving chemotherapy.

## Metadata items in this Data Set Specification

Seq No.	Metadata item	Obligation	Max occurs
-	<a href="#">Cancer treatment—chemotherapy completion date, DDMMYYYY</a>	Mandatory	1
-	<a href="#">Cancer treatment—chemotherapy cycles administered, number of cycles N[NN]</a>	Mandatory	99
-	<a href="#">Cancer treatment—chemotherapy start date, DDMMYYYY</a>	Mandatory	1
-	<a href="#">Cancer treatment—systemic therapy agent or protocol, eviQ protocol identifier NNNNNN</a>	Conditional	3
<b>Conditional obligation:</b>			
Conditional on the administration of systemic therapy agents according to a prespecified regimen or protocol, and on the availability of the protocol number on the eviQ website.			
-	<a href="#">Cancer treatment—systemic therapy agent or protocol, text X[X(149)]</a>	Mandatory	99