

Person with cancer—extent of primary cancer, cervical cancer staging (FIGO) code N[N]

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

Person with cancer—extent of primary cancer, cervical cancer staging (FIGO) code N[N]

Identifying and definitional attributes

Metadata item type:	Data Element
Short name:	FIGO cervical cancer stage
METEOR identifier:	424190
Registration status:	Health! , Standard 08/05/2014
Definition:	The extent of a primary cervical cancer as outlined by International Federation of Gynecology and Obstetrics (FIGO), represented by a code.
Context:	Collect for women with cervical cancer.
Data Element Concept:	Person with cancer—extent of primary cancer
Value Domain:	Cervical cancer staging (FIGO) code N[N]

Value domain attributes

Representational attributes

Classification scheme:	International Federation of Gynecology and Obstetrics cancer staging system
Representation class:	Code
Data type:	Number
Format:	N[N]
Maximum character length:	2

	Value	Meaning
Permissible values:	1	Stage IA1
	2	Stage IA2
	3	Stage IB1
	4	Stage IB2
	5	Stage IIA1
	6	Stage IIA2
	7	Stage IIB
	8	Stage IIIA
	9	Stage IIIB
	10	Stage IVA
	11	Stage IVB
Supplementary values:	99	Not available/inadequately described

Collection and usage attributes

Guide for use:

International Federation of Gynecology and Obstetrics (FIGO) stage according to 2009 definitions. Data on patients affected by Stage 0 disease is not collected.

Stage I: the carcinoma is strictly confined to the cervix (extension to the corpus would be disregarded).

Stage IA: invasive carcinoma that can be diagnosed only by microscopy, with deepest invasion less than or equal to 5 mm and largest extension less than or equal to 7 mm.

CODE 1 Stage IA1

Measured stromal invasion of less than or equal to 3.0 mm in depth and extension of less than or equal to 7.0 mm.

CODE 2 Stage IA2

Measured stromal invasion of greater than 3.0 mm and less than 5.0 mm with an extension of not more than 7.0 mm.

Stage IB: clinically visible lesions limited to the cervix uteri or preclinical cancers greater than stage IA.

CODE 3 Stage IB1

Clinically visible lesion less than or equal to 4.0 cm in greatest dimension.

CODE 4 Stage IB2

Clinically visible lesion greater than 4.0 cm in greatest dimension.

Stage II: cervical carcinoma invades beyond the uterus, but not to the pelvic wall or to the lower third of the vagina.

Stage IIA: without parametrial invasion.

CODE 5 Stage IIA1

Clinically visible lesion less than or equal to 4.0 cm in greatest dimension.

CODE 6 Stage IIA2

Clinically visible lesion greater than 4.0 cm in greatest dimension.

CODE 7 Stage IIB

With obvious parametrial invasion.

Stage III: the tumour extends to the pelvic wall and/or involves lower third of the vagina and/or causes hydronephrosis or non-functioning kidney.

CODE 8 Stage IIIA

Tumour involves lower third of the vagina, with no extension to the pelvic wall.

CODE 9 Stage IIIB

Extension to the pelvic wall and/or hydronephrosis or non-functioning kidney.

Stage IV: the carcinoma has extended beyond the true pelvis or has involved (biopsy proven) the mucosa of the bladder or rectum. A bullous oedema, as such, does not permit a case to be allotted to Stage IV.

CODE 10 Stage IVA

Spread of the growth to adjacent organs.

CODE 11 Stage IVB

Spread to distant organs.

Source and reference attributes

Submitting organisation: Cancer Australia

Reference documents: Mutch, D G (2009). The new FIGO staging system for cancers of the vulva, cervix, endometrium and sarcomas. *Gynecologic Oncology*. 115: 325–328

Data element attributes

Collection and usage attributes

Guide for use: Record the extent of the primary cervical cancer as outlined by the International Federation of Gynecology and Obstetrics (FIGO) stage. This should be filled out according to 2009 definitions. Data on patients affected by Stage 0 disease is not collected.

Collection methods: To be sought from pathology reports or patient medical records.

Source and reference attributes

Submitting organisation: Cancer Australia

Reference documents: Mutch, D G (2009). The new FIGO staging system for cancers of the vulva, cervix, endometrium and sarcomas. *Gynecologic Oncology*. 115: 325–328

Relational attributes

Implementation in Data Set Specifications: [Gynaecological cancer \(clinical\) DSS Health!](#), Superseded 14/05/2015
Conditional obligation: This data element is only to be recorded for patients with cervical cancer, as indicated by [Person with cancer—primary site of cancer, topography code \(ICD-O-3\) ANN.N.](#)

[Gynaecological cancer \(clinical\) NBPDS Health!](#), Standard 14/05/2015
Conditional obligation:

This data element is only to be recorded for patients with cervical cancer, as indicated by [Person with cancer—primary site of cancer, topography code \(ICD-O-3\) ANN.N.](#)