

# Person with cancer—extent of primary cancer, ovarian cancer staging (FIGO) code N[N]

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to [info@aihw.gov.au](mailto:info@aihw.gov.au).

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at [meteor@aihw.gov.au](mailto:meteor@aihw.gov.au).

# Person with cancer—extent of primary cancer, ovarian cancer staging (FIGO) code N[N]

## Identifying and definitional attributes

<b>Metadata item type:</b>	Data Element
<b>Short name:</b>	FIGO ovarian cancer stage
<b>METEOR identifier:</b>	424212
<b>Registration status:</b>	<a href="#">Health!</a> , Standard 08/05/2014
<b>Definition:</b>	The extent of a primary ovarian cancer as outlined by International Federation of Gynecology and Obstetrics (FIGO), as represented by a code.

## Data element concept attributes

### Identifying and definitional attributes

<b>Data element concept:</b>	<a href="#">Person with cancer—extent of primary cancer</a>
<b>METEOR identifier:</b>	416363
<b>Registration status:</b>	<a href="#">Health!</a> , Standard 07/12/2011
<b>Definition:</b>	The anatomical extent of disease in a person with cancer.
<b>Object class:</b>	<a href="#">Person with cancer</a>
<b>Property:</b>	<a href="#">Extent of primary cancer</a>

## Value domain attributes

### Identifying and definitional attributes

<b>Value domain:</b>	<a href="#">Ovarian cancer staging (FIGO) code N[N]</a>
<b>METEOR identifier:</b>	424218
<b>Registration status:</b>	<a href="#">Health!</a> , Standard 08/05/2014
<b>Definition:</b>	A code set representing the cancer stage values for ovarian cancer patients.

## Representational attributes

<b>Classification scheme:</b>	<a href="#">International Federation of Gynecology and Obstetrics cancer staging system</a>	
<b>Representation class:</b>	Code	
<b>Data type:</b>	Number	
<b>Format:</b>	N[N]	
<b>Maximum character length:</b>	2	

	<b>Value</b>	<b>Meaning</b>
<b>Permissible values:</b>	1	Stage IA
	2	Stage IB
	3	Stage IC1
	4	Stage IC2
	5	Stage IC3
	6	Stage IIA

	7	Stage IIB
	8	Stage IIIA1
	9	Stage IIIA1(i)
	10	Stage IIIA1(ii)
	11	Stage IIIA2
	12	Stage IIIB
	13	Stage IIIC
	14	Stage IV
	15	Stage IVA
	16	Stage IVB
<b>Supplementary values:</b>	99	Not available/inadequately described

## Collection and usage attributes

**Guide for use:** The FIGO stage section should be filled out according to the 2013 definitions.

### **Stage I** Growth limited to the ovaries

#### CODE 1 Stage IA

Tumour limited to one ovary; no malignant cells in ascites or peritoneal washings. No tumour present on ovarian surface; capsule intact.

#### CODE 2 Stage IB

Tumour limited to both ovaries, capsule intact, no tumour on ovarian surface; no malignant cells in ascites or peritoneal washings.

#### CODE 3 Stage IC1

Tumour limited to one or both ovaries or fallopian tubes with surgical spill.

### **Stage II** Tumour involving one or both ovaries with pelvic extension

#### CODE 4 Stage IC2

Tumour limited to one or both ovaries or fallopian tubes, with capsule ruptured before surgery or tumour on ovarian surface.

#### CODE 5 Stage IC3

Tumour limited to one or both ovaries or fallopian tubes, with malignant cells in the ascites or peritoneal washings.

### **Stage II** Tumour involving one or both ovaries with pelvic extension (below pelvic brim)

#### CODE 6 Stage IIA

Extension and/or implants on uterus and/or fallopian tubes.

#### CODE 7 Stage IIB

Extension to other pelvic intraperitoneal tissues.

### **Stage III** Tumour involving one or both ovaries with cytologically or histologically confirmed spread to the peritoneum outside the pelvis and/or metastasis to the retroperitoneal lymph nodes.

#### CODE 8 Stage IIIA1

Positive retroperitoneal lymph nodes only (cytologically or histologically proven).

CODE 9 Stage IIIA1(i)

Positive retroperitoneal lymph nodes only (cytologically or histologically proven), with metastasis up to 10 mm in greatest dimension.

CODE 10 Stage IIIA1(ii)

Positive retroperitoneal lymph nodes only (cytologically or histologically proven), with metastasis more than 10 mm in greatest dimension.

CODE 11 Stage IIIA2

Microscopic extrapelvic (above the pelvic brim) peritoneal involvement with or without positive retroperitoneal lymph nodes.

CODE 12 Stage IIIB

Macroscopic peritoneal metastasis beyond the pelvis up to 2 cm in greatest dimension, with or without metastasis to the retroperitoneal lymph nodes.

CODE 13 Stage IIIC

Macroscopic peritoneal metastasis beyond the pelvis more than 2 cm in greatest dimension, with or without metastasis to the retroperitoneal lymph nodes (includes extension of tumour to capsule of liver and spleen without parenchymal involvement of either organ).

CODE 14 Stage IV

Distant metastases, excluding peritoneal metastases.

CODE 15 Stage IVA

Distant metastases, excluding peritoneal metastases, with pleural effusion with positive cytology.

CODE 16 Stage IVB

Distant metastases, excluding peritoneal metastases, including parenchymal metastases and metastases to extra-abdominal organs (including inguinal lymph nodes and lymph nodes outside of the abdominal cavity).

## Source and reference attributes

**Reference documents:** Prat, J. Staging classification for cancer of the ovary, fallopian tube and peritoneum. *International Journal of Gynecology and Obstetrics* 2014, 124: 1-5.

## Data element attributes

### Collection and usage attributes

**Guide for use:** Record the extent of the primary endometrial cancer as outlined by the International Federation of Gynecology and Obstetrics (FIGO) stage. This should be filled out according to 1988 definitions.

**Collection methods:** To be sought from pathology reports or patient medical records.

## Source and reference attributes

**Submitting organisation:** Cancer Australia

**Reference documents:** Prat, J. Staging classification for cancer of the ovary, fallopian tube and peritoneum. *International Journal of Gynecology and Obstetrics* 2014, 124: 1-5.

## Relational attributes

**Implementation in Data Set Specifications:**

[Gynaecological cancer \(clinical\) DSS](#)

[Health!](#), Superseded 14/05/2015

**Conditional obligation:** This data element is only to be recorded for patients with ovarian cancer, as indicated by [Person with cancer—primary site of cancer, topography code \(ICD-O-3\) ANN.N.](#)

[Gynaecological cancer \(clinical\) NBPDS](#)

[Health!](#), Standard 14/05/2015

**Conditional obligation:**

This data element is only to be recorded for patients with ovarian cancer, as indicated by [Person with cancer—primary site of cancer, topography code \(ICD-O-3\) ANN.N.](#)