National Indigenous Reform Agreement: Pl 13-

Tobacco smoking during pregnancy, 2011
Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AlHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at https://creativecommons.org/licenses/by/4.0/.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

National Indigenous Reform Agreement: PI 13-Tobacco smoking during pregnancy, 2011

Identifying and definitional attributes

Metadata item type: Indicator Indicator type: Indicator

Short name: PI 13-Tobacco smoking during pregnancy, 2011

METEOR identifier: 425773

Registration status: Health!, Superseded 31/10/2011

Indigenous, Superseded 01/07/2012

Description: Proportion of mothers who smoked during pregnancy, by Indigenous status.

Rationale: Smoking during pregnancy can effect the growth and development of the foetus and

infant and can carry though to childhood.

Indicator set: National Indigenous Reform Agreement (2011)

Indigenous, Superseded 01/07/2012

Outcome area: Indigenous children are born and remain healthy

Indigenous, Standard 21/07/2010

Collection and usage attributes

Computation description: Crude rates are calculated for Indigenous Australians; age-standardised rates are

calculated for Indigenous and non-Indigenous Australians.

Rate ratios and rate differences are calculated for Indigenous:non-Indigenous.

Presentation: Per 100 mothers (percentage).

Computation: 100 x (Numerator ÷ Denominator).

Numerator: Number of mothers who smoked during pregnancy

Numerator data elements: - Data Element / Data Set-

Number of mothers who smoked during pregnancy

Data Source

AlHW National Perinatal Data Collection (NPDC)

NMDS / DSS

Perinatal NMDS 2008-2010

Guide for use

Administrative by-product data

Denominator: Total number of mothers

Denominator data elements:

Data Element / Data Set

Person—person identifier, XXXXXX[X(14)]

Data Source

AlHW National Perinatal Data Collection (NPDC)

NMDS / DSS

Perinatal NMDS 2008-2010

Guide for use

Data source type: Administrative by-product data

Disaggregation:

National and state/territory for Indigenous mothers (crude rates).

National and state/territory, by Indigenous status (age standardised rates).

Disaggregation data elements:

-Data Element / Data Set-

Person—Indigenous status, code N

Data Source

AlHW National Perinatal Data Collection (NPDC)

NMDS / DSS

Perinatal NMDS 2008-2010

Guide for use

Data source type: Administrative by-product data

Data Element / Data Set-

Person—area of usual residence, geographical location code (ASGC 2007) NNNNNN

Data Source

AlHW National Perinatal Data Collection (NPDC)

NMDS / DSS

Perinatal NMDS 2008-2010

Guide for use

Data source type: Administrative by-product data

Comments:

Most recent data available for 2011 CRC report is 2008.

At this stage, data are available for NSW, Queensland, WA, SA, Tasmania, NT and ACT. There are inconsistencies in the gathering of information about smoking during pregnancy across jurisdictions.

Rates are directly age standardised to the Australian female population who gave birth in the current reporting period (i.e. 2008 for reporting of 2008 data).

Maternal age is the age at the time of giving birth.

Baseline year for this indicator is 2008; target year is 2018.

Representational attributes

Representation class: Percentage

Data type: Real Unit of measure: Person Format: NN.N

Indicator conceptual framework

Framework and

Health Behaviours

dimensions:

Data source attributes

Data sources: **Data Source**

AlHW National Perinatal Data Collection (NPDC)

Frequency

Calendar years ending 31 December each year

Data custodian

Australian Institute of Health and Welfare

Accountability attributes

Reporting requirements: National Indigenous Reform Agreement.

Organisation responsible

for providing data:

Australian Institute of Health and Welfare.

Further data development / Specification: Long-term.

collection required:

Relational attributes

Related metadata Supersedes National Indigenous Reform Agreement: P13-Tobacco smoking

references: during pregnancy, 2010

Community Services (retired), Superseded 04/04/2011

Has been superseded by National Indigenous Reform Agreement: PI 13-Tobacco

smoking during pregnancy, 2012

Indigenous, Superseded 13/06/2013