

Address—purpose of address, code AA[A]

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

Address—purpose of address, code AA[A]

Identifying and definitional attributes

Metadata item type:	Data Element
Short name:	Purpose of address
Synonymous names:	Address usage code; Address purpose code
METEOR identifier:	428932
Registration status:	Community Services (retired) , Standard 06/02/2012 Disability , Standard 13/08/2015 Health! , Standard 05/10/2016
Definition:	The role or use of the address in relation to a person, as represented by a code

Data element concept attributes

Identifying and definitional attributes

Data element concept:	Address—purpose of address
METEOR identifier:	428930
Registration status:	Community Services (retired) , Standard 06/02/2012 Disability , Standard 13/08/2015 Health! , Standard 05/10/2016
Definition:	The role or use of an address in relation to a person.
Object class:	Address
Property:	Purpose of address

Source and reference attributes

Submitting organisation:	Australian Institute of Health and Welfare
Origin:	Standards Australia 2006. AS 4590—2006 Interchange of client information. Sydney: Standards Australia.

Value domain attributes

Identifying and definitional attributes

Value domain:	Address purpose code AA[A]
METEOR identifier:	428903
Registration status:	Community Services (retired) , Standard 06/02/2012 Disability , Standard 13/08/2015 Health! , Standard 05/10/2016
Definition:	A code set representing the role or use of an address.

Representational attributes

Representation class:	Code
Data type:	String
Format:	AA[A]
Maximum character length:	3

Value	Meaning
-------	---------

Permissible values:	PR	Primary property address
	SEC	Secondary property address
	RES	Residential address
	TEM	Temporary accommodation
	BUS	Business address
	OVS	Address when overseas
	DEL	Delivery address
	POS	Postal/correspondence address
	OTH	Other address
Supplementary values:	UNK	Not stated/unknown

Collection and usage attributes

Guide for use:

PR Primary property address

The property address normally used by the client. (These addresses desirably should have been assigned by a Council).

NOTE: Where this is the principal place of residence of the client the residential code should be used.

SEC Secondary property address

The address of an additional property attached to the client.

RES Residential address

The address of the principal place of residence for the client.

TEM Temporary accommodation

The address where the client is resident for a temporary period.

BUS Business address

The address of the principal place of business for the client.

OVS Address when overseas

The address used by the client when overseas.

DEL Delivery address

The address used for goods delivery purposes.

POS Postal/correspondence address

The address used by the client for receipt of correspondence.

OTH Other address

Any other purpose not listed above.

UNK Not stated/unknown

To be used in instances where the address purpose is not stated or unknown. A null entry should be recorded.

Source and reference attributes

Submitting organisation: Australian Institute of Health and Welfare

Origin: Standards Australia 2006. AS 4590—2006 Interchange of client information. Sydney: Standards Australia.

Data element attributes

Collection and usage attributes

Guide for use: The address purpose code can only exist if an associated address has been entered. The address entered can be an Australian address whilst the person is overseas.

Source and reference attributes

Submitting organisation: Australian Institute of Health and Welfare

Origin: Standards Australia 2006. AS 4590—2006 Interchange of client information. Sydney: Standards Australia.

Relational attributes

Related metadata references: Supersedes [Person \(address\)—address type, code N Community Services \(retired\)](#), Superseded 06/02/2012
[Health!](#), Superseded 05/10/2016

Supersedes [Service provider organisation \(address\)—address type, code N Community Services \(retired\)](#), Superseded 06/02/2012
[Health!](#), Superseded 05/10/2016

Implementation in Data Set Specifications: [Address details data dictionary Community Services \(retired\)](#), Standard 06/02/2012
[Disability](#), Standard 13/08/2015

[Address group cluster Health!](#), Standard 05/10/2016

DSS specific information:

The address purpose may be collected for both the **individual** and the **organisation** in the Person and provider identification in healthcare national best practice data set. It should be collected for every address. Note that an address may have multiple address purposes at a given point in time.

If the address is either a primary address, secondary address, residential address or temporary accommodation, the corresponding values for the [Address—address status identifier, code AAA](#) data element should be either official address, valid alias address or unknown address at the time of collection.

Note that the [Address—purpose of address, code AA\[A\]](#) data element allows a null entry for address purpose. A null entry is not accepted in the Person and provider identification in healthcare national best practice data set.