

# Adolescent and young adult cancer (clinical) DSS

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to [info@aihw.gov.au](mailto:info@aihw.gov.au).

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at [meteor@aihw.gov.au](mailto:meteor@aihw.gov.au).

# Adolescent and young adult cancer (clinical) DSS

## Identifying and definitional attributes

<b>Metadata item type:</b>	Data Set Specification
<b>METEOR identifier:</b>	432097
<b>Registration status:</b>	<a href="#">Health!</a> , Superseded 14/05/2015
<b>DSS type:</b>	Data Set Specification (DSS)

**Scope:**

The purpose of the Adolescent and young adult cancer (clinical) data set specification (AYADSS) is to define data standards for the national collection of data for adolescents and young adults (commonly defined as a person between 15 and 29 years of age) with cancer so that data collected is consistent and reliable. It provides definitions and detailed instructions for coding cancer clinical information for adolescent and young adults with cancer and contains generic data elements for adolescent and young adults with cancer, most of which would be relevant to each patient regardless of organ site of cancer or histology type.

Collection of this data set specification is not mandated but is recommended as best practice if clinical cancer data are to be collected. It will facilitate more consistent data collection while enabling individual treatment centres or health service areas to develop data extraction and collection processes and policies that are appropriate for their service settings.

The AYADSS is used in conjunction with the Cancer (clinical) data set specification (CCDSS). Mandatory reporting regulations have enabled population-based cancer registries in Australia to collect standard information on all incident cases of cancer (apart from non-melanoma skin cancers), from which incidence, mortality and overall survival have been determined and trends monitored. The CCDSS provides a framework for the collection of more detailed and comprehensive clinical data such as stage of cancer at diagnosis, other prognostic characteristics, cancer treatment and patient outcomes.

The AYADSS will support prospective data collection from the time an AYA person with cancer symptoms is referred or first presents to a hospital or specialist through the entire duration of their illness.

The definitions used in the AYADSS are designed to capture the provision of cancer care on a day-to-day level. They relate to the cancer care pathway and the need to optimise care by correctly diagnosing, evaluating and managing patients with cancer. In addition, end-points, such as survival, and patterns of care can be monitored to understand both the effectiveness and appropriateness of cancer care.

The data elements specified provide a framework for:

- promoting the delivery of evidence-based care to patients with cancer
- facilitating the ongoing improvement in the quality and safety of cancer management in treatment settings
- improving the epidemiological and public health understanding of cancer
- informing treatment guidelines and professional education
- guiding resource planning and the evaluation of cancer control activities

They will facilitate the aggregation of data across different treatment centres.

The underlying long-term goal is to provide data support to improve outcomes for patients by increasing their quality and length of life. For example, a comparison of the actual management of patients with best practice guidelines may identify shortfalls in treatment and limitations in access to treatment modalities for some patients.

The availability of nationally consistent data on cancer, stage of cancer at diagnosis, other prognostic features, treatment and patient outcomes is fundamental for monitoring appropriateness and quality of cancer services and for pooling data for research. For many years clinical databases have been developed locally, and while of local value, differences in content and data definitions have reduced their value for national applications.

## Collection and usage attributes

**Collection methods:**

The AYADSS is primarily directed at the clinical and clinical epidemiological use of cancer data. Treatment centres such as hospitals, radiotherapy centres and cancer specialist practices are the settings in which implementation of the adolescent and young adult cancer data set specification should be considered. The AYADSS can also be used by a wider range of health and health-related establishments that create, use, or maintain records on health-care clients.

## Source and reference attributes

Submitting organisation: Cancer Australia

## Relational attributes

Related metadata references: Has been superseded by [Adolescent and young adult cancer \(clinical\) NBPDS Health!](#), Standard 14/05/2015

## Metadata items in this Data Set Specification

Seq No.	Metadata item	Obligation	Max occurs
1	<a href="#">Person—main language other than English spoken at home, code (ASCL 2011) NN{NN}</a>	Mandatory	1
2	<a href="#">Person with cancer—setting of death, code N[N]</a>  <i>Conditional obligation:</i>  Recorded for persons who have died.	Conditional	1
3	<a href="#">Person—first degree relative cancer history indicator, yes/no/not applicable/unknown/not stated/inadequately described code N</a>	Mandatory	9
4	<a href="#">Person—second degree relative cancer history indicator, yes/no/not applicable/unknown/not stated/inadequately described code N</a>	Mandatory	19
5	<a href="#">Person with cancer—family history of hereditary genetic events indicator, yes/no/unknown/not stated/inadequately described code N</a>	Mandatory	9
6	<a href="#">Person with cancer—hereditary genetic events type, code N[N]</a>  <i>Conditional obligation:</i>  Complete if <a href="#">Person with cancer—family history of hereditary genetic events indicator, yes/no/unknown/not stated/inadequately described code N</a> equals 'yes'.	Conditional	9
7	<a href="#">Person with cancer—hereditary genetic events type, text X[X(39)]</a>  <i>Conditional obligation:</i>  Complete if <a href="#">Person with cancer—family history of hereditary genetic events indicator, yes/no/unknown/not stated/inadequately described, code N</a> equals 'yes' and <a href="#">Person with cancer—hereditary genetic events type, code N[N]</a> equals 'other'.	Conditional	9
8	<a href="#">Person with cancer—personal genetic syndrome indicator, yes/no/unknown/not stated/inadequately described code N</a>	Optional	1
9	<a href="#">Person with cancer—personal genetic syndrome type, genetic event type code N[N]</a>  <i>Conditional obligation:</i>  Complete if <a href="#">Person with cancer—personal genetic syndrome indicator, yes/no/unknown/not stated/inadequately described, code N</a> equals 'yes'.	Conditional	9

Seq No.	Metadata item	Obligation	Max occurs
10	<a href="#">Person with cancer—personal genetic syndrome type, text X[X(39)]</a>  <b>Conditional obligation:</b>  Complete if <a href="#">Person with cancer—personal genetic syndrome indicator, yes/no/unknown/not stated/inadequately described code N</a> equals 'yes' and <a href="#">Person with cancer—personal genetic syndrome type, code N[N]</a> equals 'other genetic events or syndromes'.	Conditional	9
11	<a href="#">Person with cancer—date of cancer symptom onset, DDMMYYYY</a>	Mandatory	1
12	<a href="#">Person with cancer—date of initial primary health care consultation, DDMMYYYY</a>	Mandatory	1
13	<a href="#">Person with cancer—date of initial medical specialist consultation, DDMMYYYY</a>	Mandatory	1
14	<a href="#">Person with cancer—adolescent and young adult cancer healthcare provider type, code N[N]</a>	Mandatory	1
15	<a href="#">Person with cancer—shared care arrangement indicator, yes/no/unknown code N</a>	Mandatory	1
16	<a href="#">Cancer treatment—treatment funding source, code N</a>  <b>DSS specific information:</b>  Record this data element for the initial course of treatment for cancer.	Mandatory	1
17	<a href="#">Cancer treatment—multidisciplinary team review indicator, yes/no/unknown code N</a>	Mandatory	1
18	<a href="#">Cancer treatment—specialist support services indicator, yes/no/unknown code N</a>	Mandatory	1
19	<a href="#">Cancer treatment—specialist support services type, code N[N]</a>  <b>Conditional obligation:</b>  Complete if <a href="#">Cancer treatment—specialist support services indicator, yes/no/unknown code N</a> equals 'yes'.	Conditional	19
20	<a href="#">Cancer treatment—specialist support services type, text X[X(99)]</a>  <b>Conditional obligation:</b>  Complete if <a href="#">Cancer treatment—specialist support services indicator, yes/no/unknown code N</a> equals 'yes' and <a href="#">Cancer treatment—specialist support services type, code N[N]</a> equals 'other'.	Conditional	19
21	<a href="#">Person with cancer—care coordinator assignment indicator, yes/no/pending code N</a>	Mandatory	1
22	<a href="#">Cancer treatment—variation from planned treatment indicator, yes/no/unknown code N</a>  <b>Conditional obligation:</b>  This is to be collected for the initial course of treatment.  <b>DSS specific information:</b>  Record this data element for the initial course of treatment for cancer.	Conditional	1
23	<a href="#">Cancer treatment—treatment plan modification, text X[X(149)]</a>  <b>Conditional obligation:</b>  Complete if <a href="#">Cancer treatment—variation from planned treatment indicator, yes/no/unknown code N</a> equals 'yes'.	Conditional	9
24	<a href="#">Person with cancer—fertility counselling offered indicator, yes/no/unknown code N</a>	Mandatory	1

Seq No.	Metadata item	Obligation	Max occurs
25	<a href="#">Person with cancer—fertility counselling provided indicator, yes/no/unknown code N</a>	Conditional	1
	<b>Conditional obligation:</b> Complete if <a href="#">Person with cancer—fertility counselling offered indicator, yes/no/unknown code N</a> equals 'yes'.		
26	<a href="#">Person with cancer—fertility preservation procedure indicator, yes/no/unknown code N</a>	Mandatory	1
27	<a href="#">Person with cancer—fertility preservation procedure type, code N[N]</a>	Conditional	9
	<b>Conditional obligation:</b> Complete if <a href="#">Person with cancer—fertility preservation procedure indicator, yes/no/unknown code N</a> equals 'yes'.		
28	<a href="#">Person with cancer—fertility preservation procedure type, text X[X(99)]</a>	Conditional	9
	<b>Conditional obligation:</b> Complete if <a href="#">Person with cancer—fertility preservation procedure indicator, yes/no/unknown code N</a> equals 'yes' and <a href="#">Person with cancer—fertility preservation procedure type, code N[N]</a> equals 'other'.		
29	<a href="#">Person with cancer—fertility preservation utilised indicator, yes/no/not applicable code N</a>	Conditional	1
	<b>Conditional obligation:</b> Complete if Person with cancer—fertility preservation procedure indicator, yes/no/unknown code N equals 'yes'.		
30	<a href="#">Person with prior cancer diagnosis—pregnancy outcome indicator, yes/no code N</a>	Mandatory	1
31	<a href="#">Person with cancer—performance status score at diagnosis, Eastern Cooperative Oncology Group code N</a>	Mandatory	1
32	<a href="#">Cancer staging—date of cancer staging, DDMMYYYY</a>	Optional	19
33	<a href="#">Person with cancer—distant metastatic site(s) at diagnosis, topography code (ICD-O-3) ANN.N</a>	Mandatory	19
34	<a href="#">Person with cancer—comorbidities, Colinet defined comorbidities code N[N]</a>	Conditional	9
35	<a href="#">Person with cancer—comorbidities, text X[X(99)]</a>	Conditional	9
	<b>Conditional obligation:</b> Complete when <a href="#">Person with cancer—comorbidities, Colinet defined comorbidities code N[N]</a> equals 'other'.		
36	<a href="#">Person with cancer—research trial type, code N</a>	Mandatory	19
	<b>DSS specific information:</b> This item should be recorded for clinical trials relating to the initial course of treatment and clinical trials relating to the first recurrence of cancer where applicable.		

Seq No.	Metadata item	Obligation	Max occurs
37	<a href="#">Person with cancer—clinical trial identifier, text X[X(399)]</a>  <i>Conditional obligation:</i>  Complete when <a href="#">Person with cancer—research trial type, code N</a> equals 'clinical trial'.  <i>DSS specific information:</i>  This item should be recorded for clinical trials relating to the initial course of treatment and clinical trials relating to the first recurrence of cancer where applicable.	Conditional	9
38	<a href="#">Person with cancer—clinical trial phase, code N</a>  <i>Conditional obligation:</i>  Complete when <a href="#">Person with cancer—research trial type, code N</a> equals 'clinical trial'.  <i>DSS specific information:</i>  This item should be recorded for clinical trials relating to the initial course of treatment and clinical trials relating to the first recurrence of cancer where applicable.	Conditional	9
39	<a href="#">Person with cancer—clinical trial funding basis, code N</a>  <i>Conditional obligation:</i>  Complete when <a href="#">Person with cancer—research trial type, code N</a> equals 'clinical trial'.  <i>DSS specific information:</i>  This item should be recorded for applicable trials relating to the initial course of treatment or the first recurrence of cancer.	Conditional	9
40	<a href="#">Person with cancer—supportive care trial name, text X[X(39)]</a>  <i>Conditional obligation:</i>  Complete when <a href="#">Person with cancer—research trial type, code N</a> equals 'supportive care trial'.  <i>DSS specific information:</i>  This item should be recorded for applicable trials relating to the initial course of treatment or the first recurrence of cancer.	Conditional	9
41	<a href="#">Person with cancer—research enrolment name, text X[X(39)]</a>  <i>Conditional obligation:</i>  Complete when <a href="#">Person with cancer—research trial type, code N</a> equals 'other research'.  <i>DSS specific information:</i>  This item should be recorded for research studies that relate to the initial course or first recurrence of cancer.	Conditional	9
42	<a href="#">Patient—intention of treatment, code N</a>	Mandatory	1
43	<a href="#">Person with cancer—referral to palliative care services indicator, yes/no/unknown code N</a>	Mandatory	1

Seq No.	Metadata item	Obligation	Max occurs
44	<p><a href="#">Person with cancer—date of referral to palliative care services, DDMMYYYY</a></p> <p><b>Conditional obligation:</b></p> <p>Complete if <a href="#">Person with cancer—referral to palliative care services indicator, yes/no/unknown code N</a> equals 'yes'.</p>	Conditional	1
45	<p><a href="#">Cancer treatment—external beam radiotherapy type, code N[N]</a></p> <p><b>Conditional obligation:</b></p> <p>Collect this data element if <a href="#">Cancer treatment—radiotherapy treatment type, code N[N]</a> indicates the use of external beam radiotherapy.</p>	Conditional	5
46	<p><a href="#">Cancer treatment—brachytherapy dose rate, code N</a></p> <p><b>Conditional obligation:</b></p> <p>Complete this item if Cancer treatment—radiotherapy treatment type, code N[N] indicates the use of brachytherapy.</p> <p><b>DSS specific information:</b></p> <p>This is to be collected for the initial course of treatment.</p>	Conditional	9
47	<p><a href="#">Cancer treatment—date of treatment outcome, DDMMYYYY</a></p> <p><b>DSS specific information:</b></p> <p>Collect this item for outcome of treatment relating to the initial cancer primary and the outcome of treatment relating to the first recurrence of cancer.</p>	Mandatory	1
48	<p><a href="#">Patient—immediate/short term treatment complication indicator, yes/no/not applicable/unknown/not stated/inadequately described code N</a></p> <p><b>Conditional obligation:</b></p> <p>Record this data element in relation to any immediate or short-term treatment complications that were experienced by the patient during medical treatment. This includes adverse events taking place within 30 days of treatment.</p>	Optional	1
49	<p><a href="#">Patient—treatment complication date, DDMMYYYY</a></p> <p><b>Conditional obligation:</b></p> <p>Complete if <a href="#">Patient—treatment complication indicator, yes/no/not applicable/unknown/not stated/inadequately described code N</a> equals 'yes'.</p> <p><b>DSS specific information:</b></p> <p>Record this data element for any immediate or short-term treatment complications that were experienced by the patient during medical treatment. This includes any adverse events taking place within 30 days of treatment.</p>	Conditional	19



Seq No.	Metadata item	Obligation	Max occurs
50	<a href="#">Cancer treatment—treatment complication outcome, code N</a>  <i>Conditional obligation:</i>  Complete if <a href="#">Patient—treatment complication indicator, yes/no/not applicable/unknown/not stated/inadequately described code N</a> equals 'yes'.  <i>DSS specific information:</i>  Record this data element for any immediate or short-term treatment complications that were experienced by the patient during medical treatment. This includes any adverse events taking place within 30 days of treatment.	Conditional	19
51	<a href="#">Cancer treatment—treatment complication type, text X[X(149)]</a>  <i>Conditional obligation:</i>  Complete if <a href="#">Patient—treatment complication indicator, yes/no/not applicable/unknown/not stated/inadequately described code N</a> equals 'yes'.	Conditional	19
52	<a href="#">Patient—adverse event indicator, yes/no code N</a>	Mandatory	1
53	<a href="#">Patient—date of adverse event, DDMMYYYY</a>  <i>Conditional obligation:</i>  Collect this item if <a href="#">Patient—adverse event indicator, yes/no code N</a> equals 'yes'.	Conditional	19
54	<a href="#">Health service event—adverse event grade, code N</a>  <i>Conditional obligation:</i>  Complete if <a href="#">Patient—adverse event indicator, yes/no code N</a> equals 'yes'.	Conditional	19
55	<a href="#">Cancer treatment—cancer treatment type, code N[N]</a>  <i>Conditional obligation:</i>  Complete when there is a first recurrence of cancer.  <i>DSS specific information:</i>  Complete this in relation to treatment for a first recurrence of cancer.	Conditional	5
56	<a href="#">Cancer treatment—other cancer treatment, text X[X(149)]</a>  <i>Conditional obligation:</i>  Complete when there is a first recurrence of cancer.  <i>DSS specific information:</i>  Complete this in relation to treatment for a first recurrence of cancer.	Conditional	9
57	<a href="#">Person with cancer—late effect indicator, yes/no/unknown/not stated/inadequately described code N</a>	Mandatory	1
58	<a href="#">Person with cancer—date of late effect, DDMMYYYY</a>  <i>Conditional obligation:</i>  Complete when <a href="#">Person with cancer—late effects indicator, yes/no/unknown/not stated/inadequately described code N</a> equals 'yes'.	Conditional	19

Seq No.	Metadata item	Obligation	Max occurs
59	<a href="#">Person with cancer—late effect type, text X[X(399)]</a>	Conditional	19
	<b>Conditional obligation:</b>  Complete when <a href="#">Person with cancer—late effects indicator, yes/no/unknown/not stated/inadequately described code N</a> equals 'yes'.		
60	<a href="#">Person—distress status in past week, distress thermometer code N[N]</a>	Optional	99
	<b>DSS specific information:</b>  It is recommended that this item is collected within 2 weeks of diagnosis, 6-8 weeks post diagnosis, and 6 months post diagnosis. Any further screening should take place at the clinician's discretion or the patient's request. At a minimum, this should occur at remission, recurrence, or progression.  For more information regarding the use of the distress thermometer with Adolescent and Young Adults with cancer, please consult the <i>Psychosocial Management of AYAs diagnosed with cancer: Guidance for health professionals</i> ( <a href="http://wiki.cancer.org.au/australia/COSA:Psychosocial_management_of_AYA_cancer_patients/Information_and_resources">http://wiki.cancer.org.au/australia/COSA:Psychosocial_management_of_AYA_cancer_patients/Information_and_resources</a> ).		
999	<a href="#">Cancer (clinical) DSS</a>	Mandatory	1
-	<a href="#">Chemotherapy for cancer cluster</a>	Conditional	1
	<b>Conditional obligation:</b>  Conditional on patient receiving chemotherapy.		
-	<a href="#">Cancer treatment—chemotherapy completion date, DDMMYYYY</a>	Mandatory	1
-	<a href="#">Cancer treatment—chemotherapy cycles administered, number of cycles N[NN]</a>	Mandatory	99
-	<a href="#">Cancer treatment—chemotherapy start date, DDMMYYYY</a>	Mandatory	1
-	<a href="#">Cancer treatment—systemic therapy agent or protocol, eviQ protocol identifier NNNNNN</a>	Conditional	3
	<b>Conditional obligation:</b>  Conditional on the administration of systemic therapy agents according to a prespecified regimen or protocol, and on the availability of the protocol number on the eviQ website.		
-	<a href="#">Cancer treatment—systemic therapy agent or protocol, text X[X(149)]</a>	Mandatory	99
-	<a href="#">Hormone therapy for cancer cluster</a>	Conditional	1
	<b>Conditional obligation:</b>  Conditional on patient receiving hormone therapy.		
-	<a href="#">Cancer treatment—hormone therapy completion date, DDMMYYYY</a>	Mandatory	1
-	<a href="#">Cancer treatment—hormone therapy start date, DDMMYYYY</a>	Mandatory	1
-	<a href="#">Cancer treatment—systemic therapy agent or protocol, eviQ protocol identifier NNNNNN</a>	Conditional	3
	<b>Conditional obligation:</b>  Conditional on the administration of systemic therapy agents according to a prespecified regimen or protocol, and on the availability of the protocol number on the eviQ website.		

Seq No.	Metadata item	Obligation	Max occurs
-	<a href="#">Cancer treatment—systemic therapy agent or protocol, text X[X(149)]</a>	Mandatory	99
-	<a href="#">Immunotherapy for cancer cluster</a>	Conditional	1
	<b>Conditional obligation:</b>		
	Conditional on patient receiving immunotherapy.		
-	<a href="#">Cancer treatment—immunotherapy completion date, DDMMYYYY</a>	Mandatory	1
-	<a href="#">Cancer treatment—immunotherapy start date, DDMMYYYY</a>	Mandatory	1
-	<a href="#">Cancer treatment—systemic therapy agent or protocol, eviQ protocol identifier NNNNNN</a>	Conditional	3
	<b>Conditional obligation:</b>		
	Conditional on the administration of systemic therapy agents according to a prespecified regimen or protocol, and on the availability of the protocol number on the eviQ website.		
-	<a href="#">Cancer treatment—systemic therapy agent or protocol, text X[X(149)]</a>	Conditional	99
-	<a href="#">Radiotherapy for cancer cluster</a>	Conditional	1
	<b>Conditional obligation:</b>		
	Conditional on the patient receiving radiotherapy.		
-	<a href="#">Cancer treatment—radiation dose administered, total Gray N[NN.NN]</a>	Mandatory	99
-	<a href="#">Cancer treatment—radiotherapy completion date, DDMMYYYY</a>	Mandatory	99
-	<a href="#">Cancer treatment—radiotherapy fractions administered, total fractions N[N]</a>	Mandatory	99
-	<a href="#">Cancer treatment—radiotherapy start date, DDMMYYYY</a>	Mandatory	99
-	<a href="#">Cancer treatment—radiotherapy target site, code N[N]</a>	Mandatory	99
-	<a href="#">Cancer treatment—radiotherapy treatment type, code N[N]</a>	Mandatory	99
-	<a href="#">Surgery for cancer cluster</a>	Conditional	1
	<b>Conditional obligation:</b>		
	Conditional on the patient receiving cancer-directed surgery.		
-	<a href="#">Cancer treatment—surgery target site, topography code (ICD-O-3) ANN.N</a>	Mandatory	99
-	<a href="#">Cancer treatment—surgical procedure date, DDMMYYYY</a>	Mandatory	99
-	<a href="#">Cancer treatment—surgical procedure for cancer, procedure code (ACHI 8th edn) NNNNN-NN</a>	Mandatory	99
-	<a href="#">Systemic therapy procedure for cancer cluster</a>	Conditional	1
	<b>Conditional obligation:</b>		
	Conditional on the patient receiving a systemic therapy procedure.		
-	<a href="#">Cancer treatment—systemic therapy procedure date, DDMMYYYY</a>	Mandatory	99

Seq No.	Metadata item	Obligation	Max occurs
-	<a href="#">Cancer treatment—systemic therapy procedure, code N[N]</a>	Mandatory	99
-	<a href="#">Cancer staging—cancer staging scheme source edition number, code N[N]</a>	Mandatory	1
-	<a href="#">Cancer staging—cancer staging scheme source, code N[N]</a>	Mandatory	1
-	<a href="#">Cancer staging—staging basis of cancer, code A</a>	Mandatory	1
-	<a href="#">Cancer treatment—cancer treatment type, code N[N]</a>	Mandatory	1
-	<a href="#">Cancer treatment—other cancer treatment, text X[X(149)]</a>	Conditional	99
	<b>Conditional obligation:</b>		
	Conditional on the patient having treatment that cannot be defined as surgery, radiotherapy or systemic therapy according to the definitions of those data items in this data set specification.		
-	<a href="#">Cancer treatment—outcome of treatment, code N.N</a>	Mandatory	1
-	<a href="#">Date—accuracy indicator, code AAA</a>	Mandatory	1
-	<a href="#">Establishment—organisation identifier (state/territory), NNNNN</a>	Mandatory	1
-	<a href="#">Healthcare provider—organisation identifier, N(16)</a>	Mandatory	1
-	<a href="#">Patient—cancer status, code N</a>	Mandatory	1
-	<a href="#">Patient—date of last contact, DDMMYYYY</a>	Mandatory	1
-	<a href="#">Patient—diagnosis date of cancer, DDMMYYYY</a>	Mandatory	1
-	<a href="#">Patient—diagnosis date of first recurrence as distant metastasis, DDMMYYYY</a>	Conditional	1
	<b>Conditional obligation:</b>		
	Conditional on the patient being diagnosed with recurrence involving a distant metastasis.		
-	<a href="#">Patient—diagnosis date of first recurrence as locoregional cancer, DDMMYYYY</a>	Conditional	1
	<b>Conditional obligation:</b>		
	Conditional on the patient being diagnosed with recurrence of locoregional cancer.		
-	<a href="#">Person (address)—address line, text X[X(179)]</a>	Mandatory	1
-	<a href="#">Person (name)—family name, text X[X(39)]</a>	Mandatory	1
-	<a href="#">Person (name)—given name, text X[X(39)]</a>	Mandatory	1
-	<a href="#">Person with cancer—distant metastasis status, M stage (UICC TNM Classification of Malignant Tumours, 7th ed) code X[XX]</a>	Mandatory	1
-	<a href="#">Person with cancer—extent of primary cancer, stage grouping other, code X[XXXXX]</a>	Mandatory	1
-	<a href="#">Person with cancer—extent of primary cancer, TNM stage (UICC TNM Classification of Malignant Tumours, 7th ed) code X[XX]</a>	Mandatory	1
-	<a href="#">Person with cancer—histopathological grade, code N</a>	Mandatory	1
-	<a href="#">Person with cancer—laterality of primary cancer, code A</a>	Mandatory	1
-	<a href="#">Person with cancer—morphology of cancer, code (ICD-O-3) NNNN/N</a>	Mandatory	1
-	<a href="#">Person with cancer—most valid basis of diagnosis of a cancer, code N</a>	Mandatory	1

Seq No.	Metadata item	Obligation	Max occurs
-	<a href="#">Person with cancer—most valid basis of diagnosis of the first recurrence, code N</a>	Conditional	1
	<b>Conditional obligation:</b> Conditional on the return, reappearance or metastasis of cancer of the same histology after a disease-free intermission or remission.		
-	<a href="#">Person with cancer—number of positive regional lymph nodes, total N[N]</a>	Conditional	1
	<b>Conditional obligation:</b> Conditional on the regional lymph nodes being excised and examined by a pathologist and demonstrated to be positive for malignancy.		
-	<a href="#">Person with cancer—number of regional lymph nodes examined, total N[N]</a>	Conditional	1
	<b>Conditional obligation:</b> Conditional on the regional lymph nodes being excised and examined by a pathologist.		
-	<a href="#">Person with cancer—primary site of cancer, topography code (ICD-O-3) ANN.N</a>	Mandatory	1
-	<a href="#">Person with cancer—primary tumour status, T stage (UICC TNM Classification of Malignant Tumours, 7th ed) code X[XXX]</a>	Mandatory	1
-	<a href="#">Person with cancer—region of first recurrence as distant metastasis, topography code (ICD-O-3) ANN.N</a>	Conditional	99
	<b>Conditional obligation:</b> Conditional on the patient being diagnosed with recurrence of distant metastasis.		
-	<a href="#">Person with cancer—region of first recurrence as locoregional cancer, topography code (ICD-O-3) ANN.N</a>	Conditional	99
	<b>Conditional obligation:</b> Conditional on the patient being diagnosed with recurrence of locoregional cancer.		
-	<a href="#">Person with cancer—regional lymph node metastasis status, N stage (UICC TNM Classification of Malignant Tumours, 7th ed) code X[XX]</a>	Mandatory	1
-	<a href="#">Person with cancer—solid tumour size (at diagnosis), total millimetres NNN</a>	Conditional	1
	<b>Conditional obligation:</b> Conditional on the histopathological examination of the tumour, and excludes Phyllodes tumours, sarcomas or lymphomas.		
-	<a href="#">Person—date of birth, DDMMYYYY</a>	Mandatory	1
-	<a href="#">Person—date of death, DDMMYYYY</a>	Conditional	1
	<b>Conditional obligation:</b> Recorded when the patient has died.		
	<b>DSS specific information:</b> This field must be greater than or equal to Date of diagnosis of primary cancer.		
-	<a href="#">Person—government funding identifier, Medicare card number N(11)</a>	Mandatory	1

Seq No.	Metadata item	Obligation	Max occurs
-	<a href="#">Person—Indigenous status, code N</a>	Mandatory	1
-	<a href="#">Person—person identifier, XXXXXX[X(14)]</a>	Mandatory	1
-	<a href="#">Person—sex, code N</a>	Mandatory	1
-	<a href="#">Person—underlying cause of death, code (ICD-10 2nd edn) ANN-ANN</a>	Conditional	1

***Conditional obligation:***

Recorded when the patient has died.