Address details data dictionary

Exported from METEOR (AIHW's Metadata Online Registry)

Metadata 434713 Page 1 of 13 Downloaded 05-Jul-2024

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AlHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at https://creativecommons.org/licenses/by/4.0/.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

Address details data dictionary

Seq No.	Metadata item	METEOR identifier	Data Type [Length]	Value & Meaning	
-	Address currency	428994	String [1]	P Prior C Current F Future T Temporary	
-	Address end date	428717	Date/Time [8]	DDMMYYYY The day of a particular month and year.	
-	Address end time	428874	Number [6]	hhmmss A valid time measured as hours, minutes and seconds using a 24 hour clock.	
-	Address site name	429252	String [50]	X[X(49)] A combination of alphanumeric characters.	
-	Address start date	428668	Date/Time [8]	DDMMYYYY The day of a particular month and year.	
-	Address start time	428880	Number [6]	hhmmss A valid time measured as hours, minutes and seconds using a 24 hour clock.	
-	Address status identifier	428979	String [3]	OFF Official address VAL Valid alias address INV Invalid alias address OBS Obsolete address UNK Not stated/Unknown	
-	Australian postcode (address)	429894	Number [4]	{NNNN} The Postcode datafile code set representing Australian postcodes as defined by Australia Post.	
-	Australian state/territory identifier of address	430134	String [3]	NSW New South Wales VIC Victoria QLD Queensland SA South Australia	
				WA Western Australia TAS Tasmania NT Northern Territory ACT Australian Capital Territory AAT Australian Antarctic Territory	
-	Building/complex sub-unit type	429004	String [4]	ANT Antenna APT Apartment ATM Automated Teller Machine	

Seq	Metadata item	METEOR	Data Type	Value & Meaning BTSD	Barbecue
No.		identifier	[Length]	BTSD	Boatshed
		10.0110.1101	[==::9:::]	BLDG	Building
				BNGW	Bungalow
				CAGE	Cage
				CARP	Carpark
				CARS	Carspace
				CLUB	Club
				COOL	Coolroom
				CTGE	Cottage
				DUPL	Duplex
				FCTY	Factory
				FLAT	Flat
				GRGE	Garage
				HALL	Hall
				HSE	House
				KSK	Kiosk
				LSE	Lease
				LBBY	Lobby
				LOFT	Loft
				LOT	Lot
				MSNT	Maisonette
				MBTH	Marine Berth
				OFFC	Office
				RESV	Reserve
				ROOM	Room
				SHED	Shed
				SHOP	Shop
				SHRM	Showroom
				SIGN	Sign
				SITE	Site
				STLL	Stall
				STOR	Store
				STR	Strata unit
				STU	Studio/studio apartment
				SUBS	Substation
				SE	Suite
				TNCY	Tenancy
				TWR	Tower
				TNHS	Townhouse
				UNIT	Unit
				VLT	Vault
				VLLA	Villa
				WARD	Ward
				WHSE	Warehouse
				WKSH	Workshop
					•

Seq No.	Metadata item Complex road name	METEOR 429376 identifier	Data Type String [45] [Length]	Value & Meaning X[X(44)] A combination of alphanumeric characters.	
-	Complex road number 1	429268	String [6]	XXXXXX An alphanumeric designation which identifies a building/dwelling in the road or thoroughfare, or the numbers in a ranged address.	
-	Complex road number 2	429264	String [6]	XXXXXX An alphanumeric designation which identifies a building/dwelling in the road or thoroughfare, or the numbers in a ranged address.	
-	Complex road suffix	429397	String [2]	CN Central E East EX Extension LR Lower N North NE North East NW North West S South SE South East SW South West UP Upper W West	
-	Complex road type	429387	String [4]	ACCS Access ALLY Alley ALWY Alleyway AMBL Amble APP Approach ARC Arcade ARTL Arterial ARTY Artery AV Avenue BA Banan BEND Bend BWLK Boardwalk BVD Boulevard BR Brace BRAE Brae BRK Break BROW Brow BYPA Bypass BYWY Byway CSWY Causeway CTR Centre CH Chase CIR Circle	

Seq	Metadata item	METEOR	Data Type	Value & Meaning CRCS	Circuit
No.		identifier	[Length]	CRCS	Circus
				CL	Close
				CON	Concourse
				CPS	Copse
				CNR	Corner
				CT	Court
				CTYD	Courtyard
				COVE	Cove
				CR	Crescent
				CRST	Crest
				CRSS	Cross
				CSAC	Cul-de-sac
				CUTT	Cutting
				DALE	Dale
				DIP	Dip
				DR	Drive
				DVWY	Driveway
				EDGE	Edge
				ELB	Elbow
				END	End
				ENT	Entrance
				ESP	Esplanade
				EXP	Expressway
				FAWY	Fairway
				FOLW	Follow
				FOLVV	FOIIOW
				FTWY	Footway
				FORM	Formation
				FWY	Freeway
				FRTG	Frontage
				GAP	Gap
				GDNS	Gardens
				GTE	Gate
				GLDE	Glade
				GLEN	Glen
				GRA	Grange
				GRN	Green
				GR	Grove
				HTS	Heights
				HIRD	Highroad
				HWY	
					Highway
				HILL	Hill
				INTG	Interchange
				JNC	Junction
				KEY	Key
				LANE	Lane

Seq	Metadata item	METEOR	Data Type	Value & Meaning LINE	Laneway
No.		identifier	[Length]	LINE	Line
			L - 3-1	LINK	Link
				LKT	Lookout
				LOOP	Loop
				MALL	Mall
				MNDR	Meander
				MEWS	Mews
				MTWY	Motorway
				NOOK	Nook
				OTLK	Outlook
				PDE	Parade
				PWY	Parkway
				PASS	Pass
				PSGE	Passage
				PATH	Path
				PWAY	Pathway
				PIAZ	Piazza
				PLZA	Plaza
				PKT	Pocket
				PNT	Point
				PORT	Port
				PROM	Promenade
				QDRT	Quadrant
				QYS	Quays
				RMBL	Ramble
				REST	Rest
				RTT	Retreat
				RDGE	Ridge
				RISE	Rise
				RD	Road
				RTY	Rotary
				RTE	Route
				ROW	Row
				RUE	Rue
				SVWY	Serviceway
				SHUN	Shunt
				SPUR	Spur
				SQ	Square
				ST	Street
				SBWY	Subway
				TARN	Tam
				TCE	Terrace
				THFR	Thoroughfare
				TLWY	Tollyay
				TOP	Tollway
					Top Tor
				TOR	TOI

Seq No.	Metadata item	METEOR identifier	Data Type [Length]	Value & Meaning TRN UPAS VALE VIAD VIEW VSTA WALK WKWY WHRF WYND	Track Trail Turn Underpass Vale Viaduct View Vista Walk Walkway Wharf Wynd
-	Country code of address	430165	String [2]	AA A code set represer	nting the International Standards Organisation codes for countries (ISO 3166: Part 1).
-	Floor/level type	429016	String [4]	B FL G L LG M OD P PTHS PLF PDM RT SB UG	Basement Floor Ground Level Lower ground floor Mezzanine Observation deck Parking Penthouse Platform Podium Rooftop Sub-basement Upper ground floor
-	Geocode containment indicator	430494	Boolean [1]	1 2	Yes No
-	Geocode feature	430313	String [30]	X[X(29)] A combination of alp	phanumeric characters.
-	Geocode geographic datum	430325	String [10]	X[X(9)] A combination of alp	phanumeric characters.
-	Geocode height	430483	Number [8]	N[NNNN].NNN The numeric measu	rement in total metres.
-	Geocode latitude decimal degrees	430445	Geospatial [12]	XN[N][.N(9)] A numeric measure	ment of latitude in decimal degrees.
-	Geocode latitude sexagismal	469923	Geospatial [9]		ment of latitude represented in degrees, minutes, seconds and decimal seconds as a sexagismal and decimal format.

Seq No.	Metadata item	METEOR identifier	Data Type [Length]	Value & Meaning	
-	Geocode longitude decimal degrees	430469	Geospatial [13]	XN[NN][.N(9)] A numeric measurement of longitude in decimal degrees.	
-	Geocode longitude sexagismal	469925	Geospatial [10]	Xd[dd]{mm}{ss}{.ss} A numeric measurement of longitude represented in degrees, minutes, seconds and decimal seconds as a combination of the sexagismal and decimal format.	
-	Geocode positional uncertainty	430490	Number [7]	N[NNN].NNN The numeric measurement in total metres.	
-	Geocode vertical datum	430339	String [10]	X[X(9)] A combination of alphanumeric characters.	
-	Level number identifier	429068	String [5]	X[XXXX] An identifier representing the floor or level number in a multi-storey building or sub-complex.	
-	Location descriptor	430302	String [50]	X[X(49)] A combination of alphanumeric characters.	
-	<u>Lot number</u>	429543	String [6]	X[XXXXX] A combination of alphanumeric characters that identify an entity.	
-	Physical address indicator	428950	Number [1]	1 Yes 2 No 9 Not stated/inadequately described	
-	Postal delivery number	430107	String [11]	X[X(10)] A combination of alphanumeric characters that identify an entity.	
-	Postal delivery point identifier	430306	Number [8]	{N(8)} A combination of valid numeric characters that identify Postal Delivery Point Identifier (PDPID) Code or blank.	
-	Postal delivery service type identifier	430096	String [11]	CARE PO Care-of Post Office (also known as Poste Restante) CMA Community Mail Agent CMB Community Mail Bag GPO BOX General Post Office Box LOCKED BAG Locked Mail Bag Service MS Mail Service	
				PO BOX Post Office Box PRIVATE BAG Private Mail Bag Service RSD Roadside Delivery RMB Roadside Mail Box/Bag RMS Roadside Mail Service	

Seq No.	Metadata item	METEOR identifier	Data Type [Length]	Value & Meaning
-	Purpose of address	428932	String [3]	PR Primary property address SEC Secondary property address RES Residential address TEM Temporary accommodation BUS Business address OVS Address when overseas DEL Delivery address POS Postal/correspondence address OTH Other address UNK Not stated/unknown
-	Road name	429747	String [45]	X[X(44)] A combination of alphanumeric characters.
-	Road number 1	429586	String [6]	XXXXXX An alphanumeric designation which identifies a building/dwelling in the road or thoroughfare, or the numbers in a ranged address.
-	Road number 2	429594	String [6]	XXXXXX An alphanumeric designation which identifies a building/dwelling in the road or thoroughfare, or the numbers in a ranged address.
-	Road suffix	429869	String [2]	CN Central E East EX Extension LR Lower N North NE North East NW North West S South SE South East SW South West UP Upper W West
-	Road type	429840	String [4]	ACCS Access ALLY Alley ALWY Alleyway AMBL Amble APP Approach ARC Arcade ARTL Arterial ARTY Artery AV Avenue BA Banan

	Metadata item	METEOR	Data Type	Value & Meaning BWLK	Bend Boardwalk
No.		identifier	[Length]	BVD	Boulevard
				BR	Brace
				BRAE	Brae
				BRK	Break
				BROW	Brow
				BYPA	Bypass
				BYWY	Byway
				CSWY	Causeway
				CTR	Centre
				CH	Chase
				CIR	Circle
				CCT	Circuit
				CRCS	Circus
				CL	Close
				CON	Concourse
				CPS	Copse
				CNR	Corner
				CT	Court
				CTYD	Courtyard
				COVE	Cove
				CR	Crescent
				CRST	Crest
				CRSS	Cross
				CSAC	Cul-de-sac
				CUTT	Cutting
				DALE	Dale
				DIP	Dip
				DR	Drive
				DVWY	Driveway
				EDGE	Edge
				ELB	Elbow
				END	End
				ENT	Entrance
				ESP	Esplanade
				EXP	Expressway
				FAWY	Fairway
				FOLW	Follow
				FTWY	Footway
				FORM	Formation
				FWY	Freeway
				FRTG	Frontage
				GAP	Gap
				GDNS	Gardens
				GTE	Gate

Seq No.	Metadata item	METEOR identifier	Data Type [Length]	Value & Meaning GLEN	Glade Glen
NO.		identillei	[Lengur]	GRA	Grange
				GRN	Green
				GR	Grove
				HTS	Heights
				HIRD	Highroad
				HWY	Highway
				HILL	Hill
				INTG	Interchange
				JNC	Junction
				KEY	
				LANE	Key
					Lane
				LNWY	Laneway
				LINE	Line
				LINK	Link
				LKT	Lookout
				LOOP	Loop
				MALL	Mall
				MNDR	Meander
				MEWS	Mews
				MTWY	Motorway
				NOOK	Nook
				OTLK	Outlook
				PDE	Parade
				PWY	Parkway
				PASS	Pass
				PSGE	Passage
				PATH	Path
				PWAY	Pathway
				PIAZ	Piazza
				PLZA	Plaza
				PKT	Pocket
				PNT	Point
				PORT	Port
				PROM	Promenade
				QDRT	Quadrant
				QYS	Quays
				RMBL	Ramble
				REST	Rest
				RTT	Retreat
				RDGE	Ridge
				RISE	Rise
				RD	Road
				RTY	Rotary
				RTE	Route
				1316	Note

Seq	Metadata item	METEOR	Data Type	Value & Meaning RUE	Row
No.	Motadata Itom	identifier	[Length]		Rue
140.		lacitation	[Lengin]	SVWY	Serviceway
				SHUN	Shunt
				SPUR	Spur
				SQ	Square
				ST	Street
				SBWY	Subway
				TARN	Tarn
				TCE	Terrace
				THFR	Thoroughfare
				TLWY	Tollway
				TOP	Тор
				TOR	Tor
				TRK	Track
				TRL	Trail
				TURN	Turn
				UPAS	Underpass
				VALE	Vale
				VIAD	Viaduct
				VIEW	View
				VSTA	Vista
				WALK	Walk
				WKWY	Walkway
				WHRF	Wharf
				WYND	Wynd
_	Secondary complex name	429404	String [50]	X[X(49)]	
	Joseph John Market Mark				phanumeric characters.
-	Sub-dwelling unit number	429012	String [7]	X[X(6)]	
				A combination of all	phanumeric characters that identify an entity.
-	Suburb/town/locality name	429889	String [46]	X[X(45)]	
	within address				phanumeric characters.
	Lineaton sets one all and all all and all all all all all all all all all al	420450	Otrinor [FO]		·
-	<u>Unstructured address line</u>	430158	String [50]	X[X(49)]	
				A combination of all	phanumeric characters.