# National Healthcare Agreement: Pl 11-Cervical screening rates, 2012

Exported from METEOR (AIHW's Metadata Online Registry)
© Australian Institute of Health and Welfare 2024
This product excluding the AIHW logo. Commonwealth Coat of Arms and any material owned by a third party or protected by a

This product, excluding the AlHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AlHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at https://creativecommons.org/licenses/by/4.0/.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

# National Healthcare Agreement: Pl 11-Cervical screening rates, 2012

## Identifying and definitional attributes

Metadata item type: Indicator

**Indicator type:** Output measure

**Short name:** PI 11-Cervical screening rates, 2012

METEOR identifier: 435845

**Registration status:** <u>Health!</u>, Retired 25/06/2013

**Description:** Rates of cervical screening for women within national target age group.

Indicator set: National Healthcare Agreement (2012)

Health!, Superseded 25/06/2013

Outcome area: Prevention

Health!, Standard 07/07/2010

Data quality statement: National Healthcare Agreement: PI 11-Cervical screening rates, 2012 QS

Health!, Retired 14/01/2015

### Collection and usage attributes

Population group age

from:

20 years

Population group age to: 69 years

Computation description: Denominator is adjusted to exclude the estimated number of women who have had

a hysterectomy, using national hysterectomy fractions.

Rates directly age-standardised to the 2001 Australian population.

Analysis by remoteness and SEIFA Index of Relative Socio-economic

Disadvantage (IRSD) is based on postcode of residential address at the time of

screening.

Presented as a percentage.

**Computation:** 100 × (Numerator ÷ Denominator)

**Numerator:** Number of women aged 20–69 years who have been screened in a 2 year period.

#### Numerator data elements:

#### Data Element / Data Set-

Women who have undergone cervical cancer screening in a 2 year period

**Data Source** 

ABS 2004-05 National Aboriginal and Torres Strait Islander Health Survey (NATSIHS)

Guide for use

Data source type: Survey For Indigenous women only

#### Data Element / Data Set-

Person—age

**Data Source** 

National Cervical Screening Program

Guide for use

Data source type: Registry

#### Data Element / Data Set

Person—person identifier

**Data Source** 

National Cervical Screening Program

Guide for use

Data source type: Registry

#### Data Element / Data Set-

Person—age, total years N[NN]

**Data Source** 

ABS 2004-05 National Aboriginal and Torres Strait Islander Health Survey (NATSIHS)

Guide for use

Data source type: Survey For Indigenous women only

**Denominator:** 

Population of women aged 20-69 years

## Denominator data elements:

#### Data Element / Data Set-

Person—estimated resident population of Australia

#### **Data Source**

ABS Estimated resident population (total population)

#### Guide for use

Data source type: Census-based plus administrative by-product data

#### Data Element / Data Set-

Proportion of women within the target population who have had a hysterectomy

#### **Data Source**

National Hospital Morbidity Database (NHMD)

#### Guide for use

Data source type: Administrative by-product data

Used for hysterectomy fractions

#### Data Element / Data Set-

Person—age, total years N[NN]

#### **Data Source**

ABS 2004-05 National Aboriginal and Torres Strait Islander Health Survey (NATSIHS)

#### Guide for use

Data source type: Survey For Indigenous women only

#### Data Element / Data Set-

Person—age, total years N[NN]

#### **Data Source**

National Hospital Morbidity Database (NHMD)

#### Guide for use

Data source type: Administrative by-product data

Used for hysterectomy fractions

Disaggregation:

2007–2008 and 2008–2009 (revised for new hysterectomy fractions), 2009–2010 —State and territory, by:

- remoteness (Australian Standard Geographical Classification Remoteness Structure)
- SEIFA Index of Relative Socioeconomic Disadvantage (IRSD) quintiles

2007–2008 and 2008–2009 (revised for new hysterectomy fractions), 2009–2010 —Nationally, by:

SEIFA IRSD deciles

State and territory, by Indigenous status (no new data)

Some disaggregation may result in numbers too small for publication.

## Disaggregation data elements:

#### - Data Element / Data Set-

Establishment—Australian state/territory identifier

**Data Source** 

National Cervical Screening Program

Guide for use

Data source type: Administrative by-product data Used for disaggregation by state and territory

#### Data Element / Data Set

Person (address)—Australian postcode

**Data Source** 

National Cervical Screening Program

Guide for use

Data source type: Administrative by-product data Used for disaggregation by remoteness and SEIFA IRSD

Comments:

Most recent data available for 2012 CRC report: 2009–2010 (calendar years: total population); 2004–05 (Indigenous status: NATSIHS).

Screening rates for Indigenous women are based on the ABS National Aboriginal and Torres Strait Islander Health Survey (NATSIHS).

## Representational attributes

Representation class: Percentage

Data type:RealUnit of measure:PersonFormat:NN.N

## Indicator conceptual framework

Framework and dimensions:

Accessibility

Health behaviours

### **Data source attributes**

Data sources:

**Data Source** 

ABS Estimated resident population (total population)

Frequency

Quarterly

Data quality statement

ABS Estimated resident population (total population), QS

Data custodian

Australian Bureau of Statistics

Data Source

National Cervical Screening Program

Frequency

Annual

Data custodian

Department of Health and Ageing

Data Source

National Hospital Morbidity Database (NHMD)

Frequency

Annual

Data custodian

Australian Institute of Health and Welfare

Data Source

ABS 2004-05 National Aboriginal and Torres Strait Islander Health Survey (NATSIHS)

Frequency

Every 6 years

Data custodian

Australian Bureau of Statistics

## Accountability attributes

Reporting requirements: National Healthcare Agreement

Organisation responsible for providing data:

Australian Institute of Health and Welfare

Further data development / Specification: Long-term

collection required:

## Relational attributes

# Related metadata references:

Supersedes National Healthcare Agreement: PI 11-Cervical screening rates, 2011

Health!, Superseded 30/10/2011

See also National Healthcare Agreement: PI 04-Incidence of selected cancers, 2012

Health!, Superseded 25/06/2013

See also National Healthcare Agreement: PI 10-Breast cancer screening rates, 2012

Health!, Retired 25/06/2013

See also <u>National Healthcare Agreement: PI 12-Bowel cancer screening rates, 2012</u>

Health!, Retired 25/06/2013

See also National Healthcare Agreement: P144-Survival of people diagnosed with cancer, 2012

Health!, Superseded 25/06/2013