

National Healthcare Agreement: PI 07-Proportion of adults at risk of long-term harm from alcohol, 2012

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

National Healthcare Agreement: PI 07-Proportion of adults at risk of long-term harm from alcohol, 2012

Identifying and definitional attributes

Metadata item type:	Indicator
Indicator type:	Progress measure
Short name:	PI 07-Proportion of adults at risk of long-term harm from alcohol, 2012
METEOR identifier:	435979
Registration status:	Health! , Superseded 25/06/2013
Description:	Proportion of adults at risk of long-term harm from alcohol
Indicator set:	National Healthcare Agreement (2012) Health! , Superseded 25/06/2013
Outcome area:	Prevention Health! , Standard 07/07/2010

Collection and usage attributes

Population group age from:	18 years
Computation description:	<p>'At risk of long term alcohol related harm' is defined according to the 2001 National Health and Medical Research Council (NHMRC) guidelines: for males, equivalent to 29 or more drinks per week, and for females, 15 or more drinks per week.</p> <p>Excludes people who have not consumed alcohol in past 12 months.</p> <p>Rates are directly age-standardised to the 2001 Australian population.</p> <p>Analysis by remoteness and SEIFA Index of Relative Socio-economic Disadvantage (IRSD) is based on usual residence of person.</p> <p>Presented as a percentage</p> <p>95% confidence intervals and relative standard errors are calculated for rates.</p>
Computation:	$100 \times (\text{Numerator} \div \text{Denominator})$
Numerator:	Number of persons aged 18 years or over assessed as having an alcohol consumption pattern that puts them at risk of long term alcohol-related harm.
Numerator data elements:	

Data Element / Data Set

Person—age

Data Source

[ABS 2007-08 National Health Survey \(NHS\)](#)

Guide for use

Data source type: Survey

Data Element / Data Set

Person—alcohol consumption amount

Data Source

[ABS 2007-08 National Health Survey \(NHS\)](#)

Guide for use

Data source type: Survey

Data Element / Data Set

Person—alcohol consumption frequency

Data Source

[ABS 2007-08 National Health Survey \(NHS\)](#)

Guide for use

Data source type: Survey

Data Element / Data Set

Person—age

Data Source

[ABS 2004-05 National Health Survey \(NHS\)](#)

Guide for use

Data source type: Survey

Data Element / Data Set

Person—alcohol consumption amount

Data Source

[ABS 2004-05 National Health Survey \(NHS\)](#)

Guide for use

Data source type: Survey

Data Element / Data Set

Person—alcohol consumption frequency

Data Source

[ABS 2004-05 National Health Survey \(NHS\)](#)

Guide for use

Data source type: Survey

Data Element / Data Set

Person—age

Data Source

[ABS 2004-05 National Aboriginal and Torres Strait Islander Health Survey \(NATSIHS\)](#)

Guide for use

Data source type: Survey

Data Element / Data Set

Person—alcohol consumption amount

Data Source

[ABS 2004-05 National Aboriginal and Torres Strait Islander Health Survey \(NATSIHS\)](#)

Guide for use

Data source type: Survey

Data Element / Data Set

Person—alcohol consumption frequency

Data Source

[ABS 2004-05 National Aboriginal and Torres Strait Islander Health Survey \(NATSIHS\)](#)

Guide for use

Data source type: Survey

Denominator:

Denominator data elements:

Population aged 18 years or over

Data Element / Data Set

Person—age

Data Source

[ABS 2007-08 National Health Survey \(NHS\)](#)

Guide for use

Data source type: Survey

Data Element / Data Set

Person—age

Data Source

[ABS 2004-05 National Health Survey \(NHS\)](#)

Guide for use

Data source type: Survey

Data Element / Data Set

Person—age

Data Source

[ABS 2004-05 National Aboriginal and Torres Strait Islander Health Survey \(NATSIHS\)](#)

Guide for use

Data source type: Survey

Disaggregation:

State and territory, by:

- Indigenous status
- remoteness (Australian Standard Geographical Classification Remoteness Structure)
- SEIFA Index of Relative Socioeconomic Disadvantage (IRSD) quintiles

Nationally, by SEIFA IRSD deciles

Some disaggregation may result in numbers too small for publication.

Disaggregation data elements:**Data Element / Data Set**

Person—area of usual residence

Data Source[ABS 2007-08 National Health Survey \(NHS\)](#)**Guide for use**

Data source type: Survey

Used for disaggregation by state/territory, remoteness and SEIFA IRSD

Data Element / Data Set

Person—area of usual residence

Data Source[ABS 2004-05 National Health Survey \(NHS\)](#)**Guide for use**

Data source type: Survey

Used for disaggregation by state/territory

Data Element / Data Set

Person—area of usual residence

Data Source[ABS 2004-05 National Aboriginal and Torres Strait Islander Health Survey \(NATSIHS\)](#)**Guide for use**

Data source type: Survey

Used for disaggregation by state/territory

Comments:

Most recent data available for 2012 CRC report: 2007–08 (total population: NHS); 2004–05 (Indigenous status: NATSIHS and NHS).

NO NEW DATA FOR 2012 REPORTING

For further detailed analysis by Indigenous status see the National Indigenous Reform Agreement (NIRA) report.

Representational attributes**Representation class:** Percentage**Data type:** Real**Unit of measure:** Person**Format:** N[N].N

Indicator conceptual framework

Framework and dimensions: [Health behaviours](#)

Data source attributes

Data sources:

Data Source

[ABS 2007-08 National Health Survey \(NHS\)](#)

Frequency

Every 3 years

Data custodian

Australian Bureau of Statistics

Data Source

[ABS 2004-05 National Health Survey \(NHS\)](#)

Frequency

Every 3 years

Data custodian

Australian Bureau of Statistics

Data Source

[ABS 2004-05 National Aboriginal and Torres Strait Islander Health Survey \(NATSIHS\)](#)

Frequency

Every 6 years

Data custodian

Australian Bureau of Statistics

Accountability attributes

Reporting requirements: National Healthcare Agreement

Organisation responsible for providing data: Australian Bureau of Statistics

Benchmark: [National Healthcare Agreement: PB 02—By 2018, reduce the national smoking rate to 10 per cent of the population and halve the Indigenous smoking rate \(Baseline specification\), 2012](#)

Further data development / collection required: Specification: Interim

Relational attributes

Related metadata references:

Supersedes [National Healthcare Agreement: PI 07-Proportion of adults at risk of long-term harm from alcohol, 2011](#)

[Health!](#), Superseded 30/10/2011

Has been superseded by [National Healthcare Agreement: PI 05-Levels of risky alcohol consumption, 2013](#)

[Health!](#), Superseded 30/04/2014

See also [National Healthcare Agreement: PB 02-By 2018, reduce the national smoking rate to 10 per cent of the population and halve the Indigenous smoking rate \(Baseline specification\), 2012](#)

[Health!](#), Superseded 25/06/2013

[Indigenous](#), Standard 11/09/2012

See also [National Healthcare Agreement: PB 03-By 2017, increase by five percentage points the proportion of Australian adults and children at a healthy body weight, over the 2009 baseline \(Baseline specification\), 2012](#)

[Health!](#), Superseded 25/06/2013

See also [National Healthcare Agreement: PI 05-Proportion of persons obese, 2012](#)

[Health!](#), Superseded 25/06/2013

See also [National Healthcare Agreement: PI 06-Proportion of adults who are daily smokers, 2012](#)

[Health!](#), Superseded 25/06/2013

See also [National Healthcare Agreement: PI 20-Potentially avoidable deaths, 2012](#)

[Health!](#), Superseded 25/06/2013

See also [National Indigenous Reform Agreement: PI 04-Levels of risky alcohol consumption, 2013](#)

[Indigenous](#), Superseded 13/12/2013

See also [National Indigenous Reform Agreement: PI 05-Average daily alcohol consumption and associated risk levels; rates of alcohol consumption at long-term risky to high risk levels, 2012](#)

[Indigenous](#), Superseded 13/06/2013