

© Australian Institute of Health and Welfare 2024

This product, excluding the AlHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AlHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at https://creativecommons.org/licenses/by/4.0/.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

ABS birth registration data, 2008 QS

Identifying and definitional attributes

Metadata item type: **Data Quality Statement**

METEOR identifier: 449204

Registration status: Health!, Standard 08/06/2011

Data quality

Data quality statement

summary:

fGlossary Item Level 1

Institutional environment:

This collection is conducted under the Census and Statistics Act 1905. For information on the institutional environment of the ABS, including the legislative obligations of the ABS, financing and governance arrangements, and mechanisms

for scrutiny of ABS operations, see ABS Institutional Environment.

Timeliness: Births records are provided electronically to the ABS by individual Registrars on a

monthly basis for compilation into aggregate statistics on a quarterly and annual

Quarterly estimates of births on a preliminary basis are published five to six months after the reference period in Australian Demographic Statistics (cat. no. 3101.0), and revised 21 months after the end of each financial year. Annual estimates on a year of registration basis are published within ten months of the end of the

reference year in Births, Australia (cat. no. 3301.0).

One dimension of timeliness in birth registrations data is the interval between the occurrence and registration of a birth. As a result, some births occurring in one year are not registered until the following year or even later. This can be caused by either a delay by the parent(s) in submitting a completed form to the registry, or a delay by the registry in processing the birth (for example, due to follow up activity due to

missing information on the form, or resource limitations).

Accessibility: Births data are available in a variety of formats on the ABS website under the

3301.0 product family. Further information on births and fertility may be available on request. The ABS observes strict confidentiality protocols as required by the Census and Statistics Act (1905). This may restrict access to data at a very

detailed level which is sought by some users.

Interpretability: Births statistics are generally straightforward and easy to interpret. It should be

noted, however, that changes in numbers of births over time can be due to two factors: changes in fertility, and changes in the number of women in child-bearing ages. For this reason, births data need to be considered in relation to the size of

the relevant population(s) through the use of fertility rates.

Another aspect that may be overlooked is plurality, or the fact that each birth of a multiple birth is counted individually in births data. Confinement statistics remove the effect of plurality and are used when analysing characteristics of the mother or

father; for example, for calculating median ages.

Relevance: Birth statistics are one of the components in the production of estimates of natural

increase (the difference between numbers of births and deaths) used as a component of population change in the calculation of population estimates of Australia and the states and territories. The primary uses of population estimates are in the determination of seats in the House of Representatives for each State and Territory, as well as in the distribution of Australian Government funds to state, territory and local governments. Population estimates are also used for a wide range of government, business and community decisions, both directly and indirectly, by contributing to a range of other social and economic indicators.

Birth statistics are also essential in the analysis of fertility in Australia, and inform on the population's ability to reproduce itself. Trends in fertility are used in the development of assumptions on future levels of fertility for population projections.

Accuracy:

Information on births is obtained from a complete enumeration of births registered during a specified period and are not subject to sampling error. However, births data sources are subject to non-sampling error which can arise from inaccuracies in collecting, recording and processing the data.

Sources of non-sample error include:

- · completeness of an individual record at a given point in time;
- completeness of the dataset (eg impact of registration lags, processing lags and duplicate records);
- extent of coverage of the population (whilst all births are legally required to be registered, some cases may not be registered for an extended time, if at all); and
- · lack of consistency in the application of questions or forms used by data providers, both through time and between different jurisdictions.

Every effort is made to minimise error by working closely with data providers, the careful design of forms, training of processing staff, and efficient data processing procedures.

Coherence:

The international standards and recommendations for the definition and scope of birth statistics in a vital statistics system are set out in the Principles and Recommendations for a Vital Statistics System Revision 2, published by the United Nations Statistical Division (UNSD). Consistent with the UNSD recommendations, the ABS defines a birth as the complete expulsion or extraction from its mother of a product of conception, irrespective of the duration of pregnancy, which after such separation, breathes or shows any other evidence of life, such as beating of the heart, pulsation of the umbilical cord or definite movement of voluntary muscles, whether or not the umbilical cord has been cut or the placenta is attached; each product of such a birth is considered liveborn. In addition, the UNSD recommends that the births to be counted include all births "occurring in every geographic area and in every population group comprising the national area". For the purposes of Australia, this includes all births occurring within Australia as defined by the Australian Standard Geographical Classification (ASGC) that applies at the time.

Registration of births is compulsory in Australia under relevant State/Territory legislation. However, each State/Territory Registrar has its own birth registration form. Most data items are collected in all states and territories and therefore statistics at a national level are available for most characteristics. In some cases, different wording of questions asked on the registration form may result in different answers, which may affect final figures.

Use of supporting documentation released with Births, Australia (cat. no. 3301.0) is important for assessing coherence within the dataset and when comparing statistics with data from other sources. Changing business rules over time and/or across State/Territory registries can affect consistency and hence interpretability of statistical output. Explanatory Notes in each issue contains information pertinent to that release which may impact on comparison over time.

Birth registrations data are not the only statistical series on births in Australia. The National Perinatal Data Collection (NPDC) is a national collection on pregnancy and childbirth, based on births reported to the Perinatal Data Collection in each State and Territory in Australia. Midwives and other health professionals who attend births complete notification forms for each birth, using information obtained from mothers and hospital or other records. This information is compiled and published annually by the National Perinatal Statistics Unit (NPSU) of the Australian Institute of Health and Welfare (AlHW) in Australia's Mothers and Babies. As information from these two collections are from different sources, the statistics obtained vary. The number of births in the Perinatal Data Collection are generally greater, which may reflect the likelihood of parent(s) to delay or fail to register the birth of a child.

Source and reference attributes

Submitting organisation: Australasian Association of Cancer Registries (AACR)

Relational attributes

Data quality statement:

Data sources linked to this ABS 2001 National Health Survey (NHS)

Indicators linked to this **Data Quality statement:** 1.1 Number of PBS prescriptions dispensed for antimicrobials per 100,000 people, 2013-14

National Health Performance Authority (retired), Retired 01/07/2016
Australian Commission on Safety and Quality in Health Care, Standard 23/11/2016