Person—person identifier, child protection NX[X(11)]

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at https://creativecommons.org/licenses/by/4.0/.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

Person—person identifier, child protection NX[X(11)]

Identifying and definitional attributes

Metadata item type:	Data Element
Short name:	Child protection person identifier
Synonymous names:	Client ID; Carer ID
METEOR identifier:	459397
Registration status:	<u>Community Services (retired)</u> , Recorded 19/08/2011 [Non Dictionary] <u>Children and Families</u> , Standard 22/11/2016
Definition:	A combination of alphanumeric characters that uniquely identifies a child or carer in the child protection and support services system within a state or territory.
Data Element Concept:	Person—person identifier
Value Domain:	Child protection identifier NX[X(11)]

Value domain attributes

Representational attributes

Representation class:	ldentifier	
Data type:	String	
Format:	NX[X(11)]	
Maximum character length:	13	
	Value	Meaning
Supplementary values:	97	Not applicable

Collection and usage attributes

Guide for use:	A state and territory identifier should be the first character of the ID (N), according to the following Australian Bureau of Statistics' standard:
	1. New South Wales
	2. Victoria
	3. Queensland
	4. South Australia
	5. Western Australia
	6. Tasmania
	7. Northern Territory
	8. Australian Capital Territory
	Note that 9. Other Territories (i.e. Cocos (Keeling) Islands, Christmas Island and Jervis Bay Territory are not separately identified in the child protection data collection.
	All alphabetic characters must be in uppercase.

Source and reference attributes

Submitting organisation:	Australian Institute of Health and Welfare
Steward:	Australian Institute of Health and Welfare

Data element attributes

Collection and usage attributes

Guide for use:	This identifier is used to identify a child or a carer across the child protection system.
	The unique client identifier should be assigned by the state or territory department responsible for child protection when the child or carer first comes in contact with the department. The same unique identifier should be retained across time.
Source and reference attributes	

Source and reference attributes

Submitting organisation:	Australian Institute of Health and Welfare
Steward:	Australian Institute of Health and Welfare
Origin:	Australian Institute of Health and Welfare (AIHW) 2013. Child Protection National Minimum Data Set, data collection manual 2012-13. Canberra: AIHW.

Relational attributes

Related metadata references:	Supersedes Person—person identifier, (child protection and support services) NX[X(13)] Community Services (retired), Standard 30/04/2008
Implementation in Data Set Specifications:	Care and protection order (CPO) DSS Pilot (2010) Community Services (retired), Recorded 19/08/2011
	Care and protection order (CPO) file cluster Children and Families, Superseded 22/11/2016 Community Services (retired), Recorded 10/10/2014 Implementation start date: 01/07/2011 Implementation end date: 30/06/2013 DSS specific information:
	The person identifier (ID) is the identifier for the child (the child protection client) within a State or Territory. The person ID in the Care and protection order file must appear in the Child Protection client file.
	Care and protection order (CPO) file cluster Children and Families, Superseded 22/11/2016 Implementation start date: 01/07/2012 Implementation end date: 30/06/2014 DSS specific information:
	The person identifier (ID) is the identifier for the child (the child protection client) within a State or Territory. The person ID in the Care and protection order file must appear in the Child Protection client file.
	Care and protection order (CPO) file cluster Children and Families, Superseded 22/11/2016 Implementation start date: 01/07/2013 Implementation end date: 30/06/2015 DSS specific information:
	The person identifier (ID) is the identifier for the child (the child protection client) within a State or Territory. The person ID in the Care and protection order file must appear in the Child Protection client file.

Care and protection order (CPO) file cluster Children and Families, Superseded 20/04/2018 Implementation start date: 01/07/2014

Implementation end date: 30/06/2016 DSS specific information:

The person identifier (ID) is the identifier for the child (the child protection client) within a State or Territory. The person ID in the Care and protection order file must appear in the Child Protection client file.

<u>Care and protection order (CPO) file cluster</u> <u>Children and Families</u>, Standard 20/01/2021 **DSS specific information:**

The person identifier (ID) is the identifier for the child (the child protection client) within a State or Territory. The person ID in the Care and protection order file must appear in the Child Protection client file.

Care and protection order (CPO) file cluster

<u>Children and Families</u>, Superseded 20/01/2021 Implementation start date: 01/07/2015 Implementation end date: 30/06/2017 DSS specific information:

The person identifier (ID) is the identifier for the child (the child protection client) within a State or Territory. The person ID in the Care and protection order file must appear in the Child Protection client file.

Carer demographics file cluster <u>Children and Families</u>, Standard 22/11/2016 <u>Community Services (retired)</u>, Recorded 10/10/2014 Implementation start date: 01/07/2011 Implementation end date: 30/06/2013 DSS specific information:

The person identifier is the identifier of the carer.

<u>Carer household authorisation file cluster</u> <u>Children and Families</u>, Superseded 22/11/2016 <u>Community Services (retired)</u>, Recorded 19/03/2014 *Implementation start date:* 01/07/2011 *Implementation end date:* 30/06/2013 DSS specific information:

The person identifier is the Carer ID and is recorded for each individual carer authorised to provide care in a carer household (e.g. Carer ID 1, Carer ID 2, Carer ID 3, etc).

<u>Child protection (CP) client file cluster</u> <u>Children and Families</u>, Superseded 22/11/2016 <u>Community Services (retired)</u>, Recorded 09/10/2014 *Implementation start date:* 01/07/2011 *Implementation end date:* 30/06/2013 DSS specific information:

The person identifier (ID) is the identifier for the child (the child protection client). Each ID is used by only one client and each client has only one ID.

The person ID in the Child protection client file must appear in at least one of the Notifications, investigations and substantiations (NIS), Care and protection order (CPO) and/or Living arrangements for children under care (LA) files. All person IDs in the NIS, CPO, LA, National out-of-home care standards, and Sibling files must appear once in the client file.

<u>Child protection (CP) client file cluster</u> <u>Children and Families</u>, Superseded 22/11/2016 *Implementation start date:* 01/07/2013

Implementation end date: 30/06/2015 DSS specific information:

The person identifier (ID) is the identifier for the child (the child protection client). Each ID is used by only one client and each client has only one ID.

The person ID in the Child protection client file must appear in at least one of the Notifications, investigations and substantiations (NIS), Care and protection order (CPO) and/or Living arrangements for children under care (LA) files. All person IDs in the NIS, CPO, LA, National out-of-home care standards, and Sibling files must appear once in the client file.

<u>Child protection (CP) client file cluster</u> <u>Children and Families</u>, Superseded 22/11/2016 *Implementation start date:* 01/07/2012 *Implementation end date:* 30/06/2014 DSS specific information:

The person identifier (ID) is the identifier for the child (the child protection client). Each ID is used by only one client and each client has only one ID.

The person ID in the Child protection client file must appear in at least one of the Notifications, investigations and substantiations (NIS), Care and protection order (CPO) and/or Living arrangements for children under care (LA) files. All person IDs in the NIS, CPO, LA, National out-of-home care standards, and Sibling files must appear once in the client file.

<u>Child protection (CP) client file cluster</u> <u>Children and Families</u>, Superseded 20/04/2018 *Implementation start date:* 01/07/2014 *Implementation end date:* 30/06/2016 DSS specific information:

The person identifier (ID) is the identifier for the child (the child protection client). Each ID is used by only one client and each client has only one ID.

The person ID in the Child protection client file must appear in at least one of the Notifications, investigations and substantiations (NIS), Care and protection order (CPO) and/or Living arrangements for children under care (LA) files. All person IDs in the NIS, CPO, LA, National out-of-home care standards, and Sibling files must appear once in the client file.

Child protection (CP) client file cluster

Children and Families, Superseded 20/01/2021 Implementation start date: 01/07/2015 Implementation end date: 30/06/2017 DSS specific information:

The person identifier (ID) is the identifier for the child (the child protection client). Each ID is used by only one client and each client has only one ID.

The person ID in the Child protection client file must appear in at least one of the Notifications, investigations and substantiations (NIS), Care and protection order (CPO) and/or Living arrangements for children under care (LA) files. All person IDs in the NIS, CPO, LA, National out-of-home care standards, and Sibling files must appear once in the client file.

Child protection (CP) client file cluster

Children and Families, Superseded 03/11/2021 **DSS specific information:**

The person identifier (ID) is the identifier for the child (the child protection client). Each ID is used by only one client and each client has only one ID.

The person ID in the Child protection client file must appear in at least one of the Notifications, investigations and substantiations (NIS), Care and protection order (CPO) and/or Living arrangements for children under care (LA) files. All person IDs in the NIS, CPO, LA, National out-of-home care standards, and Sibling files must appear once in the client file.

Child protection (CP) client file cluster Children and Families, Standard 03/11/2021 DSS specific information:

The person identifier (ID) is the identifier for the child (the child protection client). Each ID is used by only one client and each client has only one ID.

The person ID in the Child protection client file must appear in at least one of the Notifications, investigations and substantiations (NIS), Care and protection order (CPO) and/or Living arrangements for children under care (LA) files. All person IDs in the NIS, CPO, LA, National out-of-home care standards, and Sibling files must appear once in the client file.

<u>Child protection and support services (CPSS) client DSS Pilot (2010)</u> <u>Community Services (retired)</u>, Recorded 19/08/2011

Child protection client alias cluster

Community Services (retired), Recorded 19/08/2011

DSS specific information: This item is collected at least twice in the client alias file. The first occurence of this data element must match the identifier in the Child protection and support services (CPSS) client DSS exactly. The second and subsequent occurrences are identifiers which may have been allocated prior to the child being identified as an existing client.

Living arrangements for children under care (LA) DSS Pilot (2010) Community Services (retired), Recorded 19/08/2011

DSS specific information:

This data element is collected twice in the Living arrangements for children under care DSS:

- for the child within a state or territory's child protection system and
- for the carer, i.e. an individual that provides funded out-of-home care within a state or territory's child protection system

Living arrangements for children under care (LA) file cluster Children and Families, Standard 22/11/2016 Community Services (retired), Recorded 10/10/2014 Implementation start date: 01/07/2011 Implementation end date: 30/06/2013

DSS specific information:

The person identifier (ID) is the identifier for the child (the child protection client). Each ID is used by only one client and each client has only one ID.

The person ID in the Living arrangements file must appear in the Client file.

Living arrangements for children under care (LA) file cluster Children and Families, Superseded 22/11/2016

Implementation start date: 01/07/2012 Implementation end date: 30/06/2014 DSS specific information:

The person identifier (ID) is the identifier for the child (the child protection client). Each ID is used by only one client and each client has only one ID.

The person ID in the Living arrangements file must appear in the Client file.

Living arrangements for children under care (LA) file cluster Children and Families, Superseded 22/11/2016 Implementation start date: 01/07/2013 Implementation end date: 30/06/2015 DSS specific information:

The person identifier (ID) is the identifier for the child (the child protection client). Each ID is used by only one client and each client has only one ID.

The person ID in the Living arrangements file must appear in the Client file.

Living arrangements for children under care (LA) file cluster Children and Families, Superseded 20/04/2018 Implementation start date: 01/07/2014 Implementation end date: 30/06/2016 DSS specific information:

The person identifier (ID) is the identifier for the child (the child protection client). Each ID is used by only one client and each client has only one ID.

The person ID in the Living arrangements file must appear in the Client file.

Living arrangements for children under care (LA) file cluster Children and Families, Superseded 20/01/2021 DSS specific information:

The person identifier (ID) is the identifier for the child (the child protection client). Each ID is used by only one client and each client has only one ID.

The person ID in the Living arrangements file must appear in the Client file.

Living arrangements for children under care (LA) file cluster Children and Families, Superseded 20/01/2021

Implementation start date: 01/07/2015 Implementation end date: 30/06/2017 DSS specific information:

The person identifier (ID) is the identifier for the child (the child protection client). Each ID is used by only one client and each client has only one ID.

The person ID in the Living arrangements file must appear in the Client file.

Living arrangements for children under care (LA) file cluster Children and Families, Standard 03/11/2021 DSS specific information:

The person identifier (ID) is the identifier for the child (the child protection client). Each ID is used by only one client and each client has only one ID.

The person ID in the Living arrangements file must appear in the Client file.

Living arrangements for children under care (LA) file cluster Children and Families, Superseded 03/11/2021 DSS specific information:

The person identifier (ID) is the identifier for the child (the child protection client). Each ID is used by only one client and each client has only one ID.

The person ID in the Living arrangements file must appear in the Client file.

National out-of-home care standards (NOOHCS) file cluster Children and Families, Superseded 22/11/2016 Implementation start date: 01/07/2012 Implementation end date: 30/06/2014 DSS specific information:

This identifier is for the child.

National out-of-home care standards (NOOHCS) file cluster

<u>Children and Families</u>, Superseded 22/11/2016 Implementation start date: 01/07/2013 Implementation end date: 30/06/2015 DSS specific information:

This identifier is for the child.

National out-of-home care standards (NOOHCS) file cluster

<u>Children and Families</u>, Superseded 20/04/2018 Implementation start date: 01/07/2014 Implementation end date: 30/06/2016 DSS specific information:

This identifier is for the child.

National out-of-home care standards (NOOHCS) file cluster Children and Families, Standard 20/01/2021 DSS specific information:

This identifier is for the child.

National out-of-home care standards (NOOHCS) file cluster

<u>Children and Families</u>, Superseded 20/01/2021 Implementation start date: 01/07/2015 Implementation end date: 30/06/2017 DSS specific information:

This identifier is for the child.

National Out-of-Home Care Standards (NOOHCS) file cluster

<u>Children and Families</u>, Superseded 22/11/2016 Implementation start date: 01/07/2012 Implementation end date: 30/06/2013 DSS specific information:

This identifier is for the child.

Notifications, investigations, and substantiations (NIS) DSS Pilot 2010 Community Services (retired), Recorded 19/08/2011

DSS specific information:

The identifier recorded under this data element should match the identifier recorded in the Child protection and support services (CPSS) client DSS.

Notifications, investigations, and substantiations (NIS) file cluster <u>Children and Families</u>, Superseded 22/11/2016 <u>Community Services (retired)</u>, Recorded 09/10/2014 Implementation start date: 01/07/2011 Implementation end date: 30/06/2013 DSS specific information:

The identifier should match the child's identifier in the Child protection (CP) client file cluster.

Notifications, investigations, and substantiations (NIS) file cluster Children and Families, Superseded 22/11/2016

Implementation start date: 01/07/2012 Implementation end date: 30/06/2014 DSS specific information:

The identifier should match the child's identifier in the Child protection (CP) client file cluster.

Notifications, investigations, and substantiations (NIS) file cluster Children and Families, Superseded 22/11/2016 Implementation start date: 01/07/2013

Implementation end date: 30/06/2015 DSS specific information:

The identifier should match the child's identifier in the Child protection (CP) client file cluster.

Notifications, investigations, and substantiations (NIS) file cluster Children and Families, Superseded 20/04/2018 Implementation start date: 01/07/2014

Implementation end date: 30/06/2016 DSS specific information:

The identifier should match the child's identifier in the Child protection (CP) client file cluster.

Notifications, investigations, and substantiations (NIS) file cluster Children and Families, Superseded 20/01/2021

Implementation start date: 01/07/2015 Implementation end date: 30/06/2017 DSS specific information:

The identifier should match the child's identifier in the Child protection (CP) client file cluster.

Notifications, investigations, and substantiations (NIS) file cluster Children and Families, Superseded 03/11/2021

DSS specific information:

The identifier should match the child's identifier in the Child protection (CP) client file cluster.

Notifications, investigations, and substantiations (NIS) file cluster Children and Families, Standard 03/11/2021 DSS specific information:

The identifier should match the child's identifier in the Child protection (CP) client file cluster.

Safety in care (SC) file cluster

Children and Families, Standard 03/11/2021

DSS specific information:

The person identifier (ID) is the identifier for the child (the child protection client). Each ID is used by only one client and each client has only one ID.

Safety in care (SC) file cluster

Children and Families, Superseded 03/11/2021 DSS specific information:

The person identifier (ID) is the identifier for the child (the child protection client). Each ID is used by only one client and each client has only one ID.

Safety in out-of-home care (Safety) DSS Pilot 2010 Community Services (retired), Recorded 19/08/2011

Sibling file cluster

<u>Children and Families</u>, Superseded 22/11/2016 Implementation start date: 01/07/2012 Implementation end date: 30/06/2014 DSS specific information:

Each child protection client (child) has a unique person identifier (ID). Each person ID is used by only one client and each client has only one ID.

The person ID of the subject child in funded out-of-home care and the person ID of each known sibling (of the subject child) in a funded out-of-home care placement on the night of 30 June (regardless of whether they are in the same placement) is recorded.

For each two-person relationship each person identifier will be recorded twice; once as the *subject child* Person ID and once as the *sibling* Person ID.

Sibling file cluster

<u>Children and Families</u>, Superseded 22/11/2016 <u>Community Services (retired)</u>, Recorded 04/10/2014 *Implementation start date:* 01/07/2012 *Implementation end date:* 30/06/2013

DSS specific information:

Each child protection client (child) has a unique person identifier (ID). Each person ID is used by only one client and each client has only one ID.

The person ID of the subject child in funded out-of-home care and the person ID of each known sibling (of the subject child) in a funded out-of-home care placement on the night of 30 June (regardless of whether they are in the same placement) is recorded.

For each two-person relationship each person identifier will be recorded twice; once as the *subject child* Person ID and once as the *sibling* Person ID.

Sibling file cluster

<u>Children and Families</u>, Superseded 22/11/2016 Implementation start date: 01/07/2013 Implementation end date: 30/06/2015 DSS specific information:

Each child protection client (child) has a unique person identifier (ID). Each person ID is used by only one client and each client has only one ID.

The person ID of the subject child in funded out-of-home care and the person ID of each known sibling (of the subject child) in a funded out-of-home care placement on the night of 30 June (regardless of whether they are in the same placement) is recorded.

For each two-person relationship each person identifier will be recorded twice; once as the *subject child* Person ID and once as the *sibling* Person ID.

Sibling file cluster

<u>Children and Families</u>, Superseded 20/04/2018 Implementation start date: 01/07/2014 Implementation end date: 30/06/2016 DSS specific information:

Each child protection client (child) has a unique person identifier (ID). Each person ID is used by only one client and each client has only one ID.

The person ID of the subject child in funded out-of-home care and the person ID of each known sibling (of the subject child) in a funded out-of-home care placement on the night of 30 June (regardless of whether they are in the same placement) is recorded.

For each two-person relationship each person identifier will be recorded twice; once as the *subject child* Person ID and once as the *sibling* Person ID.

Sibling file cluster

Children and Families, Standard 20/01/2021 DSS specific information:

Each child protection client (child) has a unique person identifier (ID). Each person ID is used by only one client and each client has only one ID.

The person ID of the subject child in funded out-of-home care and the person ID of each known sibling (of the subject child) in a funded out-of-home care placement on the night of 30 June (regardless of whether they are in the same placement) is recorded.

For each two-person relationship each person identifier will be recorded twice; once as the *subject child* Person ID and once as the *sibling* Person ID.

Sibling file cluster Children and Families, Superseded 20/01/2021 Implementation start date: 01/07/2015 Implementation end date: 30/06/2017 DSS specific information:

Each child protection client (child) has a unique person identifier (ID). Each person

ID is used by only one client and each client has only one ID.

The person ID of the subject child in funded out-of-home care and the person ID of each known sibling (of the subject child) in a funded out-of-home care placement on the night of 30 June (regardless of whether they are in the same placement) is recorded.

For each two-person relationship each person identifier will be recorded twice; once as the *subject child* Person ID and once as the *sibling* Person ID.