Indigenous primary health care: PI24b-Proportion of regular clients with Type II diabetes whose blood pressure measurement result was less than or equal to 130/80 mmHg, 2013

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at https://creativecommons.org/licenses/by/4.0/.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

Indigenous primary health care: PI24b-Proportion of regular clients with Type II diabetes whose blood pressure measurement result was less than or equal to 130/80 mmHg, 2013

Identifying and definitional attributes

Metadata item type:	Indicator
Indicator type:	Indicator
Short name:	Pl24b-Proportion of regular clients with Type II diabetes whose blood pressure measurement result was less than or equal to 130/80 mmHg, 2013
METEOR identifier:	468134
Registration status:	<u>Health!</u> , Superseded 21/11/2013 <u>Indigenous</u> , Superseded 21/11/2013
Description:	Proportion of regular clients who are Indigenous, have Type II diabetes and whose blood pressure measurement result, recorded within the previous 6 months, was less than or equal to 130/80 mmHg.
Rationale:	The blood pressure target for people with Type II diabetes is less than or equal to 130/80 mmHg. This level is shown to significantly decrease macrovascular (stroke, heart attack and heart failure) and microvascular (kidney disease, eye disease and peripheral neuropathy) complications.
Indicator set:	Indigenous primary health care key performance indicators (2013) Health!, Superseded 21/11/2013 Indigenous, Superseded 21/11/2013

Collection and usage attributes

Computation description:	Proportion of regular clients who are Indigenous, have Type II diabetes and whose blood pressure measurement result, recorded within the previous 6 months, was less than or equal to 130/80 mmHg.
	'Regular client' refers to a client of an OATSIH-funded primary health care service (that is required to report against the Indigenous primary health care key performance indicators) who has an active medical record; that is, a client who has attended the OATSIH-funded primary health care service at least 3 times in 2 years.
	Exclude Type I diabetes, secondary diabetes, gestational diabetes mellitus (GDM), previous GDM, impaired fasting glucose, impaired glucose tolerance.
	The client does not have a blood pressure measurement of less than or equal to 130/80 mmHg if either the systolic or diastolic reading is above the threshold (130 and 80 respectively).
	In the general population, blood pressure over 140/90 mmHg is considered high. The blood pressure target for those with Type II diabetes is less than or equal to 130/80 mmHg as it is shown to significantly decrease macrovascular (stroke, heart attack and heart failure) and microvascular (kidney disease, eye disease and peripheral neuropathy) complications.
	Presented as a percentage.
	If the client has had more than one blood pressure measurement in the last 6 months, only the most recently recorded result is included in this calculation.
Computation:	(Numerator ÷ Denominator) x 100

Numerator:	Number of regular clients who are Indigenous, have Type II diabetes and whose blood pressure measurement result, recorded within the previous 6 months, was less than or equal to 130/80 mmHg.
Numerator data elements:	Data Element / Data Set
	Person—Indigenous status, code N
	Data Source
	Indigenous primary health care data collection
	NMDS / DSS
	Indigenous primary health care DSS 2012-14

- Data Element / Data Set-

Person-diabetes mellitus status, code NN

Data Source

Indigenous primary health care data collection

NMDS / DSS

Indigenous primary health care DSS 2012-14

Guide for use

Type II diabetes only

-Data Element / Data Set-

Person-regular client indicator, yes/no code N

Data Source

Indigenous primary health care data collection

NMDS / DSS

Indigenous primary health care DSS 2012-14

– Data Element / Data Set–

Person—blood pressure measurement result less than or equal to 130/80 mmHg indicator, yes/no code N

Data Source

Indigenous primary health care data collection

NMDS / DSS

Indigenous primary health care DSS 2012-14

Guide for use

Response to this is conditional on responding 'yes' to having had a blood pressure measurement result recorded in the previous 6 months.

Denominator:

Denominator data elements:

Total number of regular clients who are Indigenous, have Type II diabetes and had a blood pressure measurement result recorded within the previous 6 months.

Data Element / Data Set

Person-diabetes mellitus status, code NN

Data Source

Indigenous primary health care data collection

NMDS / DSS

Indigenous primary health care DSS 2012-14

Guide for use

Type II diabetes only.

-Data Element / Data Set-

Person-Indigenous status, code N

Data Source

Indigenous primary health care data collection

NMDS / DSS

Indigenous primary health care DSS 2012-14

Data Element / Data Set-

Person-regular client indicator, yes/no code N

Data Source

Indigenous primary health care data collection

NMDS / DSS

Indigenous primary health care DSS 2012-14

- Data Element / Data Set

Person—blood pressure measurement result recorded indicator, yes/no code N

Data Source

Indigenous primary health care data collection

NMDS / DSS

Indigenous primary health care DSS 2012-14

Disaggregation:	1. Sex: a) Male b) Female
	2. Age: a) 0-4 years b) 5-14 years c) 15-24 years d) 25-34 years e) 35-44 years f) 45-54 years g) 55-64 years h) 65 years and over
Disaggregation data elements:	Data Element / Data Set
	Person—sex, code N
	Data Source
	Indigenous primary health care data collection
	NMDS / DSS
	Indigenous primary health care DSS 2012-14

Data Element / Data Set	
Data Element, Data Oct	
Person-age, total years N[NN]	
Data Source	
Indigenous primary health care data collection	
NMDS / DSS	
Indigenous primary health care DSS 2012-14	

Representational attributes

Representation class:	Percentage
Data type:	Real
Unit of measure:	Person

Indicator conceptual framework

Framework and	Effective/Appropriate/Efficient
dimensions:	

Data source attributes

Data sources:	Data Source
	Indigenous primary health care data collection
	Frequency
	6 monthly
	Data custodian
	Australian Institute of Health and Welfare.

Source and reference attributes

Submitting organisation:	Australian Institute of Health and Welfare (AIHW)
	Department of Health and Ageing (DoHA)
Relational attributes	
Related metadata references:	Supersedes Indigenous primary health care: PI24b-Proportion of regular clients with Type II diabetes whose blood pressure measurement result was less than or equal to 130/80 mmHg, 2012 Health!, Superseded 23/02/2012
	Has been superseded by Indigenous primary health care: PI24b-Proportion of regular clients with Type II diabetes whose blood pressure measurement result was less than or equal to 130/80 mmHg, 2014 Health!, Superseded 13/03/2015 Indigenous, Superseded 13/03/2015

See also Indigenous primary health care: PI24a-Number of regular clients with Type II diabetes whose blood pressure measurement result was less than or equal to 130/80 mmHg, 2013

Health!, Superseded 21/11/2013 Indigenous, Superseded 21/11/2013