AUDIT-C score of risky alcohol consumption cluster (dischargee)

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY4.0 (CC BY4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at https://creativecommons.org/licenses/by/4.0/.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

AUDIT-C score of risky alcohol consumption cluster (dischargee)

Identifying and definitional attributes

Metadata item type:	Data Set Specification
METEOR identifier:	483163
Registration status:	Health!, Superseded 28/04/2016
DSS type:	Data Element Cluster
Scope:	This data cluster is used to provide a score on the World Health Organization's Alcohol Use Disorders Identification Test-C (AUDIT-C) screening instrument. The data elements in this cluster relate to alcohol use prior to most recent imprisonment only. The AUDIT-C is a reliable and simple screening tool which is sensitive to the early detection of risky and high-risk (or hazardous and harmful) drinking. The AUDIT-C is a subset of the AUDIT.

Collection and usage attributes

Guide for use:	elements which record the frequency standard drinks consumed on a typica	onsumption cluster comprises three data of alcohol consumption, the number of al day when drinking and the frequency of as on one occasion. The AUDIT-C is a subset
	consumption frequency, AUDIT alco Person—consumption of 6 or more s	e data elements: Person—alcohol total standard drinks NN; Person—alcohol hol consumption frequency code N; and standard drinks on one occasion, AUDIT drinks code N are used to provide a score on
		UDIT are scored from 0 to 4, with a maximum ns being 12. A score of 6 or more on the related harm.
	The formula for calculating a standard	drink is:
	Volume of container in litres x % alcol number of standard drinks. For exam	nol by volume (ml/100ml) X 0.789*= The ole:
	285ml full strength beer (4.9% alcohol	l) 1 standard drink
	425ml light beer (2.9% alcohol)	1 standard drink
	375ml stubby or can (4.9% alcohol)	1.4 standard drinks
	425ml full strength beer (4.9% alcohol	l) 1.6 standard drinks
	30 ml spirits (40% alcohol)	1 standard drink
	150ml wine (12% alcohol)	1.5 standard drinks
	* The specific gravity of ethyl alcohol i	s 0.789.

Collection methods: The AUDIT contains the following questions:

Prior to your current incarceration:

- a) How often did you have a drink containing alcohol?
- 0 Never
- 1 Monthly or less
- 2 2-4 times a month
- 3 2-3 times a week
- 4 4 or more times a week

b) How many standard drinks would you have on a typical day when you were drinking?

- 0 1 or 2
- 1 3 or 4
- 2 5 or 6
- 3 7 to 9
- 4 10 or more
- c) How often did you have six or more standard drinks on one occasion?
- 0 Never
- 1 Less than monthly
- 2 Monthly
- 3 Weekly
- 4 Daily or almost daily

If the person's response to '(a) How often did you have a drink containing alcohol' is Never, do not ask questions (b) and (c).

The person should only record one answer to each question.

Source and reference attributes

Submitting organisation:	Australian Institute of Health and Welfare
Reference documents:	Department of Health and Ageing 2009. The Australian Standard Drink. Canberra: Department of Health and Ageing.
	Babor T, Higgins-Biddle JC, Saunders JB, Monteiro MG 2001. The Alcohol Use Disorders Identification Test Guidelines for Use in Primary Care. 2nd edn. Switzerland: World Health Organization.
Polational attributor	

Relational attributes

Related metadata	Has been superseded by AUDIT-C score of risky alcohol consumption cluster
references:	(dischargee)
	Health!. Standard 28/04/2016

<u>Prison dischargee DSS</u> <u>Health!</u>, Superseded 28/04/2016 **DSS specific information:**

This cluster is included in the Prisoner Health DSS as the National Prisoner Health Indicators include the indicator: Proportion of prison dischargees who report a risk of alcohol-related harm (self-report).

Metadata items in this Data Set Specification

Seq Metadata item **Obligation Max** No. occurs Person—alcohol consumption frequency, AUDIT alcohol consumption frequency code Mandatory 1 1 N DSS specific information: This data element refers to prison dischargees only. The AUDIT contains the question 'How often do you have a drink containing alcohol?'. The Prisoner Health Information Group amended the question wording for the National Prisoner Health Census to 'Prior to your current incarcerations, how often did you have a drink containing alcohol?' 2 Person-alcohol consumption amount (self-reported), total standard drinks NN Conditional 1 Conditional obligation: Conditional on the person having had an alcoholic drink prior to their current incarceration. DSS specific information: This data element refers to prison dischargees only. The Prisoner Dischargee DSS requires information on the number of standard drinks consumed on a typical day when drinking to be recorded in the following categories: 1 or 2; 3 or 4; 5 or 6; 7 to 9 and 10 or more standard drinks. 3 Person-consumption of 6 or more standard drinks on one occasion, AUDIT Conditional 1 consumption of 6 or more standard drinks code N Conditional obligation: Conditional on the person having had an alcoholic drink prior to their current incarceration. DSS specific information: This data element refers to prison dischargees only. The AUDIT contains the question 'How often do you have six or more standard drinks on one occasion?' The Prisoner Health Information Group amended the question wording for the National Prisoner Health Census to 'Prior to your current incarceration, how often did you have six or more standard drinks on one occasion?'