

# Type of hearing loss code N

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to [info@aihw.gov.au](mailto:info@aihw.gov.au).

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at [meteor@aihw.gov.au](mailto:meteor@aihw.gov.au).

# Type of hearing loss code N

## Identifying and definitional attributes

<b>Metadata item type:</b>	Value Domain
<b>METEOR identifier:</b>	497239
<b>Registration status:</b>	<a href="#">Indigenous</a> , Standard 08/08/2014
<b>Definition:</b>	Code set representing type of <a href="#">hearing loss</a> .

## Representational attributes

<b>Representation class:</b>	Code
<b>Data type:</b>	Number
<b>Format:</b>	N
<b>Maximum character length:</b>	1

	<b>Value</b>	<b>Meaning</b>
<b>Permissible values:</b>	1	Conductive
	2	Sensorineural
	3	Mixed (both conductive and sensorineural)
<b>Supplementary values:</b>	8	Unknown
	9	Not stated/inadequately described

## Collection and usage attributes

<b>Guide for use:</b>	CODE 1 Conductive  A deviation of hearing threshold from normal associated with reduced conduction of sound through the outer ear, tympanic membrane (eardrum) or middle ear including ossicles (middle ear bones).  CODE 2 Sensorineural  A deviation of hearing threshold from the normal range attributable to problems in the inner ear or vestibulocochlear nerve.  CODE 3 Mixed (both conductive and sensorineural)  Use code 3 if patient has both conductive and sensorineural hearing loss.
-----------------------	--

## Source and reference attributes

<b>Submitting organisation:</b>	Australian Institute of Health and Welfare
---------------------------------	--

## Relational attributes

<b>Related metadata references:</b>	Has been superseded by <a href="#">Type of hearing loss code N Indigenous</a> , Standard 18/02/2015
<b>Data elements implementing this value domain:</b>	<a href="#">Patient—type of hearing loss, code N Indigenous</a> , Superseded 18/02/2015