

Estimated glomerular filtration rate (eGFR) result code N[A]

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

Estimated glomerular filtration rate (eGFR) result code N[A]

Identifying and definitional attributes

Metadata item type:	Value Domain
METEOR identifier:	503008
Registration status:	Health , Standard 21/11/2013 Indigenous , Standard 13/03/2015
Definition:	A code set identifying the estimated glomerular filtration rate (eGFR) result.

Representational attributes

Representation class:	Code
Data type:	String
Format:	N[A]
Maximum character length:	2

	Value	Meaning
Permissible values:	1	Kidney function stage 1
	2	Kidney function stage 2
	3a	Kidney function stage 3a
	3b	Kidney function stage 3b
	4	Kidney function stage 4
	5	Kidney function stage 5

Collection and usage attributes

Guide for use:	<p>CODE 1 Kidney function stage 1</p> <p>Use this code when the estimated glomerular filtration rate (eGFR) is greater than or equal to 90 (ml/min/1.73m²).</p> <p>CODE 2 Kidney function stage 2</p> <p>Use this code when the estimated glomerular filtration rate (eGFR) is greater than or equal to 60 but less than 90 (ml/min/1.73m²).</p> <p>CODE 3a Kidney function stage 3a</p> <p>Use this code when the estimated glomerular filtration rate (eGFR) is greater than or equal to 45 but less than 60 (ml/min/1.73m²).</p> <p>CODE 3a Kidney function stage 3b</p> <p>Use this code when the estimated glomerular filtration rate (eGFR) is greater than or equal to 30 but less than 45 (ml/min/1.73m²).</p> <p>CODE 4 Kidney function stage 4</p> <p>Use this code when the estimated glomerular filtration rate (eGFR) is greater than or equal to 15 but less than 30 (ml/min/1.73m²).</p> <p>CODE 5 Kidney function stage 5</p> <p>Use this code when the estimated glomerular filtration rate (eGFR) is less than 15 (ml/min/1.73m²).</p>
-----------------------	--

Comments: The estimated glomerular filtration rate (eGFR) is a measure of the amount of fluid that passes through the kidneys per unit time.

Source and reference attributes

Submitting organisation: Australian Institute of Health and Welfare (AIHW)

Relational attributes

Data elements implementing this value domain: [Person—estimated glomerular filtration rate \(eGFR\) result, code N\[A\]](#)
[Health!](#), Standard 21/11/2013
[Indigenous](#), Standard 13/03/2015