

Patient—ear grommet status, code N

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

Patient—ear grommet status, code N

Identifying and definitional attributes

Metadata item type:	Data Element
Short name:	Ear grommet status (code)
METEOR identifier:	505163
Registration status:	Indigenous , Standard 05/09/2014
Definition:	The status of an existing grommet located within a patient's eardrum, as represented by a code.
Data Element Concept:	Patient—ear grommet status
Value Domain:	Status of ear grommet code N

Value domain attributes

Representational attributes

Representation class:	Code
Data type:	Number
Format:	N
Maximum character length:	1

	Value	Meaning
Permissible values:	1	Insitu
	2	Patent
	3	Blocked
	4	Extruded
	5	Tympanic membrane intact
	6	Residual perforation
Supplementary values:	7	Not applicable
	8	Unknown
	9	Not stated/inadequately described

Collection and usage attributes

Guide for use:

CODE 1 Insitu

The grommet is situated in the original position in which it was placed.

CODE 2 Patent

The grommet is clear of debris.

CODE 3 Blocked

The grommet is blocked.

CODE 4 Extruded

The grommet is no longer in the original position.

CODE 5 Tympanic membrane intact

The tympanic membrane is intact.

CODE 6 Residual perforation

The type of perforation in the tympanic membrane when a grommet is no longer in the original position.

Source and reference attributes

Submitting organisation: Australian Institute of Health and Welfare

Data element attributes

Source and reference attributes

Submitting organisation: Australian Institute of Health and Welfare

Relational attributes

Related metadata references:See also [Patient—ear grommet indicator, yes/no code N Indigenous](#), Standard 05/09/2014See also [Patient—type of grommet, text X\[X\(99\)\] Indigenous](#), Standard 05/12/2017**Implementation in Data Set Specifications:**[Ear diagnosis cluster](#)[Indigenous](#), Standard 05/09/2014**Implementation start date:** 01/04/2012**Conditional obligation:** Conditional on a 'yes' response to Patient- ear grommet indicator.**DSS specific information:** This data element has a maximum occurrence of 2. The first occurrence is reported for the right ear and the second occurrence is reported for the left ear.