

# Patient—aural toilet recommended indicator, yes/no code N

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to [info@aihw.gov.au](mailto:info@aihw.gov.au).

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at [meteor@aihw.gov.au](mailto:meteor@aihw.gov.au).

# Patient—aural toilet recommended indicator, yes/no code N

## Identifying and definitional attributes

<b>Metadata item type:</b>	Data Element
<b>Short name:</b>	Aural toilet recommended indicator
<b>METEOR identifier:</b>	508095
<b>Registration status:</b>	<a href="#">Indigenous</a> , Standard 05/09/2014
<b>Definition:</b>	An indicator of whether an <a href="#">aural toilet</a> was recommended for a patient by a health care professional, as represented by a code.

## Data element concept attributes

### Identifying and definitional attributes

<b>Data element concept:</b>	<a href="#">Patient—aural toilet indicator</a>
<b>METEOR identifier:</b>	508092
<b>Registration status:</b>	<a href="#">Indigenous</a> , Standard 05/09/2014
<b>Definition:</b>	An indicator of whether an aural toilet was recommended for a patient by a health care professional.
<b>Object class:</b>	<a href="#">Patient</a>
<b>Property:</b>	<a href="#">Aural toilet indicator</a>

### Source and reference attributes

**Submitting organisation:** Australian Institute of Health and Welfare

## Value domain attributes

### Identifying and definitional attributes

<b>Value domain:</b>	<a href="#">Yes/no/not applicable/unknown/not stated/inadequately described code N</a>
<b>METEOR identifier:</b>	442451
<b>Registration status:</b>	<a href="#">Early Childhood</a> , Standard 07/06/2011 <a href="#">Community Services (retired)</a> , Standard 10/04/2013 <a href="#">Indigenous</a> , Standard 11/08/2014 <a href="#">Health!</a> , Standard 04/02/2015 <a href="#">Disability</a> , Standard 13/08/2015
<b>Definition:</b>	A code set representing 'yes', 'no', 'not applicable', 'unknown' and 'not stated/inadequately described'.

### Representational attributes

<b>Representation class:</b>	Code				
<b>Data type:</b>	Number				
<b>Format:</b>	N				
<b>Maximum character length:</b>	1				
<b>Permissible values:</b>	<table><thead><tr><th>Value</th><th>Meaning</th></tr></thead><tbody><tr><td>1</td><td>Yes</td></tr></tbody></table>	Value	Meaning	1	Yes
Value	Meaning				
1	Yes				

	2	No
<b>Supplementary values:</b>	7	Not applicable
	8	Unknown
	9	Not stated/inadequately described

## Source and reference attributes

**Submitting organisation:** Australian Institute of Health and Welfare

## Data element attributes

### Source and reference attributes

**Submitting organisation:** Australian Institute of Health and Welfare

### Relational attributes

**Implementation in Data Set** [Actions recommended cluster](#)

**Specifications:** [Indigenous](#), Standard 05/09/2014

**Implementation start date:** 01/04/2012

**DSS specific information:** This data element has a maximum occurrence of 2. The first occurrence is reported for the right ear and the second occurrence is reported for the left ear.