

Patient—aural toilet recommended indicator, yes/no code N

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

Patient—aural toilet recommended indicator, yes/no code N

Identifying and definitional attributes

Metadata item type:	Data Element
Short name:	Aural toilet recommended indicator
METEOR identifier:	508095
Registration status:	Indigenous , Standard 05/09/2014
Definition:	An indicator of whether an aural toilet was recommended for a patient by a health care professional, as represented by a code.
Data Element Concept:	Patient—aural toilet indicator
Value Domain:	Yes/no/not applicable/unknown/not stated/inadequately described code N

Value domain attributes

Representational attributes

Representation class:	Code
Data type:	Number
Format:	N
Maximum character length:	1

	Value	Meaning
Permissible values:	1	Yes
	2	No
Supplementary values:	7	Not applicable
	8	Unknown
	9	Not stated/inadequately described

Source and reference attributes

Submitting organisation: Australian Institute of Health and Welfare

Data element attributes

Source and reference attributes

Submitting organisation: Australian Institute of Health and Welfare

Relational attributes

Implementation in Data Set Specifications: [Actions recommended cluster](#)

[Indigenous](#), Standard 05/09/2014

Implementation start date: 01/04/2012

DSS specific information: This data element has a maximum occurrence of 2. The first occurrence is reported for the right ear and the second occurrence is reported for the left ear.

