Presumptive diagnosis cluster

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at https://creativecommons.org/licenses/by/4.0/.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

Presumptive diagnosis cluster

Seq No.	Metadata item	METEOR identifier	Data Type [Length]	Value & Meaning
1	Presumptive diagnosis type (code)	524832	Number [2]	1No abnormality discovered (NAD)2Acute otitis media (AOM)3Acute otitis media with perforation4Chronic suppurative otitis media (active discharge)5Chronic suppurative otitis media (inactive dry perforation)6Otitis media with effusion (OME)7Foreign body8Other99Not stated
2	Presumptive diagnosis type (text)	508350	String [100]	X[X(99)] A combination of alphanumeric characters.
3	Teleotology review required indicator	505350	Number [1]	1Yes2No7Not applicable8Unknown9Not stated/inadequately described
4	Ear nose and throat specialist face-to-face referral indicator	508363	Number [1]	1Yes2No7Not applicable8Unknown9Not stated/inadequately described
5	Comment (text)	507906	String [100]	X[X(99)] A combination of alphanumeric characters.