

Patient—audiology recommended follow-up interval

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

Patient—audiology recommended follow-up interval

Identifying and definitional attributes

Metadata item type:	Data Element Concept
METEOR identifier:	508272
Registration status:	Indigenous , Standard 05/09/2014
Definition:	The recommended amount of time until a patient is due for an audiology consultation or treatment by a health care professional.

Object Class attributes

Identifying and definitional attributes

Object class:	Patient
METEOR identifier:	268959
Registration status:	Health! , Standard 01/03/2005 Independent Hospital Pricing Authority , Standard 01/11/2012 Indigenous , Standard 11/08/2014 WA Health , Standard 19/03/2015 Commonwealth Department of Health , Standard 17/12/2015 National Health Performance Authority (retired) , Retired 01/07/2016 Tasmanian Health , Standard 25/05/2020
Definition:	A person for whom a health service accepts responsibility for treatment and/or care.
Specialisation of:	Person/group of persons

Source and reference attributes

Submitting organisation:	Australian Institute of Health and Welfare
---------------------------------	--

Property attributes

Identifying and definitional attributes

Property:	Audiology recommended follow-up interval
METEOR identifier:	508270
Registration status:	Indigenous , Standard 05/09/2014
Definition:	The recommended amount of time until the next audiology consultation or treatment by a health care professional.

Source and reference attributes

Submitting organisation:	Australian Institute of Health and Welfare
---------------------------------	--

Data element concept attributes

Source and reference attributes

Submitting organisation:	Australian Institute of Health and Welfare
---------------------------------	--

Relational attributes

**Data Elements
implementing this Data
Element Concept:**

[Patient—audiology follow-up interval, code N](#)
[Indigenous](#), Standard 05/09/2014