

Patient—audiology follow-up interval, code N

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

Patient—audiology follow-up interval, code N

Identifying and definitional attributes

Metadata item type:	Data Element
Short name:	Audiology follow-up interval (code)
METEOR identifier:	508287
Registration status:	Indigenous , Standard 05/09/2014
Definition:	The recommended amount of time until a patient is due for an audiology consultation or treatment by a health care professional, as represented by a code.
Data Element Concept:	Patient—audiology recommended follow-up interval
Value Domain:	Follow-up interval code N

Value domain attributes

Representational attributes

Representation class:	Code
Data type:	Number
Format:	N
Maximum character length:	1

	Value	Meaning
Permissible values:	1	3 months
	2	6 months
	3	1 year
	4	As needed (PRN)
Supplementary values:	8	Unknown
	9	Not stated/inadequately described

Collection and usage attributes

Guide for use:	PRN is an abbreviation for pro re nata which is a Latin phrase meaning “as needed”. The amount of time until a follow-up consultation or action is determined by the patient’s needs.
-----------------------	---

Source and reference attributes

Submitting organisation:	Australian Institute of Health and Welfare
---------------------------------	--

Data element attributes

Relational attributes

Related metadata references:	See also Patient—audiology follow-up indicator, yes/no code N Indigenous , Standard 05/09/2014
-------------------------------------	---

Implementation in Data Set [Follow-up required cluster](#)

Specifications:

[Indigenous](#), Standard 05/09/2014

Implementation start date: 01/04/2012

Conditional obligation: Conditional on 'yes' response to Patient-audiology follow-up indicator.