Patient—ear nose and throat surgery recommended indicator, yes/no/too young for surgery code N

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY4.0 (CC BY4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at https://creativecommons.org/licenses/by/4.0/.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

Patient—ear nose and throat surgery recommended indicator, yes/no/too young for surgery code N

Identifying and definitional attributes

Metadata item type:	Data Element
Short name:	Ear nose and throat surgery recommended indicator
METEOR identifier:	508521
Registration status:	Indigenous, Standard 05/09/2014
Definition:	An indicator of whether a patient was recommended to have ear, nose and throat (ENT) surgery, as represented by a code.
Data Element Concept:	Patient—ear, nose and throat surgery indicator
Value Domain:	Surgery recommendation code N

Value domain attributes

Representational attributes

Representation class:	Code	
Data type:	Number	
Format:	Ν	
Maximum character length:	1	
	Value	Meaning
Permissible values:	1	Yes
	2	No
	3	Too young for surgery
Supplementary values:	8	Unknown
	9	Not stated/inadequately described

Collection and usage attributes

Guide for use: CODE 3 Too young for surgery

When a child needs ear, nose and throat (ENT) surgery, an ENT specialist can recommend not to perform surgery on a child if the child is too young. The suitable age of operation is dependent on the type of ENT procedure.

Source and reference attributes

Submitting organisation: Australian Institute of Health and Welfare

Data element attributes

Source and reference attributes

Submitting organisation: Australian Institute of Health and Welfare

Relational attributes

See also Patient-ear nose and throat surgery type recommended, code N Indigenous, Standard 05/09/2014

 Implementation in Data Set
 Surgery recommendations cluster

 Specifications:
 Indigenous, Standard 05/09/2014
Implementation start date: 01/04/2012