

Female—hypertensive disorder during pregnancy indicator, yes/no/not stated/inadequately described code N

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

Female—hypertensive disorder during pregnancy indicator, yes/no/not stated/inadequately described code N

Identifying and definitional attributes

Metadata item type:	Data Element
Short name:	Hypertension during pregnancy
METEOR identifier:	516807
Registration status:	Health! , Superseded 05/10/2016
Definition:	An indicator of whether a female has a hypertensive disorder during pregnancy , based on a current or previous diagnosis, as represented by a code.

Data element concept attributes

Identifying and definitional attributes

Data element concept:	Female—hypertensive disorder during pregnancy indicator
METEOR identifier:	516804
Registration status:	Health! , Superseded 05/10/2016
Definition:	An indicator of whether a female has a hypertensive disorder during pregnancy , based on a current or previous diagnosis.
Object class:	Female
Property:	Hypertensive disorder during pregnancy indicator

Value domain attributes

Identifying and definitional attributes

Value domain:	Yes/no/not stated/inadequately described code N
METEOR identifier:	301747
Registration status:	Health! , Standard 21/09/2005 Housing assistance , Standard 10/02/2006 Community Services (retired) , Standard 14/02/2006 Early Childhood , Standard 21/05/2010 Homelessness , Standard 23/08/2010 Independent Hospital Pricing Authority , Standard 01/11/2012 Disability , Standard 07/10/2014 Indigenous , Standard 13/03/2015 Children and Families , Standard 22/11/2016
Definition:	A code set representing 'yes', 'no' and 'not stated/inadequately described'.

Representational attributes

Representation class:	Code
Data type:	Number
Format:	N
Maximum character length:	1

Value	Meaning
-------	---------

Permissible values:	1	Yes
	2	No
Supplementary values:	9	Not stated/inadequately described

Collection and usage attributes

Guide for use: CODE 9 Not stated/inadequately described
This code is not for use in primary data collections.

Data element attributes

Collection and usage attributes

Guide for use: CODE 1 Yes
To be reported if the woman has a hypertensive disorder during this pregnancy, including where a woman's hypertensive disorder is controlled through treatment during this pregnancy.

CODE 2 No
To be reported if the woman does not have a hypertensive disorder during this pregnancy.

CODE 9 Not stated/inadequately described
To be recorded by data entry personnel (state/territory health authority) if the data field is left blank or is inadequately completed in the perinatal data collection form or extract. Clinicians should not record code 9.

Collection methods: Based on SOMANZ Guidelines 2008, normal pregnancy is characterised by a fall in blood pressure, detectable in the first trimester and usually reaching a nadir in the second trimester. Blood pressure rises towards pre-conception levels towards the end of the third trimester.

Hypertension in pregnancy is defined as:

1. Systolic blood pressure greater than or equal to 140 mmHg and/or
2. Diastolic blood pressure greater than or equal to 90 mmHg.

Measurements should be confirmed by repeated readings over several hours.

The diagnosis is preferably derived from and substantiated by clinical documentation which should be reviewed at the time of delivery. However this information may not be available in which case the patient may self-report to the clinician that they have been diagnosed with a hypertensive disorder.

Source and reference attributes

Submitting organisation: National Perinatal Data Development Committee

Reference documents: Lowe SA, Brown MA, Dekker G, Gatt S, McLintock C, McMahan L et al. 2008. Guidelines for the Management of Hypertension in Pregnancy. Society of Obstetric Medicine of Australia and New Zealand

Relational attributes

Related metadata references:

Has been superseded by [Female—hypertensive disorder during pregnancy indicator, yes/no/not stated/inadequately described code N](#)

[Health!](#), Superseded 02/08/2017

See also [Female—type of hypertensive disorder during pregnancy, code N](#)

[Health!](#), Superseded 05/10/2016

Implementation in Data Set Specifications:

[Perinatal DSS 2014-15](#)

[Health!](#), Superseded 13/11/2014

Implementation start date: 01/07/2014

Implementation end date: 30/06/2015

DSS specific information:

It is acceptable for jurisdictions to report only Codes 1 and 9 against this item.

[Perinatal DSS 2015-16](#)

[Health!](#), Superseded 04/09/2015

Implementation start date: 01/07/2015

Implementation end date: 30/06/2016

DSS specific information:

It is acceptable for jurisdictions to report only Code 1, Yes and Code 9, Not stated/inadequately described against this item.

[Perinatal NBEDS 2016-17](#)

[Health!](#), Superseded 05/10/2016

Implementation start date: 01/07/2016

Implementation end date: 30/06/2017

DSS specific information:

It is acceptable for jurisdictions to report only Code 1, Yes and Code 9, Not stated/inadequately described against this item.