

National Healthcare Agreement: PI 05-Levels of risky alcohol consumption, 2014

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

National Healthcare Agreement: PI 05-Levels of risky alcohol consumption, 2014

Identifying and definitional attributes

Metadata item type:	Indicator
Indicator type:	Progress measure
Short name:	PI05-Levels of risky alcohol consumption, 2014
METEOR identifier:	517678
Registration status:	Health! , Superseded 14/01/2015
Description:	Proportion of adults at risk of long-term harm from alcohol.
Indicator set:	National Healthcare Agreement (2014) Health! , Superseded 14/01/2015
Outcome area:	Prevention Health! , Standard 07/07/2010
Data quality statement:	National Healthcare Agreement: PI 05-Levels of risky alcohol consumption, 2014 QS Health! , Superseded 31/01/2017

Collection and usage attributes

Population group age from:	18 years
Computation description:	<p>Data on persons 'at risk of long term alcohol related harm' is based on the 2009 National Health Medical Research Council (NHMRC) guideline 'for healthy men and women, drinking no more than two standard drinks on any day reduces the lifetime risk of harm from alcohol-related disease or injury' and has been operationalised as: for both males and females, an average of more than 2 standard drinks per day in the last week.</p> <p>Data on persons 'at risk of long term alcohol related harm' had previously been defined according to the 2001 NHMRC guidelines: for males, an average of more than 4 standard drinks per day in the last week, and for females, an average of more than 2 standard drinks per day in the last week.</p> <p>Rates are directly age-standardised to the 2001 Australian population.</p> <p>Analysis by remoteness and Socio-Economic Indexes for Areas (SEIFA) Index of Relative Socio-economic Disadvantage (IRSD) is based on usual residence of person.</p> <p>Presented as a percentage.</p> <p>95% confidence intervals and relative standard errors are calculated for rates.</p>
Computation:	$100 \times (\text{Numerator} \div \text{Denominator})$
Numerator:	Number of persons aged 18 years or over assessed as having an alcohol consumption pattern that puts them at risk of long term alcohol-related harm.
Numerator data elements:	Data Element / Data Set

[Person—alcohol consumption frequency \(self-reported\), code NN](#)

Data Source

[ABS Australian Health Survey \(AHS\), 2011-13](#)

Guide for use

Data source type: Survey

Data Element / Data Set

[Person—alcohol consumption frequency \(self-reported\), code NN](#)

Data Source

[ABS Australian Aboriginal and Torres Strait Islander Health Survey \(AATSIHS\), 2012-13](#)

Guide for use

Data source type: Survey

Data Element / Data Set

[Person—alcohol consumption amount \(self-reported\), total standard drinks NN](#)

Data Source

[ABS Australian Health Survey \(AHS\), 2011-13](#)

Guide for use

Data source type: Survey

Data Element / Data Set

[Person—alcohol consumption amount \(self-reported\), total standard drinks NN](#)

Data Source

[ABS Australian Aboriginal and Torres Strait Islander Health Survey \(AATSIHS\), 2012-13](#)

Guide for use

Data source type: Survey

Data Element / Data Set

[Person—age, total years N\[NN\]](#)

Data Source

[ABS Australian Health Survey \(AHS\), 2011-13](#)

Guide for use

Data source type: Survey

Data Element / Data Set

[Person—age, total years N\[NN\]](#)

Data Source

[ABS Australian Aboriginal and Torres Strait Islander Health Survey \(AATSIHS\), 2012-13](#)

Guide for use

Data source type: Survey

Denominator:

Population aged 18 years or over.

Denominator data elements:

Data Element / Data Set

[Person—age, total years N\[NN\]](#)

Data Source

[ABS Australian Health Survey \(AHS\), 2011-13](#)

Guide for use

Data source type: Survey

Data Element / Data Set

[Person—age, total years N\[NN\]](#)

Data Source

[ABS Australian Aboriginal and Torres Strait Islander Health Survey \(AATSIHS\), 2012-13](#)

Guide for use

Data source type: Survey

Disaggregation:

2011–12 (previously supplied)—State and territory, by:

- sex by age
- remoteness (Australian Standard Geography Structure (ASGS) Remoteness Structure)
- 2011 Socio-Economic Indexes for Areas (SEIFA) Index of Relative Socio-economic Disadvantage (IRSD) quintiles
- disability status

2011–12 (previously supplied)—Nationally, by 2006 SEIFA IRSD deciles.

2011–12—State and territory by Indigenous status (non-Indigenous).

2011–12—Nationally, by:

- sex by remoteness (ASGS Remoteness Structure)
- remoteness (ASGS Remoteness Structure) by 2011 SEIFA IRSD deciles

2012–13—State and territory by Indigenous status (Indigenous only).

2004–05 (resupplied)—State and territory by Indigenous status.

Some disaggregation may result in numbers too small for publication.

Disaggregation data elements:

Data Element / Data Set

[Person—area of usual residence, statistical area level 2 \(SA2\) code \(ASGS 2011\) N\(9\)](#)

Data Source

[ABS Australian Health Survey \(AHS\), 2011-13](#)

Guide for use

Data source type: Survey
Used for disaggregation by state/territory, remoteness and SEIFA IRSD

Data Element / Data Set

[Person—area of usual residence, statistical area level 2 \(SA2\) code \(ASGS 2011\) N\(9\)](#)

Data Source

[ABS Australian Aboriginal and Torres Strait Islander Health Survey \(AATSIHS\), 2012-13](#)

Guide for use

Data source type: Survey
Used for disaggregation by state/territory

Comments:

Most recent data available for 2014 Council of Australian Governments (COAG) Reform Council (CRC) report: 2011–12 (total population: AHS); 2012–13 (Indigenous status: AATSIHS and AHS).

For further detailed analysis by Indigenous status see the CRC *National Indigenous Reform Agreement* (NIRA) report.

Representational attributes

Representation class: Percentage

Data type: Real

Unit of measure: Person

Format: N[N].N

Indicator conceptual framework

Framework and dimensions: [Health behaviours](#)

Data source attributes

Data sources:

<p>Data Source</p> <p>ABS Australian Health Survey (AHS), 2011-13</p> <p>Frequency</p> <p>Every 3 years</p> <p>Data custodian</p> <p>Australian Bureau of Statistics</p>
<p>Data Source</p> <p>ABS Australian Aboriginal and Torres Strait Islander Health Survey (AATSIHS), 2012-13</p> <p>Frequency</p> <p>Every 6 years</p> <p>Data custodian</p> <p>Australian Bureau of Statistics</p>

Accountability attributes

Reporting requirements: National Healthcare Agreement

Organisation responsible for providing data: Australian Bureau of Statistics

Benchmark: [National Healthcare Agreement: PB e-Better health: by 2018, reduce the national smoking rate to 10 per cent of the population and halve the Indigenous smoking rate over the 2009 baseline, 2014](#)

Further data development / collection required: Specification: Final, the measure meets the intention of the indicator.

Relational attributes

Related metadata references:

- Supersedes [National Healthcare Agreement: PI 05-Levels of risky alcohol consumption, 2013](#)
[Health!](#), Superseded 30/04/2014
- Has been superseded by [National Healthcare Agreement: PI 05-Levels of risky alcohol consumption, 2015](#)
[Health!](#), Superseded 08/07/2016
- See also [National Healthcare Agreement: PB e-Better health: by 2018, reduce the national smoking rate to 10 per cent of the population and halve the Indigenous smoking rate over the 2009 baseline, 2014](#)
[Health!](#), Superseded 14/01/2015
- See also [National Healthcare Agreement: PI 03-Prevalence of overweight and obesity, 2014](#)
[Health!](#), Superseded 14/01/2015
- See also [National Healthcare Agreement: PI 04-Rates of current daily smokers, 2014](#)
[Health!](#), Superseded 14/01/2015
- See also [National Healthcare Agreement: PI 16-Potentially avoidable deaths, 2014](#)
[Health!](#), Superseded 14/01/2015
- See also [National Indigenous Reform Agreement: PI 04-Levels of risky alcohol consumption, 2015](#)
[Indigenous](#), Superseded 18/11/2015

