Estimated blood loss indicating primary postpartum haemorrhage



Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

meteor@aihw.gov.au.

Metadata 524208

attribution policy. The full terms and conditions of this licence are available at https://creativecommons.org/licenses/by/4.0/.

Page 1 of 2

Downloaded 16-Jul-2024

Estimated blood loss indicating primary postpartum haemorrhage

Identifying and definitional attributes

Metadata item type: Property
METEOR identifier: 524208

Registration status: <u>Health!</u>, Standard 07/03/2014

Definition: Estimated volume of abnormal or excessive blood loss from the genital tract within

the first 24 hours postpartum.

A blood loss of 500 mls is the usual minimum amount for identification of postpartum haemorrhage however a woman's haemodynamic instability is also taken into account, meaning that a smaller blood loss may be significant in a severely compromised woman. A loss of 1,000 mls or more is considered major or

severe although definitions of severity vary.

Property group: Birth event

Source and reference attributes

Submitting organisation: National Perinatal Data Development Committee

Relational attributes

Data Element Concepts implementing this

property:

Female—estimated blood loss indicating primary postpartum haemorrhage

Health!, Standard 07/03/2014