## Person and provider identification in healthcare National Best Practice Data Set

Exported from METEOR (AIHW's Metadata Online Registry)

## $\ensuremath{\mathbb{C}}$ Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at https://creativecommons.org/licenses/by/4.0/.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

## Person and provider identification in healthcare National Best Practice Data Set

Seq No.	Metadata item	METEOR identifier	Data Type [Length]	Value & Meaning
1	Identification in healthcare cluster	611321		
1	Identifier designation	612730	String [20]	X[X(19)] A combination of alphanumeric characters.
2	<u>Identifier issuer</u>	612705	String [200]	X[X(199)] A combination of alphanumeric characters.
3	<u>Identifier usage</u>	519499	Number [3]	100Unique identifier for an entity110Individual healthcare identifier (IHI)112Healthcare provider identifier—individual (HPI-I)113Healthcare provider identifier—organisation (HPI-O)114Virtual smart card identifier (Cryptographic service provider)120Family identifier200Billing identifier300Business or individual taxation or social security identifier400Special service identifier401Accreditation410Laboratory services480Other diagnostic services500Individual provider identifier—other than the HPI-I600Organisational provider identifier700Professional registration identifier800Other999Not stated/inadequately described
4	<u>ldentifier usage start date</u>	520708	Date/Time [8]	DDMMYYYY The day of a particular month and year.
5	Identifier usage end date	520717	Date/Time [8]	DDMMYYYY The day of a particular month and year.
6	<u>Group identifier</u>	519240	String [1]	FFamily identifierOOther group identifierTTreatment group
7	Identifier active status indicator	608751	Boolean [1]	1 Yes 2 No

Seq No.	Metadata item	METEOR identifier	Data Type [Length]	Value & Meaning
8	Identifier active status start date	612764	Date/Time [8]	DDMMYYYY The day of a particular month and year.
9	Identifier active status end date	612775	Date/Time [8]	DDMMYYYY The day of a particular month and year.
10	Date accuracy indicator	294429	String [3]	AAADay, month and year are accurateAAEDay and month are accurate, year is estimatedAAUDay and month are accurate, year is unknownAEADay is accurate, month is estimated, year is accurateAEEDay is accurate, month and year are estimatedAEUDay is accurate, month is estimated, year is unknownAUADay is accurate, month is estimated, year is unknownAUADay is accurate, month is unknown, year is accurateAUEDay is accurate, month is unknown, year is estimatedAUUDay is accurate, month and year are unknownEAADay is estimated, month and year are accurateEAEDay is estimated, month is accurate, year is estimatedEAUDay is estimated, month is accurate, year is unknownEAADay and month are estimatedEEEDay, month and year are estimatedEUDay and month are estimated, year is accurateEEEDay, is estimated, month is unknown, year is accurateEUEDay is estimated, month is unknown, year is accurateEUEDay is estimated, month is unknown, year is estimatedEUUDay is estimated, month is unknownUAADay is estimated, month and year are unknownUAADay is unknown, month and year are accurateEUEDay is unknown, month and year are accurateUAEDay is unknown, month is accurate, year is estimatedUAUDay is unknown, month is accurate, year is estimatedUAUDay is unknown, month is estimated, year is accurateUAEDay is unknown, month is estimated, y
11	Identifier investigation flag	638745	Boolean [1]	1 Yes 2 No
12	Identifier investigation outcome	642247	Number [1]	1Duplicate record2Intertwined record3Similar but different record
13	Duplicate record cluster	638741		

Seq No.	Metadata item	METEOR identifier	Data Type [Length]	Value & Meaning
1	Duplicate record confirmed by	520031	String [200]	X[X(199)] A combination of alphanumeric characters.
2	Duplicate record confirmation date	527973	Date/Time [8]	DDMMYYYY The day of a particular month and year.
3	Date accuracy indicator	294429	String [3]	AAADay, month and year are accurateAAEDay and month are accurate, year is estimatedAAUDay and month are accurate, year is unknownAEADay is accurate, month is estimated, year is accurateAEEDay is accurate, month and year are estimatedAEUDay is accurate, month is estimated, year is unknownAUADay is accurate, month is estimated, year is unknownAUEDay is accurate, month is unknown, year is accurateAUEDay is accurate, month is unknown, year is estimatedAUUDay is accurate, month and year are unknownEAADay is estimated, month is accurate, year is estimatedAUUDay is estimated, month is accurate, year is unknownEAADay is estimated, month is accurate, year is unknownEAADay and month are estimated, year is accurateEAEDay and month are estimated, year is accurateEEEDay and month are estimated, year is accurateEEEDay and month are estimated, year is accurateEUEDay is estimated, month is unknown, year is estimatedEUUDay is estimated, month is unknown, year is estimatedEUUDay is estimated, month and year are accurateUAADay is unknown, month and year are accurateUAADay is unknown, month and year are accurateUAADay is unknown, month is accurate, year is estimatedUUUDay is unknown, month is accurate, year is estimatedUAUDay is unknown, month is accurate, year is unknownUAADay is unknown, month is estimated, year is accurateU
14	Intertwined record cluster	638713		
1	Intertwined record confirmed by	638720	String [200]	X[X(199)] A combination of alphanumeric characters.
2	Intertwined record confirmation date	638723	Date/Time [8]	DDMMYYYY The day of a particular month and year.

Seq No.	Metadata item	METEOR identifier	Data Type [Length]	Value & Meaning
3	Date accuracy indicator	294429	String [3]	AAADay, month and year are accurateAAEDay and month are accurate, year is estimatedAAUDay and month are accurate, year is unknownAEADay is accurate, month is estimated, year is accurateAEEDay is accurate, month and year are estimatedAEUDay is accurate, month is estimated, year is unknownAUADay is accurate, month is unknown, year is accurateAUEDay is accurate, month is unknown, year is accurateAUEDay is accurate, month and year are unknownEAADay is estimated, month and year are accurateAUUDay is estimated, month and year are accurateEAEDay is estimated, month is accurate, year is estimatedEAUDay is estimated, month is accurate, year is unknownEEADay and month are estimated, year is accurateEEEDay and month are estimated, year is unknownEUADay is estimated, month is unknown, year is estimatedEUUDay is estimated, month is unknown, year is estimatedEUUDay is estimated, month is unknown, year is estimatedEUUDay is estimated, month and year are unknownUAADay is estimated, month and year are accurateUUUDay is unknown, month and year are accurateUAEDay is unknown, month and year are estimatedUUUDay is unknown, month is accurate, year is estimatedUAADay is unknown, month is estimated, year is unknownUAADay is unknown, month and year are estimatedUAEDay is unknown, month is estimated, year is unknownUEADay i
15	Similar but different entity cluster	554856		
1	Similar identifier designation	613294	String [20]	X[X(19)] A combination of alphanumeric characters.
2	Similar entity confirmed by	520248	String [200]	X[X(199)] A combination of alphanumeric characters.
3	Similar entity confirmation date	520188	Date/Time [8]	DDMMYYYY The day of a particular month and year.

Seq No.	Metadata item	METEOR identifier	Data Type [Length]	Value & Meaning
4	Date accuracy indicator	294429	String [3]	AAADay, month and year are accurateAAEDay and month are accurate, year is estimatedAAUDay and month are accurate, year is unknownAEADay is accurate, month is estimated, year is accurateAEEDay is accurate, month and year are estimatedAEUDay is accurate, month is estimated, year is unknownAUADay is accurate, month is estimated, year is unknownAUADay is accurate, month is unknown, year is accurateAUEDay is accurate, month is unknown, year is estimatedAUUDay is accurate, month and year are unknownEAADay is estimated, month and year are accurateEAEDay is estimated, month is accurate, year is estimatedEAUDay is estimated, month is accurate, year is unknownEAADay and month are estimated, year is accurateEEEDay and month are estimated, year is unknownEUADay is estimated, month is unknown, year is accurateEUUDay and month are estimated, year is unknownEUADay is estimated, month is unknown, year is accurateEUEDay is estimated, month and year are unknownUAADay is estimated, month and year are accurateUUUDay is estimated, month is unknown, year is accurateEUEDay is estimated, month is unknown, year is accurateUAADay is estimated, month is unknown, year is accurateUUDay is estimated, month is unknown, year is accurateUEDay is estimated, month is unknown, year is accurateUADay is estimated, month and year are accurateUAA
16	Replacement identifier designation	610794	String [20]	X[X(19)] A combination of alphanumeric characters.
2	Individual name cluster	528153		
1	Name title	613313	String [12]	X[X(11)] A combination of alphabetic characters that identify the title of a name.

Seq No.	Metadata item	METEOR identifier	Data Type [Length]	Value & Meaning
2	Name title sequence number	613323	Number [2]	1One2Two3Three4Four5Five6Six7Seven8Eight9Nine10Ten
3	<u>Given name</u>	613340	String [40]	X[X(39)] A combination of alphanumeric characters.
4	<u>Given name sequence number</u>	613356	Number [2]	1One2Two3Three4Four5Five6Six7Seven8Eight9Nine10Ten
5	Family name prefix	520790	String [30]	A[A(29)] A combination of alphabetic characters.
6	Family name prefix sequence number	520826	Number [2]	1One2Two3Three4Four5Five6Six7Seven8Eight9Nine10Ten
7	Family name	613331	String [40]	X[X(39)] A combination of alphanumeric characters.

Seq No.	Metadata item	METEOR identifier	Data Type [Length]	Value & Meaning
8	Family name sequence number	521031	Number [2]	1One2Two3Three4Four
				5Five6Six7Seven8Eight9Nine10Ten
9	Name suffix	613362	String [5]	X[X(4)] A combination of alphanumeric characters.
10	Name suffix sequence number	613369	Number [2]	1One2Two3Three4Four5Five6Six7Seven8Eight9Nine10Ten
11	<u>Name usage type</u>	521079	String [1]	1Registered or Reporting name (Legal name) (name registered with Births, Deaths and Marriages)3Newborn name4Professional or Business name5Name at birth6Tribal name8Other name (alias)
12	Name usage type start date	646002	Date/Time [8]	DDMMYYYY The day of a particular month and year.
13	Name usage type end date	646008	Date/Time [8]	DDMMYYYY The day of a particular month and year.

Seq No.	Metadata item	METEOR identifier	Data Type [Length]	Value & M	eaning
14	Date accuracy indicator	294429	String [3]	AAA	Day, month and year are accurate
				AAE	Day and month are accurate, year is estimated
				AAU	Day and month are accurate, year is unknown
				AEA	Day is accurate, month is estimated, year is accurate
				AEE	Day is accurate, month and year are estimated
				AEU	Day is accurate, month is estimated, year is unknown
				AUA	Day is accurate, month is unknown, year is accurate
				AUE	Day is accurate, month is unknown, year is estimated
				AUU	Day is accurate, month and year are unknown
				EAA	Day is estimated, month and year are accurate
				EAE	Day is estimated, month is accurate, year is estimated
				EAU	Day is estimated, month is accurate, year is unknown
				EEA	Day and month are estimated, year is accurate
				EEE	Day, month and year are estimated
				EEU	Day and month are estimated, year is unknown
				EUA	Day is estimated, month is unknown, year is accurate
				EUE	Day is estimated, month is unknown, year is estimated
				EUU	Day is estimated, month and year are unknown
				UAA	Day is unknown, month and year are accurate
				UAE	Day is unknown, month is accurate, year is estimated
				UAU	Day is unknown, month is accurate, year is unknown
				UEA	Day is unknown, month is estimated, year is accurate
				UEE	Day is unknown, month and year are estimated
				UEU	Day is unknown, month is estimated, year is unknown
				UUA	Day and month are unknown, year is accurate
				UUE	Day and month are unknown, year is estimated
				UUU	Day, month and year are unknown

Seq No.	Metadata item	METEOR identifier	Data Type [Length]	Value & Meaning
15	<u>Identifier usage</u>	519499	Number [3]	100Unique identifier for an entity110Individual healthcare identifier (IHI)112Healthcare provider identifier—individual (HPI-I)113Healthcare provider identifier—organisation (HPI-O)114Virtual smart card identifier (Cryptographic service provider)120Family identifier200Billing identifier300Business or individual taxation or social security identifier400Special service identifier401Accreditation410Laboratory services480Other diagnostic services500Individual provider identifier—other than the HPI-I600Organisational provider identifier700Professional registration identifier800Other999Not stated/inadequately described
16	Preferred name indicator	521133	String [1]	1 Yes 2 No
17	Single name only flag	618588	String [1]	S Single name   M Multiple names
18	Restricted name usage cluster	528167		
1	Name conditional use flag	521140	Number [1]	1Unreliable information2Name not to be used3Special privacy/security requirements4Reliable names for search
2	Name conditional use flag start date	521161	Date/Time [8]	DDMMYYYY The day of a particular month and year.
3	Name conditional use flag end date	521168	Date/Time [8]	DDMMYYYY The day of a particular month and year.

Seq No.	Metadata item	METEOR identifier	Data Type [Length]	Value & Meaning
4	Date accuracy indicator	294429	String [3]	AAADay, month and year are accurateAAEDay and month are accurate, year is estimatedAAUDay and month are accurate, year is unknownAEADay is accurate, month is estimated, year is accurateAEEDay is accurate, month and year are estimatedAEUDay is accurate, month is estimated, year is unknownAUADay is accurate, month is unknown, year is accurateAUEDay is accurate, month is unknown, year is accurateAUEDay is accurate, month is unknown, year is estimatedAUUDay is accurate, month and year are unknownEAADay is accurate, month and year are unknownEAADay is accurate, month is accurate, year is estimatedAUUDay is estimated, month is accurate, year is estimatedEAUDay is estimated, month is accurate, year is unknownEAADay and month are estimated, year is accurateEAEDay and month are estimated, year is accurateEEEDay, month and year are estimatedEUUDay is estimated, month is unknown, year is accurateEUEDay is estimated, month is unknown, year is estimatedEUUDay is estimated, month is unknown, year is unknownUAADay is estimated, month is unknown, year is estimatedEUUDay is estimated, month is unknown, year is estimatedEUUDay is estimated, month is unknown, year is estimatedEUEDay is unknown, month and year are accurateUAADay is unknown, month and year are extimatedUAADay is unknown, month is accurate, year is unknownUAA
5	Unrestricted name access	521205	Number [16]	N(16) A unique combination of numbers that identifies an individual or organisation where healthcare is provided within Australia.
3	Individual demographic identifiers cluster	528542		
1	<u>Sex</u>	287316	Number [1]	1Male2Female3Intersex or indeterminate9Not stated/inadequately described
2	Date of birth	287007	Date/Time [8]	DDMMYYYY The day of a particular month and year.
3	Mother's original family name	635340	String [40]	X[X(39)] A combination of alphanumeric characters.

Seq No.	Metadata item	METEOR identifier	Data Type [Length]	Value & Meaning
4	Date of birth follow-up indicator	521218	Boolean [1]	1 Yes 2 No
5	Birth plurality	482409	Number [1]	1Singleton2Twins3Triplets4Quadruplets5Quintuplets6Sextuplets8Other9Not stated
6	<u>Birth order</u>	269992	Number [1]	1Singleton or first of a multiple birth2Second of a multiple birth3Third of a multiple birth4Fourth of a multiple birth5Fifth of a multiple birth6Sixth of a multiple birth8Other9Not stated
7	Locality of birth	521530	String [60]	X[X(59)] A combination of alphanumeric characters.
8	Administrative division of birth	521537	String [60]	X[X(59)] A combination of alphanumeric characters.
9	Country of birth	659454	Number [4]	NNNN The Standard Australian Classification of Countries (SACC 2016) code set representing a country.
10	Date of death	646025	Date/Time [8]	DDMMYYYY The day of a particular month and year.
11	Source of death notification	521245	String [2]	1Official death certificate or death register2Health care provider3Relative4Re-instated88Other98Unknown
12	Death notification reversal comment	521457	String [200]	X[X(199)] A combination of alphanumeric characters.

Seq No.	Metadata item	METEOR identifier	Data Type [Length]	Value & Meaning
13	Death notification reversal date	521469	Date/Time [8]	DDMMYYYY The day of a particular month and year.
14	Date accuracy indicator	294429	String [3]	AAADay, month and year are accurateAAEDay and month are accurate, year is estimatedAAUDay and month are accurate, year is unknownAEADay is accurate, month is estimated, year is accurateAEEDay is accurate, month is estimated, year is unknownAUADay is accurate, month is estimated, year is unknownAUADay is accurate, month is unknown, year is accurateAUEDay is accurate, month is unknown, year is estimatedAUUDay is accurate, month is unknown, year is estimatedAUUDay is accurate, month and year are unknownEAADay is accurate, month and year are unknownEAADay is estimated, month and year are accurateEAEDay is estimated, month is accurate, year is estimatedEAUDay is estimated, month is accurate, year is unknownEEADay and month are estimated, year is accurateEEEDay, month and year are estimatedEEEDay, month and year are estimatedEUUDay is estimated, month is unknown, year is accurateEUEDay is estimated, month is unknown, year is accurateEUEDay is estimated, month are estimatedEUUDay is estimated, month and year are unknownUAADay is unknown, month and year are accurateUAEDay is unknown, month and year are accurateUAEDay is unknown, month is accurate, year is unknownUAADay is unknown, month is accurate, year is unknownUAADay is unknown, month is estimated, year is accurateUAUDay is unknown, month is estimated,
4	Address group cluster	611145		
1	Physical address indicator	428950	Number [1]	1Yes2No9Not stated/inadequately described

Seq No.	Metadata item	METEOR identifier	Data Type [Length]	Value & Meaning
2	Purpose of address	428932	String [3]	PRPrimary property addressSECSecondary property addressRESResidential addressTEMTemporary accommodationBUSBusiness addressOVSAddress when overseasDELDelivery addressPOSPostal/correspondence addressOTHOther addressUNKNot stated/unknown
3	Address status cluster	611143		
1	Address currency status	521549	String [1]	PPriorCCurrentFFutureMMail returned from this addressTTemporaryUUnknown
2	Address start date	636324	Date/Time [8]	DDMMYYYY The day of a particular month and year.
3	Address end date	636294	Date/Time [8]	DDMMYYYY The day of a particular month and year.

Seq No.	Metadata item	METEOR identifier	Data Type [Length]	Value & Meaning
4	Date accuracy indicator	294429	String [3]	AAADay, month and year are accurateAAEDay and month are accurate, year is estimatedAAUDay and month are accurate, year is unknownAEADay is accurate, month is estimated, year is accurateAEEDay is accurate, month and year are estimatedAEUDay is accurate, month is estimated, year is unknownAUADay is accurate, month is unknown, year is accurateAUEDay is accurate, month is unknown, year is estimatedAUEDay is accurate, month is unknown, year is estimatedAUUDay is accurate, month and year are unknownEAADay is estimated, month and year are accurateEAEDay is estimated, month and year are accurateEAEDay is estimated, month is accurate, year is estimatedEAUDay is estimated, month is accurate, year is unknownEEADay and month are estimatedEEEDay, month and year are estimatedEUUDay and month are estimatedEUEDay is estimated, month is unknown, year is accurateEUEDay is estimated, month is unknown, year is accurateEUEDay is estimated, month and year are unknownUAADay is estimated, month and year are accurateUUUDay is estimated, month is unknown, year is estimatedEUEDay is unknown, month and year are accurateUEEDay is unknown, month and year are accurateUEEDay is unknown, month is accurate, year is unknownUEADay is unknown, month is estimated, year is unknownUEADay is unknown, month is estimated, year is unknown
5	Address start time	636339	Number [6]	hhmmss A valid time measured as hours, minutes and seconds using a 24 hour clock.
6	Address end time	636376	Number [6]	hhmmss A valid time measured as hours, minutes and seconds using a 24 hour clock.
7	Address status identifier	428979	String [3]	OFFOfficial addressVALValid alias addressINVInvalid alias addressOBSObsolete addressUNKNot stated/Unknown
4	Address components cluster	611149		
1	Building/complex sub-unit type	429004	String [4]	ANTAntennaAPTApartmentATMAutomated Teller Machine

Seq No.	Metadata item	METEOR	Data Type	Value & Mea	ning Boatshed	
		identifier	[Length]	BLDG	Building	
				BNGW		
					Bungalow	
				CAGE	Cage	
				CARP	Carpark	
				CARS	Carspace	
				CLUB	Club	
				COOL	Coolroom	
				CTGE	Cottage	
				DUPL	Duplex	
				FCTY	Factory	
				FLAT	Flat	
				GRGE	Garage	
				HALL	Hall	
				HSE	House	
				KSK	Kiosk	
				LSE	Lease	
				LBBY	Lobby	
				LOFT	Loft	
				LOT	Lot	
				MSNT	Maisonette	
				MBTH	Marine Berth	
				OFFC	Office	
				RESV	Reserve	
				ROOM	Room	
				SHED	Shed	
				SHOP	Shop	
				SHRM	Showroom	
				SIGN	Sign	
				SITE	Site	
				STLL	Stall	
				STOR	Store	
				STR	Strata unit	
				STU	Studio/studio apartment	
				SUBS	Substation	
				SE	Suite	
				TNCY	Tenancy	
				TWR	Tower	
				TNHS		
					Townhouse	
					Unit	
				VLT	Vault	
				VLLA	Villa	
				WARD	Ward	
	1			WHSE	Warehouse	
				VUDSE	Wateriouse	

Metadata item	METEOR	Data Type	Value & Meaning
Sub-dwelling unit number	identifier	Btringth]	X[X(6)]
			A combination of alphanumeric characters that identify an entity.
<u>Floor/level type</u>	429016	String [4]	BBasementFLFloorGGroundLLevelLGLower ground floorMMezzanineODObservation deckPParkingPTHSPenthousePLFPlatformPDMPodiumRTRooftopSBSub-basementUGUpper ground floor
Level number identifier	429068	String [5]	X[XXXX] An identifier representing the floor or level number in a multi-storey building or sub- complex.
Secondary complex name	429404	String [50]	X[X(49)] A combination of alphanumeric characters.
Complex road number 1	429268	String [6]	XXXXXX An alphanumeric designation which identifies a building/dwelling in the road or thoroughfare, or the numbers in a ranged address.
Complex road number 2	429264	String [6]	XXXXXX An alphanumeric designation which identifies a building/dwelling in the road or thoroughfare, or the numbers in a ranged address.
Complex road name	429376	String [45]	X[X(44)] A combination of alphanumeric characters.
Complex road type	429387	String [4]	ACCSAccessALLYAlleyALWYAlleywayAMBLAmbleAPPApproachARCArcadeARTLArterialARTYArteryAVAvenueBABananBENDBendBWLKBoardwalk
	Sub-dwelling unit number     Floor/level type     Level number identifier     Secondary complex name     Complex road number 1     Complex road number 2     Complex road name	Sub-dwelling unit numberidentifierFloor/level type429016Level number identifier429068Secondary complex name429404Complex road number 1429268Complex road number 2429264Complex road name429376	Sub-dwelling unit numberidentifieridentifierFloor/level type429016String [4]Level number identifier429068String [5]Secondary complex name429404String [50]Complex road number 1429268String [6]Complex road number 2429264String [6]Complex road name429376String [45]

Seq No.	Metadata item	METEOR identifier	Data Type [Length]	Value & Meani BR	
			[Louigui]	BRAE	Brae
				BRK	Break
				BROW	Brow
				BYPA	Bypass
				BYWY	Byway
				CSWY	Causeway
				CTR	Centre
				СН	Chase
				CIR	Circle
				CCT	Circuit
				CRCS	Circus
				CL	Close
					Concourse
				CPS	Copse
				CNR	Corner
					Court
				CTYD	Courtyard
				COVE	Cove
				CR	Crescent
				CRST	Crest
				CRSS	Cross
				CSAC	Cul-de-sac
				CUTT	Cutting
				DALE	Dale
					Dip
				DR	Drive
					Driveway
				EDGE	Edge
				ELB	Elbow
				END	End
				ENT	Entrance
				ESP	Esplanade
				EXP	Expressway
				FAWY	Fairway
				FOLW	Follow
				FTWY	Footway
				FORM	Formation
				FWY	Freeway
				FRTG	Frontage
				GAP	Gap
				GDNS	Gardens
				GTE	Gate
				GLDE	Glade
				GLEN	Glen

Seq No.	Metadata item	METEOR identifier	Data Type	Value & Meanir GRN	nGrange Green
		laenuner	[Length]	GR	Grove
				HTS	Heights
				HIRD	Highroad
				HWY	Highway
				HILL	Hill
				INTG	
					Interchange
				JNC	Junction
				KEY	Key
				LANE	Lane
				LNWY	Laneway
				LINE	Line
				LINK	Link
				LKT	Lookout
				LOOP	Loop
				MALL	Mall
				MNDR	Meander
				MEWS	Mews
				MTWY	Motorway
				NOOK	Nook
				OTLK	Outlook
				PDE	Parade
				PWY	Parkway
				PASS	Pass
				PSGE	Passage
				PATH	Path
				PWAY	Pathway
				PIAZ	Piazza
				PLZA	Plaza
				PKT	Pocket
				PNT	Point
				PORT	Port
				PROM	Promenade
				QDRT	Quadrant
				QYS	Quays
				RMBL	Ramble
				REST	Rest
				RTT	Retreat
				RDGE	Ridge
				RISE	
					Rise
				RD	Road
				RTY	Rotary
				RTE	Route
				ROW	Row Rue

Seq No.	Metadata item	METEOR identifier	Data Type [Length]	Value & Meanir SHUN	ngerviceway Shunt
		Identiliei	[Lengui]	SPUR	Spur
				SQ	Square
				ST	Street
				SBWY	Subway
				TARN	Tarn
				TCE	Terrace
				THFR	Thoroughfare
				TLWY	Tollway
				TOP	Тор
				TOR	Tor
				TRK	Track
				TRL	Trail
				TURN	Turn
				UPAS	Underpass
				VALE	Vale
				VALL	Viaduct
				VIEW	View
				VSTA	Vista
				VSIA	VISIA
				WALK	Walk
				WKWY	Walkway
				WHRF	Wharf
				WYND	Wynd
				WIND	
10	Complex road suffix	429397	String [2]	CN	Central
				E	East
				EX	Extension
				LR	Lower
				N	North
				NE	North East
				NW	North West
				S	South
				SE	South East
				SW	South West
				UP	Upper
				W	West
11	Address site name	429252	String [50]	X[X(49)]	
	<u>Address site nume</u>	420202	ounig [oo]	A combination of	f alphanumeric characters.
12	Location descriptor	430302	String [50]	X[X(49)]	
12		-00002		A combination of	f alphanumeric characters.
	Dead works 4	400500	01-1-1-101		
13	Road number 1	429586	String [6]	XXXXXX	- destant de la contra de la cont
					designation which identifies a building/dwelling in the road or
				thoroughfare, or	the numbers in a ranged address.

Seq No.	Metadata item	METEOR identifier	Data Type [Length]	Value & Meaning
14	Road number 2	429594	String [6]	XXXXXX An alphanumeric designation which identifies a building/dwelling in the road or thoroughfare, or the numbers in a ranged address.
15	Lot number	429543	String [6]	X[XXXXX] A combination of alphanumeric characters that identify an entity.
16	Road name	429747	String [45]	X[X(44)] A combination of alphanumeric characters.
17	Road type	429840	String [4]	ACCSAccessALLYAlleyALWYAlleywayAMBLAmbleAPPApproachARCArcadeARTLArterialARTYArteryAVAvenueBABananBENDBendBWLKBoardwalkBVDBoulevardBRBraceBRAEBraeBRKBreakBROWBrowBYPABypassBYWYCausewayCTRCentreCHChaseCIRCircleCCTCircuitCRCSCircusCLCloseCONConcourseCPSCopseCNRCornerCTCourtyardCOVECoveCRCrestCRSSCross

Seq No.	Metadata item	METEOR identifier	Data Type [Length]	Value & Meani	
		lacitatie	[Lengui]	DALE	Dale
				DIP	Dip
				DR	Drive
				DVWY	Driveway
				EDGE	Edge
				ELB	Elbow
				END	End
				ENT	Entrance
				ESP	Esplanade
				EXP	Expressway
				FAWY	Fairway
				FOLW	Follow
				FTWY	Footway
				FORM	Formation
				FWY	Freeway
				FRTG	Frontage
				GAP	Gap
				GDNS	Gardens
				GTE	Gate
				GLDE	Glade
				GLEN	Glen
				GRA	Grange
				GRN	Green
				GR	Grove
				HTS	Heights
				HIRD	Highroad
				HWY	Highway
				HILL	Hill
				INTG	Interchange
				JNC	Junction
				KEY	Key
				LANE	Lane
				LNWY	Laneway
				LINE	Line
					Link
				LKT	Lookout
				LOOP	Loop
				MALL	Mall
				MNDR	Meander
				MEWS	Mews
				MTWY	Motorway
				NOOK	Nook
				OTLK	Outlook
				PDE	Parade
					Falaut

Seq No.	Metadata item	METEOR identifier	Data Type [Length]	Value & Meanir PASS	Parkway Pass
		Identiliei	[Lengu]	PSGE	Passage
				PATH	Path
				PWAY	Pathway
				PIAZ	Piazza
				PLZA	Plaza
				PKT	Pocket
				PNT	Point
				PORT	Port
				PROM	Promenade
				QDRT	Quadrant
				QYS	Quays
				RMBL	Ramble
				REST	Rest
				RTT	Retreat
				RDGE	Ridge
				RISE	Rise
				RD	Road
				RTY	Rotary
				RTE	Route
				ROW	Row
				RUE	Rue
				SVWY	Serviceway
				SHUN	Shunt
				SPUR	Spur
				SQ	Square
				ST	Street
				SBWY	Subway
				TARN	Tarn
				TCE	Terrace
				THFR	Thoroughfare
				TLWY	
				TOP	Tollway
					Тор
				TOR	Tor
				TRK	Track
				TRL	Trail
				TURN	Turn
				UPAS	Underpass
				VALE	Vale
				VIAD	Viaduct
				VIEW	View
,				VSTA	Vista
i i			1	14/4112	
				WALK	Walk
				WALK	Walkway

Seg No.	Metadata item	METEOR	Data Type	Value & Meanir	ng Wynd
18		<b>idel%®</b>	[Ltength]	CN	Central
			[94	E	East
				EX	Extension
				LR	Lower
				N	North
				NE	North East
				NW	North West
				S	South
				SE	South East
				SW	South West
				UP	Upper
				W	West
19	Postal delivery service type identifier	430096	String [11]	CARE PO	Care-of Post Office (also known as Poste Restante)
				CMA	Community Mail Agent
				CMB	Community Mail Bag
				GPO BOX	General Post Office Box
					Locked Mail Bag Service
				MS	Mail Service
				PO BOX	Post Office Box
					Private Mail Bag Service
				RSD	Roadside Delivery
				RMB	Roadside Mail Box/Bag
				RMS	Roadside Mail Service
20	Postal delivery number	430107	String [11]	X[X(10)]	
				A combination o	f alphanumeric characters that identify an entity.
21	Postal delivery point identifier	430306	Number [8]	{N(8)}	
					f valid numeric characters that identify Postal Delivery Point Identifier
				(PDPID) Code o	or blank.
22	Suburb/town/locality name within	429889	String [46]	X[X(45)]	
	address			A combination of	f alphanumeric characters.
23		430134	String [3]	NSW	New South Wales
	address			VIC	Victoria
				QLD	Queensland
				SA	South Australia
				WA	Western Australia
				TAS	Tasmania
				NT	Northern Territory
				ACT	Australian Capital Territory
				AAT	Australian Antarctic Territory
24	Australian postcode	611398	String [4]	0097	Not applicable
				0098 0099	Unknown Not stated/inadequately described

Seq No.	Metadata item	METEOR identifier	Data Type [Length]	Value & Meaning
25	Country identifier	659626	Number [4]	NNNN
				The Standard Australian Classification of Countries (SACC 2016) code set representing a country.
26	Address line	594217	String [180]	X[X(179)] A combination of alphanumeric characters.
5	Address geocode cluster	611155		
1	Geocode feature	430313	String [30]	X[X(29)] A combination of alphanumeric characters.
2	Geocode containment indicator	430494	Boolean [1]	1 Yes 2 No
3	Geocode geographic datum	430325	String [10]	X[X(9)] A combination of alphanumeric characters.
4	Geocode positional uncertainty	430490	Number [7]	N[NNN].NNN The numeric measurement in total metres.
5	Geocode vertical datum	430339	String [10]	X[X(9)] A combination of alphanumeric characters.
6	Geocode latitude decimal degrees	430445	Geospatial [12]	XN[N][.N(9)] A numeric measurement of latitude in decimal degrees.
7	<u>Geocode longitude decimal</u> <u>degrees</u>	430469	Geospatial [13]	XN[NN][.N(9)] A numeric measurement of longitude in decimal degrees.
8	<u>Geocode height</u>	430483	Number [8]	N[NNNN].NNN The numeric measurement in total metres.
6	Address communication suppression cluster	611161		
1	Address information suppression indicator	522400	Boolean [1]	1 Yes 2 No
2	Data exchange agreement for suppressed data indicator	553693	Boolean [1]	1 Yes 2 No
3	Address information suppression start date	522407	Date/Time [8]	DDMMYYYY The day of a particular month and year.
4	Address information suppression end date	522413	Date/Time [8]	DDMMYYYY The day of a particular month and year.

Seq No.	Metadata item	METEOR identifier	Data Type [Length]	Value & Meaning
5	Date accuracy indicator	294429	String [3]	AAADay, month and year are accurateAAEDay and month are accurate, year is estimatedAAUDay and month are accurate, year is unknownAEADay is accurate, month is estimated, year is accurateAEEDay is accurate, month is estimated, year is unknownAUDay is accurate, month is estimated, year is unknownAUADay is accurate, month is unknown, year is accurateAUEDay is accurate, month is unknown, year is estimatedAUEDay is accurate, month is unknown, year is estimatedAUEDay is accurate, month and year are unknownEAADay is estimated, month and year are accurateEAEDay is estimated, month and year are accurateEAEDay is estimated, month is accurate, year is unknownEAADay is estimated, month is accurate, year is unknownEAADay and month are estimated, year is accurateEEEDay, month and year are estimatedEUADay is estimated, month is unknown, year is accurateEUEDay is estimated, month is unknown, year is accurateEUEDay is estimated, month and year are unknownUAADay is estimated, month and year are accurateEUEDay is estimated, month and year are accurateEUEDay is unknown, month and year are accurateEUEDay is unknown, month and year are accurateUAEDay is unknown, month is accurate, year is unknownUAADay is unknown, month is estimated, year is accurateUAEDay is unknown, month is estimated, year is accurateUAEDay is unknown
5	Electronic address cluster	611164		
1	Electronic communication medium	522584	Number [2]	1Telephone (excluding mobile telephone)2Mobile (cellular) telephone3Facsimile machine4Pager5Email6Uniform Resource Identifier (URI)7Instant messaging8Teletypewriter (TTY)88Other
2	Electronic communication address	522692	String [1100]	X[X(1099)] A combination of alphanumeric characters.

Seq No.	Metadata item	METEOR identifier	Data Type [Length]	Value & Meaning
3	Electronic communication usage code	522603	Number [1]	1Business use2Personal use3Both business and personal use4Out of business hours5Will take message
4	Electronic communication verification flag	522627	String [1]	VVerified with individualCConfirmed by useXConfirmed invalidUUnknown
5	Electronic communication details verifier	522672	String [100]	X[X(99)] A combination of alphanumeric characters.
6	Address communication suppression cluster	611161		
1	Address information suppression indicator	522400	Boolean [1]	1 Yes 2 No
2	Data exchange agreement for suppressed data indicator	553693	Boolean [1]	1 Yes 2 No
3	Address information suppression start date	522407	Date/Time [8]	DDMMYYYY The day of a particular month and year.
4	Address information suppression end date	522413	Date/Time [8]	DDMMYYYY The day of a particular month and year.

Seq No.	Metadata item	METEOR identifier	Data Type [Length]	Value & Meaning
5	Date accuracy indicator	294429	String [3]	AAADay, month and year are accurateAAEDay and month are accurate, year is estimatedAAUDay and month are accurate, year is unknownAEADay is accurate, month is estimated, year is accurateAEEDay is accurate, month and year are estimatedAEUDay is accurate, month is estimated, year is unknownAUADay is accurate, month is unknown, year is accurateAUEDay is accurate, month is unknown, year is accurateAUEDay is accurate, month and year are unknownEAADay is accurate, month and year are accurateAUUDay is accurate, month and year are accurateEAEDay is estimated, month and year are accurateEAEDay is estimated, month is accurate, year is estimatedEAUDay is estimated, month is accurate, year is unknownEEADay and month are estimated, year is accurateEEEDay, month and year are estimatedEUUDay and month are estimated, year is unknownEUADay is estimated, month is unknown, year is estimatedEUUDay is estimated, month is unknown, year is estimatedEUUDay is estimated, month is unknown, year is estimatedUUUDay is unknown, month and year are accurateUEEDay is unknown, month is accurate, year is estimatedUUUDay is unknown, month is estimated, year is accurateUEEDay is unknown, month is estimated, year is accurateUEEDay is unknown, month are estimated, year is accurateUEEDay is unknown, month are estimated, year is unknownUEE <td< td=""></td<>
6	Healthcare provider qualification and registration cluster	522900		
1	Provider's clinically proficient language	522932	Number [4]	NN{NN} The Australian Standard Classification of Languages (ASCL 2011) code set representing languages.
2	Provider professional board cluster	522898		
1	Registration board of healthcare provider	522849	String [20]	X[X(19)] A combination of alphanumeric characters.
2	Healthcare individual provider identifier	522896	String [20]	X[X(19)] A logical combination of alphanumeric characters that identify an entity.
3	Healthcare identification occupation cluster	523815		

Seq No.	Metadata item	METEOR identifier	Data Type [Length]	Value & Meaning
1	Provider occupation (ANZSCO 2013 Version 1.2)	523811	Number [6]	N[NNN]{NN} The ANZSCO 2013 code set representing an occupation of a person.
2	Provider's profession identifier	523955	String [13]	X[X(12)] An alphanumeric combination of characters that identifies a health profession.
3	Provider occupation start date	523971	Date/Time [8]	DDMMYYYY The day of a particular month and year.
4	Date accuracy indicator	294429	String [3]	AAADay, month and year are accurateAAEDay and month are accurate, year is estimatedAAUDay and month are accurate, year is unknownAEADay is accurate, month is estimated, year is accurateAEEDay is accurate, month and year are estimatedAEUDay is accurate, month is estimated, year is accurateAUADay is accurate, month is estimated, year is accurateAUEDay is accurate, month is unknown, year is accurateAUEDay is accurate, month is unknown, year is estimatedAUUDay is accurate, month and year are unknownEAADay is estimated, month and year are accurateEAEDay is estimated, month is accurate, year is estimatedEAUDay is estimated, month is accurate, year is unknownEEADay and month are estimated, year is unknownEEADay and month are estimated, year is unknownEEADay and month are estimatedEUUDay and month are estimatedEUEDay is estimated, month is unknown, year is accurateEUEDay is estimated, month is unknown, year is estimatedEUUDay is estimated, month and year are unknownUAADay is unknown, month and year are ecurateEUEDay is unknown, month is accurate, year is estimatedUUDay is unknown, month is accurate, year is estimatedUAADay is unknown, month is accurate, year is estimatedUAADay is unknown, month is estimated, year is unknownUAADay is unknown, month is estimated, year is unknownUEADay is unknown, month is es
4	Provider academic qualification cluster	523538		
1	Provider's professional qualification title	523513	String [100]	X[X(99)] A combination of alphanumeric characters.
2	Name of institution awarding provider's qualification	523521	String [50]	X[X(49)] A combination of alphanumeric characters.

Seq No.	Metadata item	METEOR identifier	Data Type [Length]	Value & Meaning		
3	Country of institution awarding provider's qualification	659621	Number [4]	NNNN The Standard Australian Classification of Countries (SACC 2016) code set representing a country.		
4	Year professional qualification was awarded to provider	523536	Date/Time [4]	YYYY The calendar year, beginning on the 1st of January and ending on the 31st of December.		
5	Provider place of practice cluster	523558				
1	Suburb/town/locality name within address	429889	String [46]	X[X(45)] A combination of alphanumeric characters.		
2	<u>Australian state/territory identifier of</u> <u>address</u>	430134	String [3]	NSWNew South WalesVICVictoriaQLDQueenslandSASouth AustraliaWAWestern AustraliaTASTasmaniaNTNorthern TerritoryACTAustralian Capital TerritoryAATAustralian Antarctic Territory		
3	Australian postcode	611398	String [4]	0097Not applicable0098Unknown0099Not stated/inadequately described		
4	Provider's country of employment in registered profession	523555	Number [1]	1 Australia   2 Other country   9 Not stated/inadequately described		
5	Provider's place of practice edit date	523751	Date/Time [8]	DDMMYYYY The day of a particular month and year.		
6	International country code	434151	Number [5]	N[NNNN] A one-to-five digit number representing a standard international country code.		
7	International state/province identifier	522243	String [50]	X[X(49)] A combination of alphanumeric characters.		
8	International postcode	522252	String [10]	X[X(9)] A combination of alphanumeric characters.		
6	Provider registration cluster	524039				
1	Provider registration sequence number	524037	Number [3]	NNN A logical combination of numeric characters that identify an entity.		

Seq No.	Metadata item	METEOR identifier	Data Type [Length]	Value & Meaning
2	Provider's registration division	524349	Number [6]	N[NNN]{NN} The ANZSCO 2013 code set representing an occupation of a person.
3	Provider's registration type	524377	Number [1]	1Limited2Provisional3General4Specialist5Non-practising6Student
4	Provider's registration subtype	524390	Number [2]	11Limited registration— public interest12Limited registration—occasional practice18Limited registration— other21General registration— training and assessing28General registration— other
5	Provider's registration status	524407	Number [1]	1Current2Unregistered3Suspended4Cancelled5Void
6	Provider's current registration substatus	524449	Number [1]	1 In assessment   2 Late period   3 Approved
7	Provider's registration start date	524512	Date/Time [8]	DDMMYYYY The day of a particular month and year.
8	Provider's registration end date	524519	Date/Time [8]	DDMMYYYY The day of a particular month and year.
9	Provider's specialty name	524585	Number [6]	N[NNN]{NN} The ANZSCO 2013 code set representing an occupation of a person.
10	Provider's field of specialty practice	524620	Number [6]	N[NNN]{NN} The ANZSCO 2013 code set representing an occupation of a person.

Seq No.	Metadata item	METEOR identifier	Data Type [Length]	Value & Meaning
11		294429 String [3]	AAADay, month and year are accurateAAEDay and month are accurate, year is estimatedAAUDay and month are accurate, year is unknownAEADay is accurate, month is estimated, year is accurateAEEDay is accurate, month and year are estimatedAEUDay is accurate, month is estimated, year is unknownAUADay is accurate, month is unknown, year is accurateAUEDay is accurate, month is unknown, year is estimatedAUEDay is accurate, month is unknown, year is estimatedAUUDay is accurate, month and year are unknownEAADay is estimated, month and year are accurateEAEDay is estimated, month is accurate, year is estimatedEAUDay is estimated, month is accurate, year is unknownEEADay and month are estimated, year is unknownEEADay and month are estimated, year is accurateEEEDay, month and year are estimatedEUUDay and month are estimated, year is unknownEUADay is estimated, month is unknown, year is accurateEUEDay is estimated, month is unknown, year is accurateEUEDay is estimated, month is unknown, year is estimatedEUUDay is estimated, month and year are accurateEUEDay is unknown, month and year are unknownUAADay is unknown, month and year are accurateEUEDay is unknown, month is accurate, year is estimatedUAUDay is unknown, month is estimated, year is accurateUAEDay is unknown, month is estimated, year is accurateUAEDay is unk	
7		525018		
1	Provider's practice modification identifier	525016	String [20]	X[X(19)] A logical combination of alphanumeric characters that identify an entity.
2	Provider's practice modification details	525108	String [1000]	X[X(999)] A combination of alphanumeric characters.
3	Provider's practice modification category	525217	Number [1]	1Endorsement2Condition3Notation4Undertaking5Reprimand6Caution

Seq No.	Metadata item	METEOR identifier	Data Type [Length]	Value & Meaning
4	Reason for provider's practice modification	525259	Number [1]	1Conduct2Health3Performance8Other
5	Provider's practice modification start date	525126	Date/Time [8]	DDMMYYYY The day of a particular month and year.
6	Provider's practice modification end date	525143	Date/Time [8]	DDMMYYYY The day of a particular month and year.
7	Provider's practice modification edit date	525136	Date/Time [8]	DDMMYYYY The day of a particular month and year.
8	Provider's registration endorsement type	617382	String [4]	ACUPAcupunctureAPArea of practiceSMScheduled medicinesMPMidwife practitionerNPNurse practitioner
9	Provider's registration endorsement subtype	525101	String [2]	01Clinical neuropsychology02Clinical psychology03Community psychology04Counselling psychology05Educational and development psychology06Forensic psychology07Health psychology08Organisational psychology09Sport and exercise psychology10Conscious sedation11Rural and isolated practice

Seq No.	Metadata item	METEOR identifier	Data Type [Length]	Value & Meaning
10	Date accuracy indicator	294429	String [3]	AAADay, month and year are accurateAAEDay and month are accurate, year is estimatedAAUDay and month are accurate, year is unknownAEADay is accurate, month is estimated, year is accurateAEEDay is accurate, month and year are estimatedAEUDay is accurate, month is estimated, year is unknownAUADay is accurate, month is unknown, year is accurateAUEDay is accurate, month is unknown, year is estimatedAUEDay is accurate, month and year are unknownEAADay is estimated, month is unknown, year is estimatedAUUDay is estimated, month is accurate, year is estimatedAUUDay is estimated, month is accurate, year is unknownEAEDay is estimated, month is accurate, year is unknownEAEDay and month are estimatedEAUDay is estimated, month is unknown, year is accurateEEEDay and month are estimated, year is unknownEVADay is estimated, month is unknown, year is accurateEUEDay is estimated, month is unknown, year is accurateEUEDay is estimated, month is unknown, year is estimatedEUUDay is estimated, month is unknownUAADay is unknown, month and year are accurateUAADay is unknown, month is accurate, year is unknownUAADay is unknown, month is accurate, year is estimatedUUDay is unknown, month is estimated, year is accurateUAEDay is unknown, month is estimated, year is accurateUAADay is unknown, month is estimated, year is accurateUAA<
7	Healthcare provider organisation cluster	529509		
1	Identifier designation	612730	String [20]	X[X(19)] A combination of alphanumeric characters.
2	<u>Identifier issuer</u>	612705	String [200]	X[X(199)] A combination of alphanumeric characters.

Seq No.	Metadata item	METEOR identifier	Data Type [Length]	Value & Meaning
3	<u>Identifier usage</u>	519499	Number [3]	100Unique identifier for an entity110Individual healthcare identifier (IHI)112Healthcare provider identifier—individual (HPI-I)113Healthcare provider identifier—organisation (HPI-O)114Virtual smart card identifier (Cryptographic service provider)120Family identifier200Billing identifier300Business or individual taxation or social security identifier400Special service identifier401Accreditation410Laboratory services480Other diagnostic services500Individual provider identifier—other than the HPI-I600Organisational provider identifier700Professional registration identifier800Other999Not stated/inadequately described
4	Organisation name	453823	String [200]	X[X(199)] A combination of alphanumeric characters.
5	Organisation name type	617526	Number [1]	1Organisation unit/section/division2Service location name3Business name4Locally used name5Abbreviated name6Enterprise name8Other9Unknown
6	Organisation name current usage indicator	636299	Boolean [1]	1 Yes 2 No
7	Organisation name usage start date	525400	Date/Time [8]	DDMMYYYY The day of a particular month and year.
8	Organisation name usage end date	525408	Date/Time [8]	DDMMYYYY The day of a particular month and year.

Seq No.	Metadata item	METEOR identifier	Data Type [Length]	Value & Mea	aning
9	Date accuracy indicator		[Length] String [3]	AAA AAE AAU AEA AEE AEU AUA AUE AUA AUE AUU EAA EAE EAU EEA EEE EEU EUA EUE EUU	Day, month and year are accurate Day and month are accurate, year is estimated Day and month are accurate, year is unknown Day is accurate, month is estimated, year is accurate Day is accurate, month and year are estimated Day is accurate, month is estimated, year is unknown Day is accurate, month is unknown, year is accurate Day is accurate, month is unknown, year is estimated Day is accurate, month is unknown, year is estimated Day is accurate, month and year are unknown Day is estimated, month and year are accurate Day is estimated, month is accurate, year is estimated Day is estimated, month is accurate, year is unknown Day and month are estimated, year is accurate Day, month and year are estimated Day and month are estimated Day and month are estimated Day is estimated, month is unknown, year is accurate Day is estimated, month is unknown, year is estimated Day is estimated, month is unknown, year is estimated Day is estimated, month is unknown, year is estimated Day is estimated, month and year are unknown
8	Biometric identifiers cluster	529504		UAA UAE UAU UEA UEE UEU UUA UUE UUU	Day is unknown, month and year are accurate Day is unknown, month is accurate, year is estimated Day is unknown, month is accurate, year is unknown Day is unknown, month is estimated, year is accurate Day is unknown, month and year are estimated Day is unknown, month is estimated, year is unknown Day and month are unknown, year is accurate Day and month are unknown, year is estimated Day, month and year are unknown
1	Biometric identifier used indicator	527290	Boolean [1]	1 2	Yes No

Seq No.	Metadata item	METEOR identifier	Data Type [Length]	Value & N	Value & Meaning		
2	<u>Type of biometric identifier used</u>	529502	Number [2]	1 2 3 4 5 6 7 8 9 10 11 12 13 14	Fingerprint (rolled) Fingerprint (flat) Facial features identification Voice recognition Iris scanning Retinal scanning Hand geometry Signature dynamics Keystroke dynamics Lip movement Thermal face image Thermal hand image Gait Blood type		
				15 88	DNA Other biometric identifier		