

Address—unstructured address line, text X[X(70)]

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

Address—unstructured address line, text X[X(70)]

Identifying and definitional attributes

Metadata item type:	Data Element
Short name:	Patient mail address line 1; Patient mail address line 2; Patient residential address line 1; Patient residential address line 2
Synonymous names:	PER_ADDRESS_LINE_1; PER_ADDRESS_LINE_2; PER_MAIL_ADDRESS_LINE_1; PER_MAIL_ADDRESS_LINE_2
METEOR identifier:	555408
Registration status:	WA Health , Standard 19/03/2015
Definition:	A description of an address, written in an unstructured address line format, as represented by text.
Context:	For non-admitted patients, this is the patient's address at the time of the scheduled appointment.
Data Element Concept:	Address—unstructured address line
Value Domain:	Text [X(70)]

Value domain attributes

Representational attributes

Representation class:	Text
Data type:	String
Format:	[X(70)]
Maximum character length:	70

Data element attributes

Collection and usage attributes

Guide for use: Where there is a need to transfer an Australian address that does not conform to the commonly used address format, the unstructured address lines may be used.

Example

Cabin 44 Block 7 (Unstructured Address Line 1)
HMAS Watson (Unstructured Address Line 2)

Unstructured address lines can also be used to record overseas addresses that may follow different formats to that of Australian addresses.

Common differences between Australian and overseas addresses are:

- Street name preceding street number
- Postcode format
- Postcode preceding locality name

Example:

32, Kasumigaseki 1 Chome (Overseas Address Line 1)
Chiyoda-ku (Overseas Address Line 2)

While the NAPAAWL DC allows for two lines of unstructured address details, not all lines need to be used.

Comments: Mailing address is only relevant if it is different to the residential address. It is only recorded in the NAPAAWL DC if the patient agrees to provide it.

Source and reference attributes

Origin: Standards Australia 2006. AS 4590—2006 Interchange of client information. Sydney: Standards Australia.

Relational attributes

Related metadata references: See also [Address—unstructured address line, text X\[X\(49\)\] Community Services \(retired\)](#), Standard 06/02/2012
[Disability](#), Standard 13/08/2015
[Housing assistance](#), Standard 01/05/2013

Implementation in Data Set Specifications: [WA Health Non-Admitted Patient Activity and Wait List Data Collection \(NAPAAWL DC\) 2013-14](#)

[WA Health](#), Standard 19/03/2015

[WA Health Non-Admitted Patient Activity and Wait List Data Collection \(NAPAAWL DC\) 2014-15](#)

[WA Health](#), Standard 24/04/2015

[WA Health Non-Admitted Patient Activity and Wait List Data Collection \(NAPAAWL DC\) 2016-17](#)

[WA Health](#), Standard 30/05/2017