

#### © Australian Institute of Health and Welfare 2024

This product, excluding the AlHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AlHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at https://creativecommons.org/licenses/by/4.0/.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

# Maternity model of care—target group, code N[N]

# Identifying and definitional attributes

Metadata item type: Data Element

**Short name:** Maternity target group

METEOR identifier: 558247

**Registration status:** <u>Health!</u>, Standard 14/05/2015

**Definition:** The characteristics of women or their pregnancy that define a target group for a

specific maternity model of care, as represented by a code.

**Context:** Used in maternal and perinatal healthcare settings.

Data Element Concept: Maternity model of care—target group

Value Domain: <u>Maternity target group code N[N]</u>

## Value domain attributes

## Representational attributes

Representation class: Code

Data type: Number

Format: N[N]

Maximum character length: 2

| Maximum character length: | 2     |  |
|---------------------------|-------|--|
|                           | Value | Meaning  |
| Permissible values:       | 1     | Aboriginal or Torres Strait Islander identification  |
|                           | 2     | Migrant or refugee                                   |
|                           | 3     | Low risk or normal pregnancy                         |
|                           | 4     | All excluding high risk pregnancy                    |
|                           | 5     | Complex or high risk pregnancy                       |
|                           | 6     | Breech presentation of fetus                         |
|                           | 7     | Multi fetal pregnancy                                |
|                           | 8     | Next birth after caesarean section                   |
|                           | 9     | Planned homebirth                                    |
|                           | 10    | Maternal diabetes and other endocrine disorders      |
|                           | 11    | Maternal obesity or high body mass index (BMI)       |
|                           | 12    | Maternal drug or alcohol use                         |
|                           | 13    | Maternal age - young                                 |
|                           | 14    | Maternal mental health condition                     |
|                           | 15    | Maternal remote area of residence                    |
|                           | 80    | Other specific cultural groups not already specified |
|                           | 81    | Other social groups not already specified            |
|                           | 82    | Other vulnerable groups not already specified        |
|                           | 88    | Other maternity target groups                        |
| Supplementary values:     | 99    | Not stated/inadequately described                    |

## Collection and usage attributes

Guide for use:

CODE 3 Low risk or normal pregnancy

This code is to be used if a model of care is restricted to women with "low-risk" or "normal" pregnancies.

CODE 4 All excluding high risk pregnancy

This code is used for models of care that care for all women EXCEPT those considered to have a high risk pregnancy.

CODE 5 Complex or high risk pregnancy

This code is to be used for high-risk clinics or maternal-fetal medicine clinics or models of care.

CODE 6 Breech presentation of fetus

This code is to be used for breech clinics or models of care.

CODE 7 Multi fetal pregnancy

This code is to be used for twin/triplet clinics or models of care.

CODE 8 Next birth after caesarean section

This code is to be used for "vaginal birth after caesarean (VBAC)" or "next birth after caesarean (NBAC)" clinics or models of care.

CODE 10 Maternal diabetes and other endocrine disorders

This code is used for "Diabetes clinics" or models targeted at women with any endocrine disorder including thyroid conditions.

CODE 11 Maternal obesity or high body mass index (BMI)

This code is to be used for bariatric clinics or models of care.

CODE 13 Maternal age – young

This code is to be used for models of care targeted specifically at young women.

CODE 15 Maternal remote area of residence

This code is used for models of care targeted at women in remote communities. This is not restricted to remote indigenous communities but models that provide care for any woman who lives in a remote area.

CODE 80 Other specific cultural groups not already specified

This code is to be used for models of care targeted at specific cultural groups not specified by other codes, such as particular ethnic groups.

CODE 81 Other social groups not already specified

This code is to be used for models of care targeted at women from specific social groups not specified by other codes.

CODE 82 Other vulnerable groups not already specified

This code is to be used for models of care targeted at vulnerable women not specified by other codes, such as women affected by domestic violence, women in custody etc.

CODE 88 Other maternity target groups

This code is used for models of care targeted at other specific groups of women not specified by other codes. This includes models targeting women from a particular suburb or postcode range (excluding those in remote areas – use CODE 15).

#### Source and reference attributes

Submitting organisation: National Perinatal Epidemiology and Statistics Unit

Origin: National Maternity Data Development Project (AIHW and NPESU), Maternity Care

Classification System subproject.

### Data element attributes

## Collection and usage attributes

Guide for use: Some models of care are targeted at specific groups of women with similar

characteristics. These might be based on geographical area, risk status, obstetric or medical condition or social/cultural characteristic. Having a target group does not necessarily mean that the model of care is restricted to only those women (although the model is specifically targeted at them) and other women may also access the model of care. For example, a model of care that is targeted specifically for Aboriginal and Torres Strait Islander women may also provide care for non-Indigenous women living in the same remote area, however they make up a small

proportion of the women cared for in the model.

Collection methods: Data are gathered using the Maternity Care Classification System (MaCCS) data

collection questionnaire on an annual basis by every maternity service when classifying their models of care or when a new model of care is introduced.

#### Source and reference attributes

**Submitting organisation:** National Perinatal Epidemiology and Statistics Unit

Origin: National Maternity Data Development Project (AIHW and NPESU), Maternity Care

Classification System subproject.

#### Relational attributes

Related metadata See also Maternity model of care—target group indicator, code N

references: Health!, Standard 14/05/2015

Implementation in Data Set Maternity model of care NBPDS

Specifications: Health!, Standard 14/05/2015

Conditional obligation:

Reporting of this data element is conditional upon a 'yes' response to the data

element Maternity model of care - target group indicator, code N.

DSS specific information:

Some models of care are targeted at more than one group of women. Multiple values for this data element may be selected to identify all the specific groups of

women that are targeted in a particular model of care.

If there is no specific target group (that is, the model of care is available to all women) then a value for this data element is not to be reported as it is conditional on a 'yes' response to the data element <u>Maternity model of care – target group</u>

indicator, code N.