

Midwifery caseload

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

Midwifery caseload

Identifying and definitional attributes

Metadata item type: Glossary Item

Synonymous names: Midwifery group practice; Midwifery continuity of carer

METEOR identifier: 562448

Registration status: [Health!](#), Standard 14/05/2015

Definition: A model of maternity care where women have a primary midwife assigned to them throughout pregnancy, labour and birth and the postnatal period. Each midwife has an agreed number (caseload) of women per year and acts as a second or "back-up" midwife for women who have another midwife as their primary carer. Caseload midwives usually work on a 24-hour on-call basis (this may be organised within a group) and may be employed on an annualised salary. This is also known as a midwifery continuity of carer model of care and may be a private or public arrangement. Midwifery caseload may be managed within a midwifery group practice model where a small number of midwives join together in a group with each midwife having their own caseload and providing backup for the other midwives in the group practice. A key aspect of caseload midwifery practice that differentiates it from 'team midwifery' models is that women have a named midwife, caseload midwives have a self-managed workload that is outside of a traditional roster structure and provides a high level of continuity of a known carer across the continuum of maternity care. Note that this is different to team midwifery.

Source and reference attributes

Submitting organisation: National Perinatal Epidemiology and Statistics Unit

Reference documents: Homer C, Brodie P & Leap N. 2008. Getting started: what is midwifery continuity of care? in Midwifery Continuity of Care. Chatswood: Elsevier Australia, 1-24

Relational attributes

Metadata items which use this glossary item: [Maternity model of care NBPDS](#)
[Health!](#), Standard 14/05/2015

[Maternity model of care—midwifery caseload indicator](#)
[Health!](#), Standard 14/05/2015

[Maternity model of care—midwifery caseload indicator, yes/no code N](#)
[Health!](#), Standard 14/05/2015

[Maternity model of care—midwifery caseload size](#)
[Health!](#), Standard 14/05/2015

[Maternity model of care—midwifery caseload size, number N\[NN\]](#)
[Health!](#), Standard 14/05/2015