Pre-operative examination of ear cluster

Exported from METEOR (AIHW's Metadata Online Registry)

Metadata 567654 Page 1 of 5 Downloaded 05-Jul-2024

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AlHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at https://creativecommons.org/licenses/by/4.0/.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

Pre-operative examination of ear cluster

| Seq No. | Metadata item | METEOR identifier | Data Type [Length] | Value & Meaning |
|---------|---|-------------------|--------------------|---|
| 1 | Side of ear | 586306 | String [1] | L Left R Right |
| 2 | Ear assessment indicator | 567690 | Number [1] | 1 Yes 2 No 8 Unknown 9 Not stated/inadequately described |
| 3 | External auditory meatus condition | 567772 | Number [2] | 1 Clear 2 Wax/debris 3 Discharge 4 Foreign body 5 Otitis externa 88 Other 98 Unknown 99 Not stated/inadequately described |
| 4 | Intact tympanic membrane indicator | 682256 | Number [1] | 1 Yes 2 No 8 Unknown 9 Not stated/inadequately described |
| 5 | Intact tympanic membrane condition | 507838 | Number [1] | Normal Scarred/abnormal Dull Immobile Retracted Unknown Not stated/inadequately described |
| 6 | Tympanic membrane perforation indicator | 507593 | Number [1] | 1 Yes 2 No 8 Unknown 9 Not stated/inadequately described |
| 7 | Ear grommet indicator | 505157 | Number [1] | 1 Yes 2 No 7 Not applicable 8 Unknown 9 Not stated/inadequately described |

| Seq No. | Metadata item | METEOR identifier | Data Type [Length] | Value & Meaning |
|---------|---|-------------------|--------------------|--|
| 8 | Tympanic membrane perforation location (code) | 505084 | Number [1] | 1 Central 2 Marginal 3 Attic 8 Unknown 9 Not stated/inadequately described |
| 9 | Tympanic membrane perforation status | 498146 | Number [1] | 1 Wet 2 Dry 8 Unknown 9 Not stated/inadequately described |
| 10 | Tympanic membrane perforation wet condition | 534464 | Number [1] | 1 Purulent 2 Moist (serous) 9 Not stated |
| 11 | Tympanic membrane perforation size | 567834 | Number [1] | Pinhole Less than 40% of tympanic membrane Greater than 40% of tympanic membrane Subtotal/total Unknown Not stated/inadequately described |
| 12 | Pre-operative diagnosis cluster | 567842 | | |
| 1 | Pre-operative ear health diagnosis | 567913 | Number [2] | 1 Normal 2 Chronic otitis media (COM) 3 Otitis media with effusion (OME) 4 Acute otitis media (AOM) 5 Acute otitis media (AOM) with perforation 6 Other ear health diagnosis 98 Unknown 99 Not stated/inadequately described |
| 2 | Pre-operative ear health diagnosis (text) | 567930 | String [100] | X[X(99)] |
| | | | | A combination of alphanumeric characters. |
| 3 | Chronic otitis media type | 567962 | Number [2] | Healed (intact abnormal) Active (purulent discharge) Inactive (dry or serous perforation) Squamous Mucosal Unknown Not stated/inadequately described |