

Patient—myringoplasty graft type, code N[N]

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

Patient—myringoplasty graft type, code N[N]

Identifying and definitional attributes

Metadata item type:	Data Element
Short name:	Myringoplasty graft type
METEOR identifier:	568308
Registration status:	Indigenous , Standard 05/12/2017
Definition:	The type of graft used in a patient's myringoplasty , as represented by a code.
Data Element Concept:	Patient—myringoplasty graft type
Value Domain:	Myringoplasty graft type code N[N]

Value domain attributes

Representational attributes

Representation class:	Code
Data type:	Number
Format:	N[N]
Maximum character length:	2

	Value	Meaning
Permissible values:	1	Temporalis fascia
	2	Cartilage
	3	Cartilage/perichondrium
	4	Fat
	5	Other
Supplementary values:	98	Unknown
	99	Not stated/inadequately described

Collection and usage attributes

Guide for use:

CODE 1 Temporalis fascia

Temporalis fascia tissue is used for the graft.

CODE 2 Cartilage

Cartilage tissue is used for the graft.

CODE 3 Cartilage/perichondrium

Cartilage tissue and the connective tissue that surrounds the cartilage are used for the graft.

CODE 4 Fat

A piece of fat from the posterior side of the lobule is used for the graft.

CODE 5 Other

A graft type other than those separately identified.

CODE 98 Unknown

This code is used when the data is invalid.

CODE 99 Not stated/inadequately described

This code is used when the data is missing.

Source and reference attributes

Submitting organisation:

Department of Health

Australian Institute of Health and Welfare

Data element attributes

Source and reference attributes

Submitting organisation:

Department of Health

Australian Institute of Health and Welfare

Relational attributes

Related metadata references:

See also [Patient—myringoplasty graft attachment type, code N\[N\] Indigenous](#), Standard 05/12/2017

See also [Patient—myringoplasty indicator, yes/no code N Indigenous](#), Standard 05/12/2017

See also [Patient—revision myringoplasty indicator, yes/no code N Indigenous](#), Standard 05/12/2017

Implementation in Data Set Specifications:

[Myringoplasty cluster Indigenous](#), Standard 05/12/2017

Conditional obligation:

Conditional on a 'yes' response to [Patient—myringoplasty indicator, yes/no code N](#).