Patient—type of hearing loss, code N

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY4.0 (CC BY4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at https://creativecommons.org/licenses/by/4.0/.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

Patient-type of hearing loss, code N

Identifying and definitional attributes

Metadata item type:	Data Element
Short name:	Type of hearing loss
METEOR identifier:	578397
Registration status:	Indigenous, Standard 18/02/2015
Definition:	The type of hearing loss diagnosed in a patient, as represented by a code.

Data element concept attributes

Identifying and definitional attributes

Data element concept:	Patient—type of hearing loss
METEOR identifier:	504259
Registration status:	Indigenous, Standard 08/08/2014
Definition:	The type of hearing loss diagnosed in a patient.
Object class:	Patient
Property:	Type of hearing loss

Value domain attributes

Identifying and definitional attributes

Value domain:	Type of hearing loss code N
METEOR identifier:	578392
Registration status:	Indigenous, Standard 18/02/2015
Definition:	Code set representing type of hearing loss.

Representational attributes

Representation class:	Code	
Data type:	Number	
Format:	Ν	
Maximum character length:	1	
	Value	Meaning
Permissible values:	1	Conductive
	2	Sensorineural
	3	Mixed (both conductive and sensorineural)
	4	CNT/DNT (could not test/did not test)
Supplementary values:	8	Unknown
	9	Not stated/inadequately described

Collection and usage attributes

Guide for use:

CODE 1 Conductive

A deviation of hearing threshold from normal associated with reduced conduction of sound through the outer ear, tympanic membrane (eardrum) or middle ear including ossicles (middle ear bones).

CODE 2 Sensorineural

A deviation of hearing threshold from the normal range attributable to problems in the inner ear or vestibulocochlear nerve.

CODE 3 Mixed (both conductive and sensorineural)

Use code 3 if patient has both conductive and sensorineural hearing loss.

CODE 8 Unknown

Use code 8 if hearing loss is indeterminate.

Source and reference attributes

Submitting organisation: Australian Institute of Health and Welfare

Data element attributes

Source and reference attributes

Submitting organisation:	Australian Institute of Health and Welfare
Steward:	Australian Institute of Health and Welfare
Reference documents:	AIHW (Australian Institute of Health and Welfare) 2011. Ear and hearing health of Indigenous children in the Northern Territory 2011. Cat. no. IHW 60. Canberra: AIHW. <u>http://www.aihw.gov.au/publication-detail/?id=10737420423</u>

Relational attributes

Related metadata references:	Supersedes <u>Patient—type of hearing loss, code N</u> <u>Indigenous</u> , Superseded 18/02/2015
Implementation in Data Set Specifications:	Stronger Futures in the Northern Territory: Audiology services DSS, May 2013- August 2014 Indigenous, Standard 18/02/2015
	Implementation start date: 01/05/2013
	Conditional obligation: Valid where a 'yes' response to the type of hearing loss indicator data element is selected.