

AUDIT-C result code N

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

AUDIT-C result code N

Identifying and definitional attributes

Metadata item type:	Value Domain
METEOR identifier:	585196
Registration status:	Health! , Standard 13/03/2015 Indigenous , Superseded 14/07/2021
Definition:	A code set identifying the AUDIT-C result
Context:	AUDIT-C is a 3-item alcohol screen that can help identify persons who are hazardous drinkers or have active alcohol use disorders (including alcohol abuse or dependence).

Representational attributes

Representation class:	Code	
Data type:	String	
Format:	N	
Maximum character length:	1	
	Value	Meaning
Permissible values:	1	Not at risk
	2	At risk

Collection and usage attributes

Guide for use:	CODE 1: Not at risk Use this code when the AUDIT-C score is less than 4. CODE 2: At risk Use this code when the AUDIT-C score is greater than or equal to 4.
Collection Methods:	AUDIT-C is scored on a scale of 0-12. Each AUDIT-C question has 5 answer choices, which are rated from 0 to 5. A total score of 4 or more in males and 3 or more in females is considered positive, optimal for identifying hazardous drinking or active alcohol use disorders.
Comments:	AUDIT-C is a 3-item alcohol screen that can help identify persons who are hazardous drinkers or have active alcohol use disorders (including alcohol abuse or dependence). The AUDIT-C is a modified version of the 10 question AUDIT instrument.

Source and reference attributes

Submitting organisation:	Australian Institute of Health and Welfare (AIHW)
Reference documents:	Bush K, Kivlahan DR, McDonnell MB et al. 1998. Alcohol consumption questions (AUDIT-C): an effective brief screening test for problem drinking. Archives of Internal Medicine 1998(3): 1789-95.

Relational attributes

Related metadata references:	Has been superseded by AUDIT-C result code N Indigenous , Standard 14/07/2021
-------------------------------------	---

**Data elements
implementing this value
domain:**

[Person—AUDIT-C result, code N](#)
[Health](#), Standard 13/03/2015
[Indigenous](#), Superseded 14/07/2021