

Person—level of functional independence, Resource Utilisation Groups— Activities of Daily Living total score code N[N]

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

Person—level of functional independence, Resource Utilisation Groups—Activities of Daily Living total score code N[N]

Identifying and definitional attributes

Metadata item type:	Data Element
Short name:	Level of functional independence (total RUG-ADL score)
METEOR identifier:	588361
Registration status:	Health! , Superseded 25/01/2018 Tasmanian Health , Superseded 06/05/2020
Definition:	A person's level of functional independence, as represented by a total RUG-ADL score-based code. Functional independence is the ability to carry out activities of daily living safely and autonomously.

Data element concept attributes

Identifying and definitional attributes

Data element concept:	Person—level of functional independence
METEOR identifier:	449145
Registration status:	Independent Hospital Pricing Authority , Qualified 23/11/2015 Tasmanian Health , Superseded 19/01/2018 Health! , Superseded 25/01/2018
Definition:	A person's level of functional independence. Functional independence is the ability to carry out activities of daily living safely and autonomously.
Object class:	Person
Property:	Level of functional independence

Source and reference attributes

Submitting organisation: Independent Hospital Pricing Authority

Value domain attributes

Identifying and definitional attributes

Value domain:	Resource Utilisation Groups—Activities of Daily Living total score code N[N]
METEOR identifier:	588359
Registration status:	Health! , Superseded 25/01/2018 Tasmanian Health , Superseded 06/05/2020
Definition:	A total code set that represents an individual's need for assistance with four activities of daily living.

Representational attributes

Representation class: Code

Data type: Number
Format: N[N]
Maximum character length: 2

Collection and usage attributes

Guide for use: The Resource Utilisation Groups - Activities of Daily Living (RUG-ADL) is a four item scale measuring a person's motor function for activities of daily living including:

- Bed mobility
- Toileting
- Transfers
- Eating

For bed mobility, toileting and transfers, valid values are:

- 1 - Independent or supervision only
- 3 - Limited physical assistance
- 4 - Other than two persons physical assist
- 5 - Two or more person physical assist

Note: a score of 2 is not valid.

For eating, valid values are:

- 1 - Independent or supervision only
- 2 - Limited assistance
- 3 - Extensive assistance/total dependence/tube fed

Note: a score of 4 or 5 is not valid.

Scores are summed for the four ADL variables, i.e. bed mobility, toileting, transfers and eating. A total RUG-ADL score ranges from a minimum score of 4 to a maximum score of 18.

Source and reference attributes

Submitting organisation: Independent Hospital Pricing Authority

Data element attributes

Source and reference attributes

Submitting organisation: Independent Hospital Pricing Authority

Reference documents: Fries BE, Schneider DP et al. 1994. Refining a case-mix measure for nursing homes: Resource Utilization Groups (RUG-III). Medical Care 32: 668-685.

Relational attributes

Related metadata references: Has been superseded by [Person—level of functional independence. Resource Utilisation Groups— Activities of Daily Living total score code N\[N\] Health!](#), Superseded 17/10/2018

Implementation in Data Set Specifications: [Admitted subacute and non-acute hospital care DSS 2015-16 Health!](#), Superseded 19/11/2015

Implementation start date: 01/07/2015

Implementation end date: 30/06/2016

Conditional obligation:

Only the Resource Utilisation Groups - Activities of Daily Living (RUG-ADL) scores at admission are required to be reported for maintenance care episodes.

RUG-ADL scores at palliative care phase start should be reported for all palliative care phases.

Only required to be reported for episodes of admitted patient care with [Hospital service—care type, code N\[N\]](#) recorded as:

- Code 3, Palliative care; or
- Code 6, Maintenance care.

DSS specific information:

For episodes of admitted patient care with [Hospital service—care type, code N\[N\]](#) recorded as Code 3, Palliative care, the RUG-ADL scores must be reported for each [palliative care phase](#) if the episode of admitted patient care had more than one phase.

[Admitted subacute and non-acute hospital care NBEDS 2016-17](#)

[Health!](#), Superseded 03/11/2016

Implementation start date: 01/07/2016

Implementation end date: 30/06/2017

Conditional obligation:

Only the Resource Utilisation Groups - Activities of Daily Living (RUG-ADL) scores at admission are required to be reported for maintenance care episodes.

RUG-ADL scores at palliative care phase start should be reported for all palliative care phases.

Only required to be reported for episodes of admitted patient care with [Hospital service—care type, code N\[N\]](#) recorded as:

- Code 3, Palliative care; or
- Code 6, Maintenance care.

Not required to be reported for patients aged 17 years and under at admission.

DSS specific information:

For episodes of admitted patient care with [Hospital service—care type, code N\[N\]](#) recorded as Code 3, Palliative care, the RUG-ADL scores must be reported for each [palliative care phase](#) if the episode of admitted patient care had more than one phase.

[Admitted subacute and non-acute hospital care NBEDS 2017-18](#)

[Health!](#), Superseded 25/01/2018

[Independent Hospital Pricing Authority](#), Recorded 04/08/2016

Implementation start date: 01/07/2017

Implementation end date: 30/06/2018

Conditional obligation:

Only the Resource Utilisation Groups - Activities of Daily Living (RUG-ADL) scores at admission are required to be reported for maintenance care episodes.

RUG-ADL scores at palliative care phase start should be reported for all palliative care phases.

Only required to be reported for episodes of admitted patient care with [Hospital service—care type, code N\[N\]](#) recorded as:

- Code 3, Palliative care; or
- Code 6, Maintenance care.

Not required to be reported for patients aged 17 years and under at admission.

DSS specific information:

For episodes of admitted patient care with [Hospital service—care type, code N\[N\]](#) recorded as Code 3, Palliative care, the RUG-ADL scores must be reported for each [palliative care phase](#) if the episode of admitted patient care had more than one phase.

[Tasmanian Subacute/Non-acute Data Set - 2016](#)

[Tasmanian Health](#), Superseded 18/01/2018

Implementation start date: 01/07/2016

Implementation end date: 30/06/2017

[Tasmanian Subacute/Non-acute Data Set - 2017](#)

[Tasmanian Health](#), Superseded 18/01/2018

Implementation start date: 01/07/2017

Implementation end date: 30/06/2018

[Tasmanian Subacute/Non-acute Data Set - 2018](#)

[Tasmanian Health](#), Superseded 06/05/2020

Implementation start date: 01/07/2018

Implementation end date: 30/06/2019

[Tasmanian Subacute/Non-acute Data Set - 2019](#)

[Tasmanian Health](#), Superseded 06/05/2020

Implementation start date: 01/07/2019

Implementation end date: 30/06/2020