

Injury event—place of occurrence, code (ICD-10-AM 9th edn) ANN{.N[N]}

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

Injury event—place of occurrence, code (ICD-10-AM 9th edn) ANN{.N[N]}

Identifying and definitional attributes

Metadata item type:	Data Element
Short name:	Place of occurrence of external cause of injury (ICD-10-AM)
METEOR identifier:	589028
Registration status:	HealthI , Superseded 05/10/2016 Tasmanian Health , Superseded 10/07/2017
Definition:	The place where the external cause of injury, poisoning or adverse effect occurred, as represented by a code.
Data Element Concept:	Injury event—place of occurrence
Value Domain:	Place of occurrence (ICD-10-AM 9th edn) ANN{.N[N]}

Value domain attributes

Representational attributes

Classification scheme:	International Statistical Classification of Diseases and Related Health Problems, Tenth Revision, Australian Modification 9th edition
Representation class:	Code
Data type:	String
Format:	ANN{.N[N]}
Maximum character length:	6

Data element attributes

Collection and usage attributes

Guide for use:	Admitted patient: External cause codes in the range V00 to Y89 must be accompanied by a place of occurrence code. External cause codes V00 to Y34 must be accompanied by an activity code.
Comments:	Enables categorisation of injury and poisoning according to factors important for injury control. Necessary for defining and monitoring injury control targets, injury costing and identifying cases for in-depth research.

Source and reference attributes

Origin:	National Centre for Classification in Health AIHW National Injury Surveillance Unit National Data Standards for Injury Surveillance Advisory Group
----------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------

Relational attributes

Related metadata references:

Supersedes [Injury event—place of occurrence, code \(ICD-10-AM 8th edn\) ANN{.N\[N\]}](#)
[Health!](#), Superseded 13/11/2014

Has been superseded by [Injury event—place of occurrence, code \(ICD-10-AM 10th edn\) ANN{.N\[N\]}](#)
[Health!](#), Superseded 12/12/2018
[Independent Hospital Pricing Authority](#), Recorded 04/08/2016
[Tasmanian Health](#), Superseded 08/04/2019

Implementation in Data Set Specifications:

[Admitted patient care NMDS 2015-16](#)
[Health!](#), Superseded 10/11/2015
Implementation start date: 01/07/2015
Implementation end date: 30/06/2016
DSS specific information: To be used with ICD-10-AM external cause codes.

[Admitted patient care NMDS 2016-17](#)
[Health!](#), Superseded 05/10/2016
Implementation start date: 01/07/2016
Implementation end date: 30/06/2017
DSS specific information:

To be used with ICD-10-AM external cause codes.

[Tasmanian Admitted Patient Data Set - 2016](#)
[Tasmanian Health](#), Superseded 10/01/2018
Implementation start date: 01/07/2016
Implementation end date: 30/06/2017