Indigenous primary health care: PI24b-Proportion of regular clients with Type II diabetes whose blood pressure measurement result was less than or equal to 130/80 mmHg, 2015



© Australian Institute of Health and Welfare 2024

This product, excluding the AlHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AlHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at https://creativecommons.org/licenses/by/4.0/.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

Indigenous primary health care: Pl24b-Proportion of regular clients with Type II diabetes whose blood pressure measurement result was less than or equal to 130/80 mmHg, 2015

Identifying and definitional attributes

Metadata item type: Indicator Indicator type: Indicator

Short name: Pl24b-Proportion of regular clients with Type II diabetes whose blood pressure

measurement result was less than or equal to 130/80 mmHg, 2015

METEOR identifier: 589085

Registration status: <u>Health!</u>, Superseded 05/10/2016

Indigenous, Superseded 20/01/2017

Description: Proportion of regular clients who are Indigenous, have Type II diabetes and whose

blood pressure measurement result, recorded within the previous 6 months, was

less than or equal to 130/80 mmHg.

Rationale: The blood pressure target for people with Type II diabetes is less than or equal to

130/80 mmHg. This level is shown to significantly decrease macrovascular (stroke, heart attack and heart failure) and microvascular (kidney disease, eye disease and

peripheral neuropathy) complications.

Indigenous primary health care key performance indicators (2015)

Health!, Superseded 05/10/2016 Indigenous, Superseded 20/01/2017

Collection and usage attributes

Computation description: Proportion of regular clients who are Indigenous, have Type II diabetes and whose

blood pressure measurement result, recorded within the previous 6 months, was

less than or equal to 130/80 mmHg.

'Regular client' refers to a client of an OATSIH-funded primary health care service (that is required to report against the Indigenous primary health care key performance indicators) who has an active medical record; that is, a client who has attended the OATSIH-funded primary health care service at least 3 times in 2

years

Exclude Type I diabetes, secondary diabetes, gestational diabetes mellitus (GDM),

previous GDM, impaired fasting glucose, impaired glucose tolerance.

The client does not have a blood pressure measurement of less than or equal to 130/80 mmHg if either the systolic or diastolic reading is above the threshold (130

and 80 respectively).

In the general population, blood pressure over 140/90 mmHg is considered high. The blood pressure target for those with Type II diabetes is less than or equal to 130/80 mmHg as it is shown to significantly decrease macrovascular (stroke, heart attack and heart failure) and microvascular (kidney disease, eye disease and

peripheral neuropathy) complications.

Presented as a percentage.

If the client has had more than one blood pressure measurement in the last 6 months, only the most recently recorded result is included in this calculation.

Computation: (Numerator ÷ Denominator) x 100

Numerator:

Number of regular clients who are Indigenous, have Type II diabetes and whose blood pressure measurement result, recorded within the previous 6 months, was less than or equal to 130/80 mmHg.

Numerator data elements:

Data Element / Data Set

Person—diabetes mellitus status, code NN

Data Source

Indigenous primary health care data collection

NMDS / DSS

Indigenous primary health care DSS 2015-17

Guide for use

Type II diabetes only

Data Element / Data Set-

Person—Indigenous status, code N

Data Source

Indigenous primary health care data collection

NMDS / DSS

Indigenous primary health care DSS 2015-17

Data Element / Data Set-

Person—regular client indicator, yes/no code N

Data Source

Indigenous primary health care data collection

NMDS / DSS

Indigenous primary health care DSS 2015-17

Data Element / Data Set-

Person—blood pressure measurement result less than or equal to 130/80 mmHg indicator, yes/no code N

Data Source

Indigenous primary health care data collection

NMDS / DSS

Indigenous primary health care DSS 2015-17

Guide for use

Response to this is conditional on responding 'yes' to having had a blood pressure measurement result recorded in the previous 6 months.

Denominator:

Denominator data elements:

Total number of regular clients who are Indigenous, have Type II diabetes and had a blood pressure measurement result recorded within the previous 6 months.

Data Element / Data Set-

Person—diabetes mellitus status, code NN

Data Source

Indigenous primary health care data collection

NMDS / DSS

Indigenous primary health care DSS 2015-17

Guide for use

Type II diabetes only.

-Data Element / Data Set-

Person—Indigenous status, code N

Data Source

Indigenous primary health care data collection

NMDS / DSS

Indigenous primary health care DSS 2015-17

Data Element / Data Set-

Person—regular client indicator, yes/no code N

Data Source

Indigenous primary health care data collection

NMDS / DSS

Indigenous primary health care DSS 2015-17

Data Element / Data Set

Data Source

Indigenous primary health care data collection

NMDS / DSS

Indigenous primary health care DSS 2015-17

Disaggregation: 1. Sex:

a) Male

b) Female

2. Age:

a) 0-4 years

b) 5-14 years

c) 15-24 years

d) 25-34 years

e) 35-44 years

f) 45-54 years

g) 55-64 years h) 65 years and over

Disaggregation data elements:

Data Element / Data Set

Person-sex, code N

Data Source

Indigenous primary health care data collection

NMDS / DSS

Indigenous primary health care DSS 2015-17

Data Element / Data Set-

Person—age, total years N[NN]

Data Source

Indigenous primary health care data collection

NMDS / DSS

Indigenous primary health care DSS 2015-17

Representational attributes

Representation class: Percentage

Data type: Real
Unit of measure: Person

Indicator conceptual framework

Framework and dimensions:

Data sources:

Effective/Appropriate/Efficient

Data source attributes

─ Data Source-

Indigenous primary health care data collection

Frequency

6 monthly

Data custodian

Australian Institute of Health and Welfare.

Source and reference attributes

Submitting organisation: Australian Institute of Health and Welfare

Department of Health

Relational attributes

Related metadata references:

Supersedes Indigenous primary health care: PI24b-Proportion of regular clients with Type II diabetes whose blood pressure measurement result was less than or equal to 130/80 mmHq, 2014

Health!, Superseded 13/03/2015

Indigenous, Superseded 13/03/2015

Has been superseded by <u>Indigenous primary health care: PI24b-Proportion of regular clients with Type II diabetes whose blood pressure measurement result was less than or equal to 130/80 mmHg, 2015-2017</u>

<u>Health!</u>, Superseded 25/01/2018 <u>Indigenous</u>, Superseded 27/02/2018

See also Indigenous primary health care: PI24a-Number of regular clients with Type II diabetes whose blood pressure measurement result was less than or equal to 130/80 mmHq, 2015

<u>Health!</u>, Superseded 05/10/2016 <u>Indigenous</u>, Superseded 20/01/2017