National Healthcare Agreement Pla: Proportion of emergency radiotherapy treatment started within the emergency timeframe

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY4.0 (CC BY4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at https://creativecommons.org/licenses/by/4.0/.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

National Healthcare Agreement Pla: Proportion of emergency radiotherapy treatment started within the emergency timeframe

Identifying and definitional attributes

| Metadata item type: | Indicator |
|----------------------|---|
| Indicator type: | Indicator |
| Short name: | Emergency radiotherapy within the emergency timeframe |
| METEOR identifier: | 595028 |
| Registration status: | Health!, Qualified 12/01/2016 |
| Description: | The percentage of radiotherapy patients whose treatment was clinically assessed as an emergency, who started radiotherapy within the emergency timeframe, as measured from their ready-for-care date to the beginning of treatment. |
| Outcome area: | <u>Hospital and Related Care</u> <u>National Health Performance Authority (retired)</u> , Retired 01/07/2016 <u>Health!</u> , Standard 07/07/2010 |

Collection and usage attributes

| Computation description: | The clinical emergency indicator describes whether the radiotherapy treatment required for a patient is clinically assessed as an emergency. An emergency is defined as treatment required within 24 hours of being determined to be ready-for-care (in the opinion of the treating clinician). |
|--------------------------|---|
| | As reporting of waiting time in hours is not supported by the underlying data collection, and a patient receiving treatment on the following day may also have started treatment within 24 hours, the performance indicator reported is, therefore: |
| | The percentage of radiotherapy patients who are ready-for-care and whose treatment was clinically assessed as an emergency, as recorded by the clinical emergency indicator, whose radiotherapy treatment began: |
| | on the same day as they were ready-for-care, or the day after they were ready-for-care. |
| | The percentage of radiotherapy patients who began care on the same day or the day after they were ready-for-care will be reported as being treated within the emergency timeframe. |
| | The waiting time is calculated, in days, by subtracting the ready-for-care date from the radiotherapy start date. |
| | Analysis by State and Territory is for State or Territory of treatment facility. |
| | Analysis by remoteness and Socio-Economic Indexes for Areas (SEIFA) Index of Relative Socioeconomic Disadvantage (IRSD) is based on usual residence of person. |
| | Presented as a percentage. |
| Computation: | 100 × (Numerator ÷ Denominator). |
| Numerator: | Number of radiotherapy patients who are clinically assessed as an emergency, whose calculated waiting time is 0 days or 1 day. |

-Data Element / Data Set-

Patient—clinical emergency indicator, yes/no code N

Data Source

National Radiotherapy Waiting Times Database (NRWTD)

NMDS / DSS

Radiotherapy waiting times NMDS 2015-2018

– Data Element / Data Set –

Patient-ready-for-care date, DDMMYYYY

Data Source

National Radiotherapy Waiting Times Database (NRWTD)

NMDS / DSS

Radiotherapy waiting times NMDS 2015-2018

– Data Element / Data Set–

Patient—radiotherapy start date, DDMMYYYY

Data Source

National Radiotherapy Waiting Times Database (NRWTD)

NMDS / DSS

Radiotherapy waiting times NMDS 2015-2018

Denominator:

Denominator data elements:

Number of radiotherapy patients who are clinically assessed as an emergency.

 Data Element / Data Set

 Patient—clinical emergency indicator, yes/no code N

 Data Source

 National Radiotherapy Waiting Times Database (NRWTD)

 NMDS / DSS

Radiotherapy waiting times NMDS 2015-2018

State and Territory, for patients whose clinical emergency indicator was recorded as 'yes', by:

- Establishment sector
- Indigenous status
- Remoteness (Australian Statistical Geography Standard (ASGS) Remoteness structure)
- 2011 Socio-Economic Indexes for Areas (SEIFA) Index of Relative Sociodemographic Disadvantage (IRSD) quintiles.

Nationally by sector, by:

• 2011 SEIFA IRSD deciles.

Data Element / Data Set-

Some disaggregations may result in numbers too small for publication.

Disaggregation data elements:

Establishment—organisation identifier (Australian), NNX[X]NNNNN

Data Source

National Radiotherapy Waiting Times Database (NRWTD)

NMDS / DSS

Radiotherapy waiting times NMDS 2015-2018

Guide for use

Sector identifier at character position 2. Defined in Establishment—sector, code N.

Data Element / Data Set-

Person-Indigenous status, code N

Data Source

National Radiotherapy Waiting Times Database (NRWTD)

NMDS / DSS

Radiotherapy waiting times NMDS 2015-2018

- Data Element / Data Set-

Person—area of usual residence, statistical area level 2 (SA2) code (ASGS 2011) N(9)

Data Source

National Radiotherapy Waiting Times Database (NRWTD)

NMDS / DSS

Radiotherapy waiting times NMDS 2015-2018

Comments:

Most recent data available for National Healthcare Agreement (NHA) performance reporting: TBA.

Those who are deemed ready-for-care but do not receive treatment in the reporting period (including those who never go on to receive treatment) are not reported in the National Radiotherapy Waiting Times Database, and are, therefore not included in this indicator. A person may experience more than 1 wait time in the reporting period, in which case, each of their waits would be included. The clinical emergency indicator describes whether the treatment required for the patient is clinically assessed as an emergency.

Representational attributes

| Representation class: | Percentage |
|-----------------------|---------------|
| Data type: | Real |
| Unit of measure: | Service event |

Data source attributes

| Data sources: | Data Source |
|---------------|--|
| | National Radiotherapy Waiting Times Database (NRWTD) |
| | Frequency |
| | Annual |
| | Data quality statement |
| | National Radiotherapy Waiting Times Database, 2018–19; Quality Statement |
| | Data custodian |
| | Australian Institute of Health and Welfare |
| | |

Accountability attributes

| Reporting requirements: | National Healthcare Agreement |
|---|--|
| Organisation responsible for providing data: | Australian Institute of Health and Welfare |
| Further data development / collection required: | Specification: Some work required to refine time measure to hours, currently days. |

Source and reference attributes

Submitting organisation: Australian Institute of Health and Welfare